



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

1 Identification

1.1 Product identifier

Trade name **Armor All Extreme Wheel & Tire Cleaner - Spray**
Alternative number(s) 070612780904, 070612780119, 070612183941,
070612172358, 070612179739, 70612780904,
070612780904

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use
Uses advised against Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin.

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
e-mail: Autocare.regulatory@energizer.com
Website: <https://data.energizer.com>

1.4 Emergency telephone number

Emergency information service FOR EMERGENCY in USA & Canada CALL +1 800 255-3924 / For International CALL +1 813 248 0585
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

2 Hazard identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

The most important adverse physicochemical, human health and environmental effects
Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labeling

- Signal word danger

- Pictograms

GHS05



- Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

- Precautionary statements

P234 Keep only in original packaging.
P260 Do not breathe dusts or mists.
P280 Wear eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.
P405 Store locked up.
P406 Store in a corrosion resistant container with a resistant inner liner.
P501 Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling Diethylene glycol monohexyl ether

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

3 Composition/ Information on ingredients

3.1 Substances

Not relevant (mixture)



Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Diethylene glycol mono-hexyl ether	CAS No 112-59-4	1 - < 5	Acute Tox. 4 / H312 Eye Dam. 1 / H318	
Sodium Metasilicate	CAS No 6834-92-0	0.1 - < 1	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335	

Remarks

For full text of abbreviations: see SECTION 16

4 First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

5 Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

Unsuitable extinguishing media
Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products
Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

7 Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.

- Handling of incompatible substances or mixtures

Do not mix with acids.



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

Control of the effects

Protect against external exposure, such as frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

8 Exposure controls/ Personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)
this information is not available

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Diethylene glycol monohexyl ether	112-59-4	DNEL	16.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Diethylene glycol monohexyl ether	112-59-4	DNEL	50 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monohexyl ether	112-59-4	PNEC	1.963 mg/l	aquatic organisms	freshwater	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	0.196 mg/l	aquatic organisms	marine water	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Diethylene glycol	112-59-4	PNEC	10.7 mg/kg	aquatic organ-	freshwater sedi-	short-term (single



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
monoethyl ether				isms	ment	instance)
Diethylene glycol monoethyl ether	112-59-4	PNEC	1.07 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Diethylene glycol monoethyl ether	112-59-4	PNEC	0.995 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	not determined
Odor	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	12.2 – 13.2 (base)
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapor pressure	0.999 hPa at 87.46 °C
----------------	-----------------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	there is no additional information

10 Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

11 Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Diethylene glycol monoethyl ether	112-59-4	dermal	1,100 mg/kg
Sodium Metasilicate	6834-92-0	oral	770 mg/kg
Sodium Metasilicate	6834-92-0	inhalation: vapour	>2.06 mg/l/4h
Sodium Metasilicate	6834-92-0	inhalation: dust/mist	0.5 mg/l/4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

12 Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

13 Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

14 Transport information

14.1 UN number

UN RTDG	UN 3267
IMDG-Code	UN 3267
ICAO-TI	UN 3267

14.2 UN proper shipping name

UN RTDG	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, basic, organic, n.o.s.
Technical name (hazardous ingredients)	Hexoxyethanol, Sodium Metasilicate

14.3 Transport hazard class(es)

UN RTDG	8
IMDG-Code	8
ICAO-TI	8

14.4 Packing group

UN RTDG	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport information - National regulations - Additional information (UN RTDG)

UN number	3267
Class	8
Packing group	III
Danger label(s)	8



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25



Special provisions (SP)	223, 274 (UN RTDG)
Excepted quantities (EQ)	E1 (UN RTDG)
Limited quantities (LQ)	5 L (UN RTDG)

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration	UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (Hexoxyethanol, Sodium Metasilicate, solution), 8, III
Marine pollutant	-
Danger label(s)	8



Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	18 - Alkalis

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration	UN3267, Corrosive liquid, basic, organic, n.o.s., (Hexoxyethanol, Sodium Metasilicate, solution), 8, III
Danger label(s)	8



Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L



Safety Data Sheet
acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

15 Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed or exempt from listing

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvents	
Diethylene glycol monoethyl ether	112-59-4		
n-[3-(Dimethylamino)propyl]dodecanamide	61792-31-2	surfactant	
Tetrasodium ethylenediamine tetraacetate	64-02-8	chelating agent	
Sodium Metasilicate	6834-92-0	pH Adjuster	
Sodium Caprylyl Sulfonate	5324-84-5	surfactant	
Myristamidopropylamine oxide	67806-10-4	surfactant	
Triethylene glycol monoethyl ether			CA TACs
Isopropyl alcohol	67-63-0	solvents	OEHHA RELs
Sodium sulfate	7757-82-6	filler	
Sodium Glycolate	2836-32-0	gelling agent	
Hexoxyethanol	112-25-4		
Sodium hydroxide	1310-73-2	pH Adjuster	OEHHA RELs
Hydrogen Peroxide	7722-84-1	oxidizer	
Triethylene glycol	112-27-6	solvents	
diethylene glycol	111-46-6	solvents	
Trisodium NTA	5064-31-3	chelating agent	

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Diethylene glycol monoethyl ether		1022			1.0 %



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Diethylene glycol monoethyl ether	112-59-4		

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
GLYCOL ETHERS		E

Legend

E Environmental hazard

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
formaldehyde	50-00-0	gas	cancer
methanol	67-56-1		developmental

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National regulations (Canada)

Domestic Substances List (DSL)/Non-domestic Substances List (NDSL)

all ingredients are listed

National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

Legend

NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

16 Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2		- Precautionary statements: change in the listing (table)	yes
2.3	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.	yes
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Remarks: For full text of abbreviations: see SECTION 16	yes
7.2		- Packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.	yes
9.1	Flammability: this material is combustible, but will not ignite readily	Flammability: non-combustible	yes
12.5	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.	yes
12.6	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.	yes
13.1	Waste treatment of containers/packages: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packages: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way	yes



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
		as the substance itself.	
14.1	UN number: not subject to transport regulations	UN number	yes
14.1		UN RTDG: UN 3267	yes
14.1		IMDG-Code: UN 3267	yes
14.1		ICAO-TI: UN 3267	yes
14.2	UN proper shipping name: not relevant	UN proper shipping name	yes
14.2		UN RTDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	yes
14.2		IMDG-Code: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	yes
14.2		ICAO-TI: Corrosive liquid, basic, organic, n.o.s.	yes
14.2		Technical name (hazardous ingredients): Hexoxyethanol, Sodium Metasilicate	yes
14.3	Transport hazard class(es): none	Transport hazard class(es)	yes
14.3		UN RTDG: 8	yes
14.3		IMDG-Code: 8	yes
14.3		ICAO-TI: 8	yes
14.4	Packing group: not assigned	Packing group	yes
14.4		UN RTDG: III	yes
14.4		IMDG-Code: III	yes
14.4		ICAO-TI: III	yes
14.7	Transport information - National regulations - Additional information (UN RTDG): Not subject to transport regulations: UN RTDG	Transport information - National regulations - Additional information (UN RTDG)	yes
14.7		UN number: 3267	yes
14.7		Class:	yes



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
		8	
14.7		Packing group: III	yes
14.7		Danger label(s): 8	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): 223, 274 (UN RTDG)	yes
14.7		Excepted quantities (EQ): E1 (UN RTDG)	yes
14.7		Limited quantities (LQ): 5 L (UN RTDG)	yes
14.7	International Maritime Dangerous Goods Code (IMDG) - Additional information: Not subject to IMDG.	International Maritime Dangerous Goods Code (IMDG) - Additional information	yes
14.7		Particulars in the shipper's declaration: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (Hexoxyethanol, Sodium Metasilicate, solution), 8, III	yes
14.7		Marine pollutant: -	yes
14.7		Danger label(s): 8	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): 223, 274	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 5 L	yes
14.7		EmS: F-A, S-B	yes
14.7		Stowage category: A	yes
14.7		Segregation group: 18 - Alkalis	yes
14.7	International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information: Not subject to ICAO-IATA.	International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information	yes
14.7		Particulars in the shipper's declaration:	yes



Safety Data Sheet

acc. to Hazardous Products Regulations (HPR)

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 10.0
Replaces version of: 2023-07-21 (9)

Revision: 2025-03-25

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
		UN3267, Corrosive liquid, basic, organic, n.o.s., (Hexoxyethanol, Sodium Metasilicate, solution), 8, III	
14.7		Danger label(s): 8	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): A3	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 1 L	yes
15.1	Toxic Substance Control Act (TSCA): all ingredients are listed (ACTIVE) or exempt from listing	Toxic Substance Control Act (TSCA): all ingredients are listed or exempt from listing	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (NJ-RTK): change in the listing (table)	yes
15.1		NFPA® 704: change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Key literature references and sources for data

Hazardous Products Regulations (HPR)
SOR/2022-272: Regulations Amending the Hazardous Products Regulations (GHS, Seventh Revised Edition)
UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG).
Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.