

acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

## **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name STP Synthetic Brake Fluid DOT4 - bottle (Before

5-1-2021)

Alternative number(s) 071153172463

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

## 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

e-mail: Autocare.regulatory@energizer.com

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

### 1.4 Emergency telephone number

**Emergency information service** 

FOR EMERGENCY in USA & Canada CALL +1 800 255-3924 / For International CALL +1 813 248 0585 This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

# **SECTION 2: Hazard(s) identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.3	serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319
A.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16.

United States: en Page: 1 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word warning

- Pictograms

GHS07, GHS08



#### - Hazard statements

H319 Causes serious eye irritation.

H373 May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).

## - Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear eye protection/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regula-

tions.

- Hazardous ingredients for labelling diethylene glycol

#### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq$  0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0.1%.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

United States: en Page: 2 / 16

Energizer.

Holdings Inc.

acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

# Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Triethylene Glycol Butyl Ether	CAS No 143-22-6	5 – < 10	Eye Dam. 1 / H318	
diethylene glycol	CAS No 111-46-6	5 – < 10	Acute Tox. 4 / H302 Acute Tox. 4 / H332 STOT RE 2 / H373	<u>(1)</u>
Tetraethylene glycol monobutyl ether	CAS No 1559-34-8	1-<5	Eye Irrit. 2 / H319	<u>(1)</u>

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First-aid measures**

## 4.1 Description of first-aid measures

## General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# 4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 3 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

# **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United States: en Page: 4 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

## **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

# Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

#### 7.3 Specific end use(s)

See section 16 for a general overview.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

## Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Triethylene Glycol Butyl Ether	143-22-6	DNEL	195 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Triethylene Glycol Butyl Ether	143-22-6	DNEL	208 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
diethylene glycol	111-46-6	DNEL	44 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
diethylene glycol	111-46-6	DNEL	60 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
diethylene glycol	111-46-6	DNEL	43 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

United States: en Page: 5 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

# Relevant PNECs of components of the mixture

	-					
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Triethylene Glycol Butyl Ether	143-22-6	PNEC	2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Triethylene Glycol Butyl Ether	143-22-6	PNEC	0.2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Triethylene Glycol Butyl Ether	143-22-6	PNEC	200 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Triethylene Glycol Butyl Ether	143-22-6	PNEC	7.7 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Triethylene Glycol Butyl Ether	143-22-6	PNEC	0.77 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Triethylene Glycol Butyl Ether	143-22-6	PNEC	0.47 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
diethylene glycol	111-46-6	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
diethylene glycol	111-46-6	PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
diethylene glycol	111-46-6	PNEC	199.5 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
diethylene glycol	111-46-6	PNEC	20.9 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
diethylene glycol	111-46-6	PNEC	2.09 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
diethylene glycol	111-46-6	PNEC	1.53 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Tetraethylene glycol monobutyl ether	1559-34-8	PNEC	2.5 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Tetraethylene glycol monobutyl ether	1559-34-8	PNEC	0.25 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Tetraethylene glycol monobutyl ether	1559-34-8	PNEC	9.49 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Tetraethylene glycol monobutyl ether	1559-34-8	PNEC	0.95 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Tetraethylene glycol monobutyl ether	1559-34-8	PNEC	0.46 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

United States: en Page: 6 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

## **Appearance**

Physical state	liquid
Color	not determined
Particle	not relevant (liquid)
Odor	characteristic

## Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	205.7 °C at 977.6 hPa

United States: en Page: 7 / 16



9.2

acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

5 VEISION OI. 2022-07-20 (4)	
Flash point	not determined
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	
- Lower explosion limit (LEL)	1.3 vol%
- Upper explosion limit (UEL)	9.9 vol%
Vapor pressure	0.007 mmHg
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	210 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Other information	
Temperature class (USA, acc. to NEC 500)	T3 (maximum permissible surface temperature on the equipment: 200°C)

United States: en Page: 8 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

## 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

# 10.5 Incompatible materials

Oxidizers

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

## Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
diethylene glycol	111-46-6	oral	1,120 <sup>mg</sup> / <sub>kg</sub>
diethylene glycol	111-46-6	inhalation: vapor	11 <sup>mg</sup> / <sub>l</sub> /4h
diethylene glycol	111-46-6	inhalation: dust/mist	>4.6 <sup>mg</sup> / <sub>l</sub> /4h

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

United States: en Page: 9 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Revision: 2023-09-11

Version number: 5.2 Replaces version of: 2022-07-20 (4)

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

# Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

# Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
2	kidney	if swallowed

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq$  0.1%.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0.1%.

# 12.7 Other adverse effects

Data are not available.

United States: en Page: 10 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

14.1	UN number	not subject to transport regulations

**14.2 UN proper shipping name** not relevant

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the danger-

ous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

## 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information Not subject to transport regulations.

**International Maritime Dangerous Goods Code (IMDG) - Additional information**Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

United States: en Page: 11 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

**Toxic Substance Control Act (TSCA)** 

all ingredients are listed (ACTIVE) or exempt from listing

# Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

 Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

# Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

#### **Clean Air Act**

none of the ingredients are listed

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

# Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

#### Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

United States: en Page: 12 / 16



acc. to 29 CFR 1910.1200 App D

# **STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)**

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of or- dinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR Chemical Inventory and Control Regulation

CSCL-ENCS DSL List of Existing and New Chemical Substances (CSCL-ENCS)

**ECSI** 

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances IECSC

**INSQ** 

United States: en Page: 13 / 16



acc. to 29 CFR 1910.1200 App D

# **STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)**

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

Legend

KECI Korea Existing Chemicals Inventory NCI National Chemical Inventory

**NDSL** Non-domestic Substances List (NDSL) NZIoC

New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances **PICCS** 

REACH Reg. TCSI Taiwan Chemical Substance Inventory

**Toxic Substance Control Act** TSCA

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# SECTION 16: Other information, including date of preparation or last revision

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to OSHA "Hazard Communica- tion Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.3	Other hazards: of no significance	Other hazards	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0.1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0.1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1	Control parameters: This information is not available.	Control parameters: Occupational exposure limit values (Workplace Exposure Limits) this information is not available	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes

United States: en Page: 14 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
11.1	Serious eye damage/eye irritation: Shall not be classified as seriously damaging to the eye or eye irritant.	Serious eye damage/eye irritation: Causes serious eye irritation.	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0.1%.	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0.1%.	yes
14.3	Transport hazard class(es): not assigned	Transport hazard class(es): none	yes
15.1	Toxic Substance Control Act (TSCA): all ingredients are listed	Toxic Substance Control Act (TSCA): all ingredients are listed (ACTIVE) or exempt from listing	yes
15.1		NPCA-HMIS® III: change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

United States: en Page: 15 / 16



acc. to 29 CFR 1910.1200 App D

# STP Synthetic Brake Fluid DOT4 - bottle (Before 5-1-2021)

Version number: 5.2 Revision: 2023-09-11 Replaces version of: 2022-07-20 (4)

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
STOT RE	Specific target organ toxicity - repeated exposure
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 16 / 16