



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

SECTION 1: Identification

1.1 Product identifier

Trade name **Nu Finish Once A Year Polish & Sealant**
Alternative number(s) 078161000269, 078161000276, 070612003713

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
e-mail: Autocare.regulatory@energizer.com
Website: <https://data.energizer.com>

1.4 Emergency telephone number

Emergency information service FOR EMERGENCY in USA & Canada CALL +1 800 255-3924 / For International CALL +1 813 248 0585
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|------------------|----------|---------------------------|------------------|
| B.6 | flammable liquid | 4 | Flam. Liq. 4 | H227 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning
- Pictograms not required

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

- Hazard statements

H227 Combustible liquid.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves/eye protection/face protection.
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403 Store in a well-ventilated place.
P501 Dispose of contents/container in accordance with national regulations.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.


SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|---|----------------------|----------|---|---|
| Distillates (petroleum), hydrotreated light | CAS No 64742-47-8 | 5 - < 10 | Asp. Tox. 1 / H304 Flam. Liq. 3 / H226 |  |
| Kaolin, calcined | CAS No 92704-41-1 | 5 - < 10 | cD / OSHA003 | |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Control of the effects

Protect against external exposure, such as

frost

- Ventilation requirements



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

Use local and general ventilation. Ground/bond container and receiving equipment.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)
this information is not available

| Relevant DNELs of components | | | | | | |
|---|------------|-----------|-----------------------|------------------------------------|-------------------|----------------------------|
| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | DNEL | 50 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | DNEL | 250 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | DNEL | 7.7 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Kaolin, calcined | 92704-41-1 | DNEL | 3 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Kaolin, calcined | 92704-41-1 | DNEL | 3 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| Kaolin, calcined | 92704-41-1 | DNEL | 3 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| Kaolin, calcined | 92704-41-1 | DNEL | 3 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |

| Relevant PNECs of components | | | | | | |
|------------------------------|------------|-----------|-----------------|-------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| Kaolin, calcined | 92704-41-1 | PNEC | 4.1 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Kaolin, calcined | 92704-41-1 | PNEC | 0.41 mg/l | aquatic organisms | marine water | short-term (single instance) |
| Kaolin, calcined | 92704-41-1 | PNEC | 1,400 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|---|
| Physical state | liquid (paste) |
| Color | white |
| Odor | characteristic |
| Melting point/freezing point | not determined |
| Boiling point or initial boiling point and boiling range | 100 °C |
| Flammability | flammable liquid in accordance with GHS criteria |
| Lower and upper explosion limit | not determined |
| Flash point | >198.3 °F |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | 8 – 9 |
| Kinematic viscosity | Not available. This property is not relevant for the safety and classification of this product. |
| Solubility(ies) | not determined |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

Partition coefficient

| | |
|---|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|

| | |
|----------------|---------------------|
| Vapor pressure | ≤3.7 kPa at 37.8 °C |
|----------------|---------------------|

Density and/or relative density

| | |
|-------------------------|---|
| Density | not determined |
| Relative vapour density | information on this property is not available |

| | |
|--------------------------|----------|
| Particle characteristics | (liquid) |
|--------------------------|----------|

9.2 Other information

| | |
|--|------------------------------------|
| Information with regard to physical hazard classes | there is no additional information |
| Other safety characteristics | there is no additional information |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|---|------------|----------|-------------|-------------------------------------|---------------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | LC50 | >1,000 mg/l | rainbow trout (Oncorhynchus mykiss) | 96 h |
| Distillates (petroleum), | 64742-47-8 | LC50 | >1,000 mg/l | goldfish (Carassius | 72 h |

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

Aquatic toxicity (acute) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|---|------------|----------|-------------|-------------------------------------|---------------|
| hydrotreated light | | | | auratus) | |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | EC50 | >1,000 mg/l | water flea (Daphnia) | 48 h |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | EC50 | >1,000 mg/l | algae | 72 h |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | LL50 | 2 - 5 mg/l | rainbow trout (Oncorhynchus mykiss) | 96 h |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | EL50 | 1.4 mg/l | daphnia magna | 48 h |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | LOEL | 1 mg/l | algae | 72 h |
| Kaolin, calcined | 92704-41-1 | ErC50 | 2,500 mg/l | algae | 72 h |
| Kaolin, calcined | 92704-41-1 | LC50 | >100 mg/l | zebra fish (Danio rerio) | 96 h |
| Kaolin, calcined | 92704-41-1 | EC50 | >100 mg/l | daphnia magna | 48 h |
| Kaolin, calcined | 92704-41-1 | NOEC | ≥100 mg/l | zebra fish (Danio rerio) | 96 h |

Aquatic toxicity (chronic) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|---|------------|----------|------------|-------------------------------------|---------------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | EL50 | 0.89 mg/l | daphnia magna | 21 d |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | LOEL | 1.2 mg/l | aquatic invertebrates | 21 d |
| Kaolin, calcined | 92704-41-1 | EC50 | 2,800 mg/l | soil microorganisms | 16 h |
| Kaolin, calcined | 92704-41-1 | NOEC | 100 mg/l | rainbow trout (Oncorhynchus mykiss) | 10 d |

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0.1%.

12.6 Endocrine disrupting properties



Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

| | | |
|------|---|---|
| 14.1 | UN number | not subject to transport regulations |
| 14.2 | UN proper shipping name | not relevant |
| 14.3 | Transport hazard class(es) | none |
| 14.4 | Packing group | not assigned |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | Special precautions for user | There is no additional information. |
| 14.7 | Transport in bulk according to IMO instruments | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.



Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) not all ingredients are listed (ACTIVE)

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|--|-------------|-----------------|---------------------|
| Water | 7732-18-5 | solvents | |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | solvents | |
| Kaolin, calcined | 92704-41-1 | polishing agent | |
| Silicone compound | 63148-62-9 | defoamer | |
| Trimethylsilyl silicate | 104133-09-7 | defoamer | |
| Mineral Oil | 8042-47-5 | solvents | |
| Proprietary Acrylates/Acrylamide Copolymer | | polymer | |
| Poly(oxy-1,2- ethanediyl), .alpha.- [3-[1,3,3,3-tetramethyl-1- [(trimethylsilyl)oxy]d isiloxanyl]propyl]- .omega.-hydroxy- | 67674-67-3 | surfactant | |
| Titanium dioxide | 13463-67-7 | whitener | |
| pentyl acetate | 628-63-7 | fragrance | |
| Dipropylene glycol (Mixed Isomers) | 25265-71-8 | solvents | |
| 2-Amino-2-methyl-1-propanol | 124-68-5 | buffer | |
| 1,2-Benzisothiazolin-3-one | 2634-33-5 | preservative | |
| Polyoxyethylene sorbitan trioleate | 9005-70-3 | emulsifier | |
| PEG | 25322-68-3 | polymer | |
| sodium hydroxide | 1310-73-2 | pH Adjuster | OEHA RELS |

- Hazardous Substances List (MN-ERTK)

| Name of substance | CAS No | References | Remarks |
|-------------------|--------|------------|---------|
| Kaolin, calcined | | A | dust |

Legend

A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

Legend

dust If the substance poses an airborne particulate exposure hazard, the substance is followed by the word "dust."

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

| Proposition 65 List of chemicals | | | |
|----------------------------------|------------|--|----------------------|
| Name acc. to inventory | CAS No | Remarks | Type of the toxicity |
| acrylamide | 79-06-1 | | cancer |
| acrylamide | 79-06-1 | | developmental, male |
| titanium dioxide | 13463-67-7 | airborne, unbound particles of respirable size | cancer |

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | * | chronic (long-term) health effects may result from repeated overexposure |
| Health | 0 | no significant risk to health |
| Flammability | 2 | material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category | Degree of hazard | Description |
|----------------|------------------|--|
| Flammability | 2 | material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur |
| Health | 0 | material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |



Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| AU | AIIC | not all ingredients are listed |
| CA | DSL | not all ingredients are listed |
| CN | IECSC | not all ingredients are listed |
| EU | ECSI | not all ingredients are listed |
| EU | REACH Reg. | not all ingredients are listed |
| JP | CSCL-ENCS | not all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | not all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | not all ingredients are listed |
| PH | PICCS | not all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | not all ingredients are listed |
| US | TSCA | not all ingredients are listed |

Legend

| | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---|---|-----------------|
| 2.1 | | Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): change in the listing (table) | yes |
| 2.1 | The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources. | The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources. | yes |
| 2.2 | - Pictograms | - Pictograms: not required | yes |
| 2.2 | | - Pictograms: change in the listing (table) | yes |
| 2.2 | | - Hazard statements: change in the listing (table) | yes |
| 2.2 | | - Precautionary statements: change in the listing (table) | yes |
| 2.2 | - Hazardous ingredients for labelling: Distillates (petroleum), hydrotreated light | | yes |
| 2.3 | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$. | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$. | yes |
| 2.3 | Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$. | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$. | yes |
| 3.2 | | Description of the mixture: change in the listing (table) | yes |
| 3.2 | | Remarks: For full text of abbreviations: see SECTION 16 | yes |
| 8.1 | | Relevant DNELs of components: change in the listing (table) | yes |
| 8.2 | Respiratory protection: In case of inadequate ventilation wear respiratory protection. | | yes |
| 9.1 | Appearance | | yes |
| 9.1 | Other safety parameters | | yes |
| 9.1 | Flammability (solid, gas): not relevant, (fluid) | Flammability: flammable liquid in accordance with GHS criteria | yes |
| 9.1 | | Lower and upper explosion limit: | yes |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---|---|-----------------|
| | | not determined | |
| 9.1 | Evaporation rate: Not determined | | yes |
| 9.1 | Auto-ignition temperature | Auto-ignition temperature: not determined | yes |
| 9.1 | | Decomposition temperature: not relevant | yes |
| 9.1 | | Kinematic viscosity: Not available. This property is not relevant for the safety and classification of this product. | yes |
| 9.1 | | Density and/or relative density | yes |
| 9.1 | Vapor density: this information is not available | | yes |
| 9.1 | Viscosity: not determined | | yes |
| 9.1 | Explosive properties: none | | yes |
| 9.1 | Oxidizing properties: none | | yes |
| 9.1 | Particle: not relevant (liquid) | Particle characteristics: (liquid) | yes |
| 9.2 | other information: there is no additional information | Other information | yes |
| 9.2 | | Information with regard to physical hazard classes: there is no additional information | yes |
| 9.2 | | Other safety characteristics: there is no additional information | yes |
| 11.1 | Acute toxicity: Shall not be classified as acutely toxic. | Acute toxicity: Based on available data, the classification criteria are not met. | yes |
| 11.1 | | Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table) | yes |
| 11.1 | Skin corrosion/irritation: Shall not be classified as corrosive/irritant to skin. | Skin corrosion/irritation: Based on available data, the classification criteria are not met. | yes |
| 11.1 | Serious eye damage/eye irritation: Shall not be classified as seriously damaging to the eye or eye irritant. | Serious eye damage/eye irritation: Based on available data, the classification criteria are not met. | yes |
| 11.1 | Respiratory or skin sensitization: Shall not be classified as a respiratory or skin | Respiratory or skin sensitization: Based on available data, the classification criteria | yes |



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---|--|-----------------|
| | sensitizer. | are not met. | |
| 11.1 | Germ cell mutagenicity: Shall not be classified as germ cell mutagenic. | Germ cell mutagenicity: Based on available data, the classification criteria are not met. | yes |
| 11.1 | Carcinogenicity: Shall not be classified as carcinogenic. | Carcinogenicity: Based on available data, the classification criteria are not met. | yes |
| 11.1 | Reproductive toxicity: Shall not be classified as a reproductive toxicant. | Reproductive toxicity: Based on available data, the classification criteria are not met. | yes |
| 11.1 | Specific target organ toxicity - single exposure: Shall not be classified as a specific target organ toxicant (single exposure). | Specific target organ toxicity - single exposure: Based on available data, the classification criteria are not met. | yes |
| 11.1 | Specific target organ toxicity - repeated exposure: May cause damage to organs (nervous system) through prolonged or repeated exposure. | Specific target organ toxicity - repeated exposure: Based on available data, the classification criteria are not met. | yes |
| 11.1 | | Specific target organ toxicity - repeated exposure: change in the listing (table) | yes |
| 11.1 | Aspiration hazard: Shall not be classified as presenting an aspiration hazard. | Aspiration hazard: Based on available data, the classification criteria are not met. | yes |
| 12.1 | | Aquatic toxicity (acute) of components of the mixture: change in the listing (table) | yes |
| 12.1 | | Aquatic toxicity (chronic) of components of the mixture: change in the listing (table) | yes |
| 12.5 | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$. | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$. | yes |
| 12.6 | Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$. | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$. | yes |
| 15.1 | | Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table) | yes |
| 15.1 | | Hazardous Substances List (MN-ERTK) | yes |
| 15.1 | | Hazardous Substances List (MN-ERTK): change in the listing (table) | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Key literature references and sources for data



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish Once A Year Polish & Sealant

Version number: 5.0
Replaces version of: 2023-09-08 (4)

Revision: 2026-03-13

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.
Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG).
Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.