

acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name California Scents Aerosol Spray Coronado Cherry

Alternative number(s) 091400414078

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

e-mail: Autocare.regulatory@energizer.com

Website: http://data.energizer.com

Additional information

Importer				
Name	Street	Postal code/city	Telephone	e-Mail
Energizer - Australia	Level 2, 11 Murray Rose Avenue	2127 Sydney Olympic Park	+612 9763 6111	

1.4 Emergency telephone number

Poison centre

Name	Postal code/city	Telephone
Poisons Information Centre		13 11 26 (emergency no. 000)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Se	ection	Hazard class	Category	Hazard class and category	Hazard state- ment
	2.3	aerosols	1	Aerosol 1	H222,H229

For full text of abbreviations: see SECTION 16.

Australia: en Page: 1 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

2.2 Label elements

Labelling

- Signal word danger

- Pictograms

GHS02



- Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurized container: may burst if heated.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- Hazardous ingredients for labelling

Aldehyde C-16

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
n-butane	CAS No 106-97-8	10 - < 25	Flam. Gas 1A / H220 Press. Gas C / H280	
Isobutane	CAS No 75-28-5	5 - < 10	Flam. Gas 1A / H220 Press. Gas C / H280	

Australia: en Page: 2 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
A-108 (Propane)	CAS No 74-98-6	5 – < 10	Flam. Gas 1A / H220 Press. Gas C / H280	&
Ethanol	CAS No 64-17-5	1-<5	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	(1)
Aldehyde C-16	CAS No 77-83-8	<1	Skin Sens. 1B / H317	<u>(1)</u>
Benzaldehyde	CAS No 100-52-7	<1	Flam. Liq. 4 / H227 Acute Tox. 4 / H302 Acute Tox. 3 / H331	
sodium nitrite	CAS No 7632-00-0	<1	Ox. Sol. 2 / H272 Acute Tox. 3 / H301 Eye Irrit. 2 / H319	

For full text of abbreviations: see SECTION 16.

Legend: Press. Gas

Press. Gas C: Gas under pressure: compressed gas

Press. Gas L: Gas under pressure: liquefied gas

Press. Gas R: Gas under pressure: refrigerated liquefied gas

Press. Gas D: Gas under pressure: dissolved gas.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

Australia: en Page: 3 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia: en Page: 4 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Revision: 2023-09-11 Version number: 5.1 Replaces version of: 2022-06-24 (4)

SECTION 7: Handling and storage

Precautions for safe handling 7.1

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Level 1 Aerosol. Level 2 Aerosol.

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Control of effects

Protect against external exposure, such as

frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
AU	butane	106-97-8	WES	800	1,900						WES
AU	ethyl alcohol (ethanol)	64-17-5	WES	1,000	1,880						WES

Notation

Ceiling-C STEL

ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

Australia: en Page: 5 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

Notation

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Ethanol	64-17-5	DNEL	1,900 mg/ m³	human, inhalatory	worker (industry)	acute - local effects
Ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Ethanol	64-17-5	DNEL	950 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	17.63 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	35.26 mg/ m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Aldehyde C-16	77-83-8	DNEL	44.08 mg/ m³	human, inhalatory	worker (industry)	chronic - local ef- fects
Aldehyde C-16	77-83-8	DNEL	88.16 mg/ m³	human, inhalatory	worker (industry)	acute - local effects
Aldehyde C-16	77-83-8	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
Benzaldehyde	100-52-7	DNEL	9.8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Benzaldehyde	100-52-7	DNEL	9.8 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
Benzaldehyde	100-52-7	DNEL	1.14 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
sodium nitrite	7632-00-0	DNEL	2 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium nitrite	7632-00-0	DNEL	2 mg/m³	human, inhalatory	worker (industry)	acute - systemic ef- fects

Australia: en Page: 6 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Ethanol	64-17-5	PNEC	0.96 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Ethanol	64-17-5	PNEC	0.79 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Ethanol	64-17-5	PNEC	580 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Ethanol	64-17-5	PNEC	3.6 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Ethanol	64-17-5	PNEC	0.63 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Ethanol	64-17-5	PNEC	2.75 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Aldehyde C-16	77-83-8	PNEC	23.3 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.084 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Aldehyde C-16	77-83-8	PNEC	0.008 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	8.4 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.214 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.021 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.038 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.011 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Benzaldehyde	100-52-7	PNEC	0 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	7.59 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

Australia: en Page: 7 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Benzaldehyde	100-52-7	PNEC	0.004 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.001 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.0054 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
sodium nitrite	7632-00-0	PNEC	0.005 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.006 ^{mg} / _I	aquatic organ- isms	marine water	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	21 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.019 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.022 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.001 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

Australia: en Page: 8 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

- Breakthrough times of the glove material
- >120 minutes (permeation: level 4)
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

During spraying wear suitable respiratory equipment.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid, solid, gaseous (spray aerosol)
Colour	not determined
Odour	characteristic
Melting point/freezing point	-187.6 °C at 1,013 hPa
Boiling point or initial boiling point and boiling range	-161.5 °C at 1,013 hPa
Flammability	flammable aerosol in accordance with GHS criteria
Lower and upper explosion limit	2.5 vol% - 15 vol%
Flash point	-88.6 °C at 1,013 hPa
Auto-ignition temperature	537 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	6
Kinematic viscosity	not relevant
Solubility(ies)	not determined

Australia: en Page: 9 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available		
Vapour pressure	169.3 hPa at 25 °C		

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics not relevant (aerosol)	Particle characteristics	not relevant (aerosol)
-------------------------------------------------	--------------------------	------------------------

9.2 Other information

Information with regard to physical hazard classes

Aerosols

- Components (flammable)	26.68 %
Other safety characteristics	
Propellant content	24 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

Australia: en Page: 10 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Benzaldehyde	100-52-7	oral	1,430 ^{mg} / _{kg}
Benzaldehyde	100-52-7	inhalation: vapour	3 ^{mg} / _l /4h
Benzaldehyde	100-52-7	inhalation: dust/mist	1 ^{mg} / _l /4h
sodium nitrite	7632-00-0	oral	100 ^{mg} / _{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Australia: en Page: 11 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Australia: en Page: 12 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

SECTION 14: Transport information

14.1 UN number

UN 1950 IMDG-Code UN 1950 ICAO-TI UN 1950

14.2 UN proper shipping name

UN RTDG AEROSOLS IMDG-Code AEROSOLS

ICAO-TI Aerosols, flammable

14.3 Transport hazard class(es)

UN RTDG 2.1 IMDG-Code 2.1 ICAO-TI 2.1

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport information - National regulations - Additional information (UN RTDG)

UN number 1950
Class 2.1
Danger label(s) 2.1



Special provisions (SP) 63, 190, 277, 327, 344, 381, 959 (UN RTDG)

Excepted quantities (EQ) E0 (UN RTDG)
Limited quantities (LQ) 1 L (UN RTDG)

Australia: en Page: 13 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration UN1950, AEROSOLS, 2.1, -88.6°C c.c.

Marine pollutant -

Danger label(s) LQ



Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U

Stowage category -

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration UN1950, Aerosols, flammable, 2.1 (LQ Y)

Danger label(s) 2.1+LQ_Y



Special provisions (SP) A145, A167

Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations (Australia)

Australian Inventory of Chemical Substances (AICS)

All ingredients are listed or exempt from listing.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed

Australia: en Page: 14 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Revision: 2023-09-11 Version number: 5.1 Replaces version of: 2022-06-24 (4)

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL

ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC**

INSQ

National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS) ISHA-ENCS

Korea Existing Chemicals Inventory KECI National Chemical Inventory NCI

NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory TCSI

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		- Hazardous ingredients for labelling: Aldehyde C-16	yes
2.3	Other hazards: of no significance	Other hazards	yes

Australia: en Page: 15 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Legend: Press. Gas: Press. Gas C: Gas under pressure: compressed gas Press. Gas L: Gas under pressure: liquefied gas Press. Gas R: Gas under pressure: refrigerated liquefied gas Press. Gas D: Gas under pressure: dissolved gas.	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
8.2		Type of material: PVA: polyvinyl alcohol, Nitrile	yes
8.2		Material thickness: >0.5 mm	yes
8.2		Breakthrough times of the glove material: >120 minutes (permeation: level 4)	yes
9.1	Lower and upper explosion limit: 5 vol% - 15 vol%	Lower and upper explosion limit: 2.5 vol% - 15 vol%	yes
9.1	Vapour pressure: ≤3.7 kPa at 37.8 °C	Vapour pressure: 169.3 hPa at 25 ℃	yes
9.2	Components (flammable): 21.81 %	Components (flammable): 26.68 %	yes
9.2	Propellant content: 20 %	Propellant content: 24 %	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes

Australia: en Page: 16 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
12.1	Toxicity: Harmful to aquatic life.	Toxicity: Shall not be classified as hazardous to the aquatic environment.	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

Australia: en Page: 17 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
Press. Gas C	Compressed gas
Press. Gas D	Dissolved gas
Press. Gas L	Liquefied gas
Press. Gas R	Refrigerated liquefied gas
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Australia: en Page: 18 / 19



acc. to Safe Work Australia - Code of Practice

California Scents Aerosol Spray Coronado Cherry

Version number: 5.1 Revision: 2023-09-11 Replaces version of: 2022-06-24 (4)

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H227	Combustible liquid.
H229	Pressurized container: may burst if heated.
H272	May intensify fire; oxidiser.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia: en Page: 19 / 19