



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

SECTION 1: Identification

1.1 Product identifier

Trade name **Nu Finish - Soft Paste 9-16-19**
Alternative number(s) 078161000078

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
e-mail: Autocare.regulatory@energizer.com
Website: <https://data.energizer.com>

1.4 Emergency telephone number

Emergency information service FOR EMERGENCY in USA & Canada CALL +1 800 255-3924 / For International CALL +1 813 248 0585
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.7	reproductive toxicity	2	Repr. 2	H361f
A.9	specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

- Pictograms

GHS08



- Hazard statements

H361f

Suspected of damaging fertility.

H372

Causes damage to organs through prolonged or repeated exposure.

- Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P202

Do not handle until all safety precautions have been read and understood.

P260

Do not breathe dust/fume/gas/mist/vapors/spray.

P270

Do not eat, drink or smoke when using this product.

P280

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313

If exposed or concerned: Get medical advice/attention.

P314

Get medical advice/attention if you feel unwell.

P405

Store locked up.

P501

Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling

octamethylcyclotetrasiloxane, Light aromatic hydrocarbons

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Hazards not otherwise classified

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).
Causes mild skin irritation (GHS category 3: irritant to skin).

Results of PBT and vPvB assessment

Contains a PBT-substance at a concentration of $\geq 0.1\%$. Contains a vPvB-substance at a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Contains an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.


SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures




Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Kaolin, calcined	CAS No 92704-41-1	10 - < 25	Acute Tox. 4 / H332 cD / OSHA003	

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Light aromatic hydrocarbons	CAS No 8052-41-3	5 - < 10	Acute Tox. 3 / H331 Skin Irrit. 2 / H315 STOT RE 1 / H372 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	
octamethylcyclotetrasiloxane	CAS No 556-67-2	5 - < 10	Repr. 2 / H361f Flam. Liq. 3 / H226	
dimethyl siloxane	CAS No 69430-40-6	1 - < 5	Flam. Liq. 4 / H227	
methanol	CAS No 67-56-1	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370 Flam. Liq. 2 / H225	

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	methanol	67-56-1	TLV®	200	262	250	328			H	AC-GIH® 2025
US	methyl alcohol	67-56-1	PEL	200	260						29 CFR 1910.1000
US	methyl alcohol	67-56-1	REL	200 (10 h)	260 (10 h)	250	325			H	NIOSH REL
US	methyl alcohol (methanol)	67-56-1	PEL (CA)	200	260	250	325	1,000		H	Cal/OSHA PEL
US	stoddard solvent	8052-41-3	PEL (CA)	100	525						Cal/OSHA PEL
US	stoddard solvent	8052-41-3	REL		350 (10 h)				1,800 (15 min)		NIOSH REL



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	stoddard solvent	8052-41-3	TLV®	100	525						ACGIH® 2025
US	stoddard solvent	8052-41-3	PEL	500	2,900						29 CFR 1910.1000

Notation

- Ceiling-C ceiling value is a limit value above which exposure should not occur
- H absorbed through the skin
- STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
- TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
US	methanol	methanol		BEI®	15 mg/l	ACGIH® 2025

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Kaolin, calcined	92704-41-1	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Kaolin, calcined	92704-41-1	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Kaolin, calcined	92704-41-1	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Kaolin, calcined	92704-41-1	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Light aromatic hydrocarbons	8052-41-3	DNEL	44 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Light aromatic hydrocarbons	8052-41-3	DNEL	55 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Light aromatic hydrocarbons	8052-41-3	DNEL	44 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Light aromatic hydrocarbons	8052-41-3	DNEL	55 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Light aromatic hydrocarbons	8052-41-3	DNEL	80 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Light aromatic hydrocarbons	8052-41-3	DNEL	30 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
octamethylcyclotetrasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Kaolin, calcined	92704-41-1	PNEC	4.1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Kaolin, calcined	92704-41-1	PNEC	0.41 mg/l	aquatic organisms	marine water	short-term (single instance)
Kaolin, calcined	92704-41-1	PNEC	1,400 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Light aromatic hydrocarbons	8052-41-3	PNEC	0.14 mg/l	aquatic organisms	freshwater	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Light aromatic hydrocarbons	8052-41-3	PNEC	0.35 mg/l	aquatic organisms	marine water	short-term (single instance)
Light aromatic hydrocarbons	8052-41-3	PNEC	1.14 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Light aromatic hydrocarbons	8052-41-3	PNEC	0.14 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	1.5 µg/l	aquatic organisms	freshwater	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	0.15 µg/l	aquatic organisms	marine water	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	0.3 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
octamethylcyclotetrasiloxane	556-67-2	PNEC	0.54 mg/kg	terrestrial organisms	soil	short-term (single instance)
methanol	67-56-1	PNEC	20.8 mg/l	aquatic organisms	freshwater	short-term (single instance)
methanol	67-56-1	PNEC	2.08 mg/l	aquatic organisms	marine water	short-term (single instance)
methanol	67-56-1	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
methanol	67-56-1	PNEC	77 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
methanol	67-56-1	PNEC	7.7 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
methanol	67-56-1	PNEC	100 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid (paste)
Color	not determined
Odor	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined (non-flammable)
Flash point	>95 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	Not available. This property is not relevant for the safety and classification of this product.
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapor pressure	534.1 Pa at 25 °C
----------------	-------------------



Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	(liquid)
--------------------------	----------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Based on available data, the classification criteria are not met.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Kaolin, calcined	92704-41-1	inhalation: dust/mist	>2.07 mg/l/4h
Light aromatic hydrocarbons	8052-41-3	dermal	>3,000 mg/kg
Light aromatic hydrocarbons	8052-41-3	inhalation: vapor	>5.5 mg/l/4h
octamethylcyclotetrasiloxane	556-67-2	oral	>4,800 mg/kg
methanol	67-56-1	oral	100 mg/kg
methanol	67-56-1	dermal	300 mg/kg
methanol	67-56-1	inhalation: vapor	3 mg/l/4h

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Kaolin, calcined	92704-41-1	LC50	>100 mg/l	fish	96 h



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Kaolin, calcined	92704-41-1	EC50	>100 mg/l	aquatic invertebrates	48 h
Kaolin, calcined	92704-41-1	ErC50	2,500 mg/l	algae	72 h
Kaolin, calcined	92704-41-1	NOEC	≥100 mg/l	fish	96 h
Light aromatic hydrocarbons	8052-41-3	LC50	0.18 mg/l	fish	96 h
Light aromatic hydrocarbons	8052-41-3	LL50	41.4 mg/l	fish	96 h
Light aromatic hydrocarbons	8052-41-3	EL50	2.5 mg/l	algae	96 h
Light aromatic hydrocarbons	8052-41-3	EC50	0.58 mg/l	algae	96 h
Light aromatic hydrocarbons	8052-41-3	NOELR	0.76 mg/l	algae	96 h
Light aromatic hydrocarbons	8052-41-3	NOEC	0.16 mg/l	algae	96 h
octamethylcyclotetrasiloxane	556-67-2	LC50	>22 µg/l	fish	96 h
octamethylcyclotetrasiloxane	556-67-2	EC50	>15 µg/l	aquatic invertebrates	48 h
octamethylcyclotetrasiloxane	556-67-2	ErC50	>22 µg/l	algae	96 h
octamethylcyclotetrasiloxane	556-67-2	NOEC	≥22 µg/l	fish	96 h
dimethyl siloxane	69430-40-6	LC50	>320 mg/l	fish	96 h
dimethyl siloxane	69430-40-6	EC50	>1,000 mg/l	aquatic invertebrates	48 h
dimethyl siloxane	69430-40-6	ErC50	>100 mg/l	algae	72 h
methanol	67-56-1	LC50	15,400 mg/l	fish	96 h
methanol	67-56-1	EC50	12,700 mg/l	fish	96 h
methanol	67-56-1	ErC50	22,000 mg/l	algae	96 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Kaolin, calcined	92704-41-1	EC50	2,800 mg/l	microorganisms	16 h
Kaolin, calcined	92704-41-1	NOEC	100 mg/l	fish	10 d

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Light aromatic hydrocarbons	8052-41-3	EL50	1.19 mg/l	aquatic invertebrates	21 d
Light aromatic hydrocarbons	8052-41-3	EC50	0.33 mg/l	aquatic invertebrates	21 d
Light aromatic hydrocarbons	8052-41-3	NOEC	0.02 mg/l	fish	30 d
Light aromatic hydrocarbons	8052-41-3	NOELR	0.28 mg/l	aquatic invertebrates	21 d
octamethylcyclotetrasiloxane	556-67-2	LC50	10 µg/l	fish	14 d
octamethylcyclotetrasiloxane	556-67-2	EC50	>15 µg/l	aquatic invertebrates	21 d
octamethylcyclotetrasiloxane	556-67-2	NOEC	≤4.4 µg/l	fish	14 d
octamethylcyclotetrasiloxane	556-67-2	LOEC	15 µg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Contains a PBT-substance at a concentration of ≥ 0.1%. Contains a vPvB-substance at a concentration of ≥ 0.1%.

12.6 Endocrine disrupting properties

Contains an endocrine disruptor (ED) in a concentration of ≥ 0.1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks



Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- 14.1 UN number** not subject to transport regulations
- 14.2 UN proper shipping name** not relevant
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**
There is no additional information.
- 14.7 Transport in bulk according to IMO instruments**
The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed or exempt from listing

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
methanol	67-56-1		1987-01-01



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
methanol	67-56-1		3 4	5000 (2270)

Legend

3 "3" indicates that the source is section 112 of the Clean Air Act

4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvents	
Kaolin, calcined	92704-41-1	polishing agent	
Light aromatic hydrocarbons	8052-41-3	solvents	ATSDR Neurotoxicants EC Annex VI CMRs - Cat. 1B
octamethylcyclotetrasiloxane	556-67-2	emulsifier	Canada PBiTs CECBP - Priority Chemicals EC PBTs
Silicone compound	63148-62-9	defoamer	
dimethyl siloxane	69430-40-6	surfactant	
isopropyl alcohol	67-63-0	solvents	OEHHA RELs
Sodium Citrate	6132-04-3 68-04-2	chelating agent	
methanol	67-56-1	impurity	CA TACs IRIS Neurotoxicants NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65
1,2,3-Trimethylbenzene	25551-13-7	solvents	
Decamethylcyclopentasiloxane	541-02-6	emulsifier	Canada PBiTs CECBP - Priority Chemicals EC PBTs



Safety Data Sheet
acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
methanol	67-56-1				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
Light aromatic hydrocarbons	8052-41-3	A, N, O	

Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- N National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Light aromatic hydrocarbons	8052-41-3		F2
methanol	67-56-1		TE F3

Legend

- F2 Flammable - Second Degree
- F3 Flammable - Third Degree
- TE Teratogenic

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
STODDARD SOLVENT	8052-41-3	
METHANOL	67-56-1	E

Legend

- E Environmental hazard



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
Light aromatic hydrocarbons	8052-41-3	T
methanol	67-56-1	T, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
	71750-81-7		
ethylbenzene	100-41-4		cancer
cumene	98-82-8		cancer
methanol	67-56-1		developmental
naphthalene	91-20-3		cancer

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	0	no significant risk to health
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Legend

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2		- Precautionary statements: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
9.1	Appearance		yes
9.1	Other safety parameters		yes
9.1	Flammability (solid, gas): not relevant, (fluid)	Flammability: this material is combustible, but will not ignite readily	yes
9.1		Lower and upper explosion limit: not determined (non-flammable)	yes
9.1	Evaporation rate: Not determined		yes
9.1	Auto-ignition temperature	Auto-ignition temperature: not determined	yes
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: Not available. This property is not relevant for the safety and classification of this product.	yes
9.1		Density and/or relative density	yes
9.1	Vapor density: this information is not available		yes
9.1	Viscosity: not determined		yes
9.1	Explosive properties: none		yes
9.1	Oxidizing properties: none		yes
9.1	Particle: not relevant (liquid)	Particle characteristics: (liquid)	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Nu Finish - Soft Paste 9-16-19

Version number: GHS 10.0
Replaces version of: 2025-08-29 (GHS 9)

Revision: 2026-03-10

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
9.2	other information: there is no additional information	Other information	yes
9.2		Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards); not relevant	yes
9.2		Other safety characteristics: there is no additional information	yes

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.