

acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11

Replaces version of: 2022-07-11 (GHS 10)

#### 1 Identification

#### 1.1 Product identifier

Trade name Eagle One Etching Mag Wheel Cleaner

Alternative number(s) 079933998661, 012844040227

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses

Uses advised against Do not use for squirting or spraying. Do not use

for products which come into direct contact with

the skin.

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

e-mail: Autocare.regulatory@energizer.com

Website: http://data.energizer.com

#### 1.4 Emergency telephone number

Emergency information service FOR EMERGENCY in USA & Canada CALL +1 800

255-3924 / For International CALL +1 813 248 0585 This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

#### 2 Hazard identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
2.6	flammable liquid	4	Flam. Liq. 4	H227
3.2	skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

Canada: en Page: 1 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11

Replaces version of: 2022-07-11 (GHS 10)

# 2.2 Label elements

Labeling

- Signal word danger

- Pictograms

GHS05



- Hazard statements

H227 Combustible liquid.

H314 Causes severe skin burns and eye damage.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe dusts or mists.
P280 Wear eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403 Store in a well-ventilated place.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regula-

tions.

- Hazardous ingredients for labelling

ammonium bifluoride, n-[3-(Dimethylnitroryl)propyl]dodecanamide

#### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq$  0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0.1%.

Canada: en Page: 2 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

# 3 Composition/ Information on ingredients

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
C9-C11 Alcohol Ethoxylate	CAS No 68439-46-3 160901-09-7	1-<5	Eye Irrit. 2A / H319	<u>(1)</u>
n-[3-(Dimethylnitroryl)pro- pyl]dodecanamide	CAS No 61792-31-2	1-<5	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318	
Diethylene glycol monobutyl ether	CAS No 112-34-5	1-<5	Eye Irrit. 2 / H319	<u>(1)</u>
ammonium bifluoride	CAS No 1341-49-7	0.1 - < 1	Acute Tox. 3 / H301 Skin Corr. 1B / H314 Eye Dam. 1 / H318	

For full text of abbreviations: see SECTION 16.

#### 4 First-aid measures

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Canada: en Page: 3 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### 5 Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### 6 Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Canada: en Page: 4 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

#### Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### 7 Handling and storage

#### 7.1 Precautions for safe handling

#### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

- Handling of incompatible substances or mixtures
- Keep away from

Caustic solutions

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

#### Control of the effects

Protect against external exposure, such as

frost

Canada: en Page: 5 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities
Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### 8 Exposure controls/ Personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
CA	diethylene glycol monobutyl ether	112-34-5	OEL (ON- MoL)	10						iv	MoL

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

iv inhalable fraction and vapor

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified

#### Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
C9-C11 Alcohol Eth- oxylate	68439-46-3 160901-09-7	DNEL	294 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
C9-C11 Alcohol Eth- oxylate	68439-46-3 160901-09-7	DNEL	2,080 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Diethylene glycol monobutyl ether	112-34-5	DNEL	67.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local ef- fects

Canada: en Page: 6 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

### Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Diethylene glycol monobutyl ether	112-34-5	DNEL	101.2 mg/ m³	human, inhalatory	worker (industry)	acute - local effects
ammonium bifluor- ide	1341-49-7	DNEL	2.3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
ammonium bifluor- ide	1341-49-7	DNEL	3.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

#### Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
C9-C11 Alcohol Eth- oxylate	68439-46-3 160901-09-7	PNEC	0.011 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
C9-C11 Alcohol Eth- oxylate	68439-46-3 160901-09-7	PNEC	0.001 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
C9-C11 Alcohol Eth- oxylate	68439-46-3 160901-09-7	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
C9-C11 Alcohol Eth- oxylate	68439-46-3 160901-09-7	PNEC	0.074 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
C9-C11 Alcohol Eth- oxylate	68439-46-3 160901-09-7	PNEC	0.007 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
C9-C11 Alcohol Eth- oxylate	68439-46-3 160901-09-7	PNEC	0.009 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	200 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	1.1 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.11 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	4.4 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.44 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Diethylene glycol monobutyl ether	112-34-5	PNEC	0.32 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

Canada: en Page: 7 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11

Replaces version of: 2022-07-11 (GHS 10)

#### Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
ammonium bifluor- ide	1341-49-7	PNEC	1.3 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
ammonium bifluor- ide	1341-49-7	PNEC	76 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
ammonium bifluor- ide	1341-49-7	PNEC	22 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

#### Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

#### 9 Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	colorless
Odor	Pleasant

Canada: en Page: 8 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Replaces version of: 2022-07-11 (GHS 10)

Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	90.6 °C at 1,013 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	70 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	2-3
Kinematic viscosity	not determined
Solubility(ies)	not determined

#### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available

#### Density and/or relative density

Density	1.1 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	1.1 at 20 °C (air = 1)

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

#### 9.2 Other information

Canada: en Page: 9 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11

Replaces version of: 2022-07-11 (GHS 10)

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	there is no additional information

#### 10 Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### 11 Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Canada: en Page: 10 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11

Replaces version of: 2022-07-11 (GHS 10)

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
n-[3-(Dimethylnitroryl)propyl]dodecanamide	61792-31-2	oral	500 <sup>mg</sup> / <sub>kg</sub>
ammonium bifluoride	1341-49-7	oral	130 <sup>mg</sup> / <sub>kg</sub>

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 12 Ecological information

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

Canada: en Page: 11 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

#### 13 Disposal considerations

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

#### **14 Transport information**

#### 14.1 UN number

UN 3264
IMDG-Code UN 3264
ICAO-TI UN 3264

### 14.2 UN proper shipping name

UN RTDG CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. IMDG-Code CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

ICAO-TI Corrosive liquid, acidic, inorganic, n.o.s.

Technical name (hazardous ingredients) ammonium bifluoride, Isopropyl alcohol

#### 14.3 Transport hazard class(es)

UN RTDG 8
IMDG-Code 8

Canada: en Page: 12 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

ICAO-TI 8

14.4 Packing group

UN RTDG III IMDG-Code III ICAO-TI III

**14.5 Environmental hazards** non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

DOT

#### Transport information - National regulations - Additional information (UN RTDG)

UN number 3264
Class 8
Packing group III
Danger label(s) 8



Special provisions (SP) 223, 274 (UN RTDG)

Excepted quantities (EQ) E1 (UN RTDG)
Limited quantities (LQ) 5 L (UN RTDG)

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC,

N.O.S., (ammonium bifluoride, Isopropyl alcohol,

solution), 8, III

Marine pollutant Danger label(s) 8



Special provisions (SP) 223, 274

Canada: en Page: 13 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-B

Stowage category A

Segregation group 1 - Acids

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration UN3264, Corrosive liquid, acidic, inorganic, n.o.s.,

(ammonium bifluoride, Isopropyl alcohol, solution),

8, III

Danger label(s) 8



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

1 L

#### **15 Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

#### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
ammonium bifluoride	1341-49-7		1	100 (45,4)

Legend

#### **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvents	
Water	7732-18-5	solvents	
C9-C11 Alcohol Ethoxylate	68439-46-3 160901-09-7	surfactant	

Canada: en Page: 14 / 21

<sup>&</sup>quot;1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11

Replaces version of: 2022-07-11 (GHS 10)

Name of substance	CAS No	Functionality	Authoritative Lists
n-[3-(Dimethylnitroryl)propyl]dodecanamide	61792-31-2	surfactant	
Diethylene glycol monobutyl ether		solvents	CA TACs
ammonium bifluoride	1341-49-7	cleaning agent	
Myristamidopropylamine oxide	67806-10-4	surfactant	
Quatenary coco alkylamine ethoxylate	61791-10-4	emulsifier	
Isopropyl alcohol	67-63-0	solvents	OEHHA RELS
2-aminoethanol	141-43-5	pH Adjuster	
prop-2-yn-1-ol	107-19-7	fragrance	

#### - Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
ammonium bifluoride	1341-49-7				1.0 %
ammonium bifluoride	7664-41-7				1.0 %
Diethylene glycol monobutyl ether		1022			1.0 %

#### - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
ammonium bifluoride	1341-49-7		СО
Diethylene glycol monobutyl ether			

Legend

CO Corrosive

#### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
AMMONIUM FLUORIDE ((NH4)(HF2))	1341-49-7	E
GLYCOL ETHERS		E

Legend

Environmental hazard

Canada: en Page: 15 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

#### Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Remarks	Type of the toxicity
1,4-dioxane	123-91-1		cancer
ethylene oxide	75-21-8		cancer
ethylene oxide	75-21-8		female
ethylene oxide	75-21-8		developmental, male

# Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

#### Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

Canada: en Page: 16 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Revision: 2023-09-11 Version number: GHS 11.1 Replaces version of: 2022-07-11 (GHS 10)

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL) CICR

CSCL-ENCS

DSL

**ECSI** 

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC** 

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS) KECI

Korea Existing Chemicals Inventory National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) NCI NZIoC

**PICCS** 

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

**TSCA Toxic Substance Control Act** 

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Canada: en Page: 17 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

#### **16 Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		- Precautionary statements: change in the listing (table)	yes
2.3	Other hazards: This material is combustible, but will not ignite readily.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0.1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0.1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Appearance		yes
9.1	Other safety parameters		yes
9.1	Flammability (solid, gas): not relevant, (fluid)	Flammability: flammable liquid in accordance with GHS criteria	yes
9.1		Lower and upper explosion limit: not determined	yes
9.1	Evaporation rate: Not determined		yes
9.1	Auto-ignition temperature	Auto-ignition temperature: not determined	yes
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: not determined	yes
9.1		Density and/or relative density	yes
9.1	Vapor density: this information is not available		yes

Canada: en Page: 18 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Replaces version of: 2022-07-11 (GHS 10)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
9.1	Viscosity: not determined		yes
9.1	Explosive properties: not explosive (GHS of the United Nations, annex 4)		yes
9.1	Oxidizing properties: none		yes
9.2	other information: there is no additional information	Other information	yes
9.2		Information with regard to physical hazard classes: there is no additional information	yes
9.2		Other safety characteristics: there is no additional information	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$ .	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0.1%.	yes
15.1		National inventories: change in the listing (table)	yes

#### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

Canada: en Page: 19 / 21



Replaces version of: 2022-07-11 (GHS 10)

acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11

Abbr.	Descriptions of used abbreviations
DOT	Department of Transportation (USA)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LHS	Lower hazard substance
MoL	Ministry of Labor: Current Occupational Exposure Limits for Ontario Workplaces Required under Regulation 833
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Canada: en Page: 20 / 21



acc. to Hazardous Products Regulations (HPR)

# **Eagle One Etching Mag Wheel Cleaner**

Version number: GHS 11.1 Revision: 2023-09-11 Replaces version of: 2022-07-11 (GHS 10)

#### Key literature references and sources for data

Hazardous Products Regulations (HPR)

SOR/2022-272: Regulations Amending the Hazardous Products Regulations (GHS, Seventh Revised Edition)

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Canada: en Page: 21 / 21