

acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name California Scents Dual Action Vent Clip-Coronado Cherry

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

e-mail: Autocare.regulatory@energizer.com

Website: http://data.energizer.com

Additional information

T		
ım	nn	rter
TILL	\sim	1 (()

Name	Street	Postal code/city	Telephone	e-Mail
Energizer - Australia	Level 2, 11 Murray Rose Avenue	2127 Sydney Olympic Park	+612 9763 6111	

1.4 Emergency telephone number

Poison centre

Name	Postal code/city	Telephone
Poisons Information Centre		13 11 26 (emergency no. 000)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
2.6	flammable liquid	4	Flam. Liq. 4	H227
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331

Australia: en Page: 1 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

- Signal word danger

- Pictograms

GHS06



- Hazard statements

H227 Combustible liquid.

H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.

H331 Toxic if inhaled.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing mist/vapours.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P311 Call a POISON CENTER or doctor/physician. P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regula-

tions.

Australia: en Page: 2 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

- Supplemental hazard information

AUH066 Repeated exposure may cause skin dryness or cracking.

- Hazardous ingredients for labelling

Aldehyde C-16, Benzaldehyde, Piperonal

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Benzaldehyde	CAS No 100-52-7	25 - < 50	Flam. Liq. 4 / H227 Acute Tox. 4 / H302 Acute Tox. 3 / H331	
Aldehyde C-16	CAS No 77-83-8	10 - < 25	Skin Sens. 1B / H317	<u>(1)</u>
Vanillin	CAS No 121-33-5	10 - < 25	Eye Irrit. 2 / H319	<u>(1)</u>
Methyl Benzaldehyde	CAS No 104-87-0	5 – < 10	Flam. Liq. 4 / H227 Acute Tox. 4 / H302	<u>(1)</u>
Methyl anthranilate	CAS No 134-20-3	5 – < 10	Eye Irrit. 2 / H319	<u>(1)</u>
Piperonal	CAS No 120-57-0	1-<5	Skin Sens. 1B / H317	<u>(1)</u>
Isopentyl acetate	CAS No 123-92-2	1-<5	Flam. Liq. 3 / H226	
3,5,5-trimethylhexyl acet- ate	CAS No 58430-94-7	1-<5	Flam. Liq. 4 / H227 Skin Irrit. 2 / H315	<u>(1)</u>

For full text of abbreviations: see SECTION 16.

Australia: en Page: 3 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Australia: en Page: 4 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Australia: en Page: 5 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Revision: 2023-09-11 Version number: 4.1 Replaces version of: 2020-10-21 (3)

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feeding stuffs.

Conditions for safe storage, including any incompatibilities 7.2

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
AU	isoamyl acetate (isopentyl acet- ate)	123-92-2	WES	50	270	100	541				WES
AU	2,6-di-tert-butyl- p-cresol	128-37-0	WES		10						WES

Notation

TWA

Ceiling-C ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period **STEL**

(unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Australia: en Page: 6 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Benzaldehyde	100-52-7	DNEL	9.8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Benzaldehyde	100-52-7	DNEL	9.8 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
Benzaldehyde	100-52-7	DNEL	1.14 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	17.63 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	35.26 mg/ m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Aldehyde C-16	77-83-8	DNEL	44.08 mg/ m³	human, inhalatory	worker (industry)	chronic - local ef- fects
Aldehyde C-16	77-83-8	DNEL	88.16 mg/ m³	human, inhalatory	worker (industry)	acute - local effects
Aldehyde C-16	77-83-8	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
Methyl anthranilate	134-20-3	DNEL	49.3 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Methyl anthranilate	134-20-3	DNEL	14 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Piperonal	120-57-0	DNEL	5.29 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Piperonal	120-57-0	DNEL	0.75 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,5,5-trimethylhexyl acetate	58430-94-7	DNEL	5.64 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
3,5,5-trimethylhexyl acetate	58430-94-7	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Australia: en Page: 7 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Benzaldehyde	100-52-7	PNEC	0.011 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Benzaldehyde	100-52-7	PNEC	0 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	7.59 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.004 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Benzaldehyde	100-52-7	PNEC	0.001 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	23.3 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.084 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Aldehyde C-16	77-83-8	PNEC	0.008 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	8.4 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.214 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.021 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.038 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Vanillin	121-33-5	PNEC	0.118 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Vanillin	121-33-5	PNEC	0.012 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Vanillin	121-33-5	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

Australia: en Page: 8 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Vanillin	121-33-5	PNEC	58.22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Vanillin	121-33-5	PNEC	5.822 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Vanillin	121-33-5	PNEC	11.54 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Methyl anthranilate	134-20-3	PNEC	87.2 ^{µg} / _I	aquatic organ- isms	freshwater	short-term (single instance)
Methyl anthranilate	134-20-3	PNEC	8.72 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Methyl anthranilate	134-20-3	PNEC	0.968 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Methyl anthranilate	134-20-3	PNEC	96.8 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Methyl anthranilate	134-20-3	PNEC	0.142 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Isopentyl acetate	123-92-2	PNEC	0.011 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Isopentyl acetate	123-92-2	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Isopentyl acetate	123-92-2	PNEC	30 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Isopentyl acetate	123-92-2	PNEC	0.335 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Isopentyl acetate	123-92-2	PNEC	0.034 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Isopentyl acetate	123-92-2	PNEC	0.06 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Piperonal	120-57-0	PNEC	25 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease
Piperonal	120-57-0	PNEC	2.5 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Piperonal	120-57-0	PNEC	0.25 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Piperonal	120-57-0	PNEC	10 ^{mg} / _I	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

Australia: en Page: 9 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Piperonal	120-57-0	PNEC	11.95 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Piperonal	120-57-0	PNEC	1.2 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Piperonal	120-57-0	PNEC	0.84 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	7.7 ^{µg} / _I	aquatic organ- isms	freshwater	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.77 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	2.895 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.29 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	2.66 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.573 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	77 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Australia: en Page: 10 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Revision: 2023-09-11

Version number: 4.1 Replaces version of: 2020-10-21 (3)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	dark red
Odour	Conforms to standard
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	142.5 °C
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	63 °C
Auto-ignition temperature	192 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Australia: en Page: 11 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Density and/or relative density

Density	not determined
Relative vapour density	1.058 – 1.068 (air = 1)

Particle characteristics	not relevant (liquid)
	•

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers

Australia: en Page: 12 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Toxic if inhaled.

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

- Acute toxicity estimate (ATE)

Inhalation: vapour 7.5 ^{mg}/_l/4h

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Benzaldehyde	100-52-7	oral	1,430 ^{mg} / _{kg}
Benzaldehyde	100-52-7	inhalation: vapour	3 ^{mg} / _l /4h
Benzaldehyde	100-52-7	inhalation: dust/mist	1 ^{mg} / _l /4h
Methyl Benzaldehyde	104-87-0	oral	1,000 ^{mg} / _{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Australia: en Page: 13 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Revision: 2023-09-11

Version number: 4.1 Replaces version of: 2020-10-21 (3)

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Repeated exposure may cause skin dryness or cracking.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Australia: en Page: 14 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 Small packaging exemptions

DOT Hazardous Materials Description Not regulated in non-bulk packaging. (See

49CFR173.150)

IMDG Dangerous Goods Description Not regulated

Note: This product is classified as a marine pollutant. However, it is excepted in packages with inner containers less than 5 L per IMDG 2.10.2.7.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations (Australia)

Australian Inventory of Chemical Substances (AICS)

All ingredients are listed or exempt from listing.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed

Australia: en Page: 15 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Revision: 2023-09-11 Version number: 4.1 Replaces version of: 2020-10-21 (3)

Country	Inventory	Status
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR Chemical Inventory and Control Regulation

List of Existing and New Chemical Substances (CSCL-ENCS) **CSCL-ENCS**

DSL

ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC**

INSQ

National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS) ISHA-ENCS Korea Existing Chemicals Inventory KECI

NCI National Chemical Inventory NZIoC

New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) **PICCS**

REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory TCSI

TSCA Toxic Substance Control Act

Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2	- Signal word: warning	- Signal word: danger	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2		- Supplemental hazard information: change in the listing (table)	yes

Australia: en Page: 16 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	- Hazardous ingredients for labelling: Methyl Ionone, 1-(2,6,6-trimethyl-2-cyclohexen-1- yl)pent-1-en-3-one	- Hazardous ingredients for labelling: Aldehyde C-16, Benzaldehyde, Piperonal	yes
2.3	Other hazards: This material is combustible, but will not ignite readily.	Other hazards	yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes
5.2	Hazardous combustion products: Carbon monoxide (CO), Carbon dioxide (CO2)	Hazardous combustion products: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)	yes
7.2	- Ventilation requirements: Use local and general ventilation. Ground/bond container and receiving equipment.	- Ventilation requirements: Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Appearance		yes
9.1	Other safety parameters		yes
9.1	Initial boiling point and boiling range: 179 °C	Boiling point or initial boiling point and boiling range: 142.5 °C	yes
9.1	Flammability (solid, gas): not relevant, (fluid)	Flammability: flammable liquid in accordance with GHS criteria	yes
9.1	Evaporation rate: not determined		yes
9.1	Auto-ignition temperature: 192 °C	Auto-ignition temperature: 192 °C (auto-ignition temperature (liquids and gases))	yes
9.1		Decomposition temperature: not relevant	yes

Australia: en Page: 17 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
9.1		Kinematic viscosity: not determined	yes
9.1		Density and/or relative density	yes
9.1	Vapour density: this information is not available		yes
9.1	Viscosity: not determined		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1		Particle characteristics: not relevant (liquid)	yes
9.2	other information: there is no additional information	Other information	yes
9.2		Information with regard to physical hazard classes: there is no additional information	yes
9.2		Other safety characteristics: there is no additional information	yes
11.1	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful if swal- lowed, in contact with skin or if inhaled.	Acute toxicity: Toxic if inhaled.GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.	yes
11.1		- Acute toxicity estimate (ATE): change in the listing (table)	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.1	Serious eye damage/eye irritation: Shall not be classified as seriously damaging to the eye or eye irritant.	Serious eye damage/eye irritation: Causes serious eye irritation.	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
12.6	Endocrine disrupting potential: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes

Australia: en Page: 18 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation

Australia: en Page: 19 / 20



acc. to Safe Work Australia - Code of Practice

California Scents Dual Action Vent Clip-Coronado Cherry

Version number: 4.1 Revision: 2023-09-11 Replaces version of: 2020-10-21 (3)

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia: en Page: 20 / 20