

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Identification of the substance	<b>Chloroform-d</b>
Registration number (REACH)	01-2120242098-57-0005
CAS number	865-49-6
Alternative name(s)	CDCl <sub>3</sub> , trichloromethane-d

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	general use
--------------------------	-------------

## 1.3 Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti Switzerland	Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com Website: https://www.zeochem.com
---	---

## 1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

Poison centre		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.11	acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	carcinogenicity	2	Carc. 2	H351
3.7	reproductive toxicity	2	Repr. 2	H361d
3.9	specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

**2.2 Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

**2.2.1.2 Pictograms**

GHS06, GHS08	 
--------------	--

Hazard statements	
H302	harmful if swallowed
H315	causes skin irritation
H319	causes serious eye irritation
H331	toxic if inhaled
H351	suspected of causing cancer
H361d	suspected of damaging the unborn child
H372	causes damage to organs (liver, kidney) through prolonged or repeated exposure (if inhaled)

Precautionary statements	
P201	obtain special instructions before use
P260	do not breathe dust/fume/gas/mist/vapours/spray
P280	wear protective gloves/protective clothing/eye protection/face protection/hearing protection
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P311	call a POISON CENTER/doctor
P403+P233	store in a well-ventilated place. Keep container tightly closed
P501	dispose of contents/container in accordance with local/regional/national/international regulations

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

**2.3 Other hazards**

This material is combustible, but will not ignite readily.

**Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB.

**Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Name of substance	Chloroform-d
Identifiers	
REACH Reg. No	01-2120242098-57-0005
CAS No	865-49-6
EC No	212-742-4
Purity	>90 %

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	500 mg/kg 3 mg/l/4h	oral inhalation: vapour

Molecular formula	CDCl <sub>3</sub>
Molar mass	120 g/mol

**SECTION 4: First aid measures****4.1 Description of first aid measures****General notes**

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

**Following inhalation**

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

**Following skin contact**

Wash with plenty of soap and water.

**Following eye contact**

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

**Following ingestion**

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

none

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

**5.2 Special hazards arising from the substance or mixture**

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride (HCl)**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

**6.3 Methods and material for containment and cleaning up**

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

**6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materi-

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

als: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

## Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

## Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

- Specific designs for storage rooms or vessels

- Storage temperature

Recommended storage temperature: 4 – 6 °C  
2 °C

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

## 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
DE	chloroform (trichloromethane)	67-66-3	MAK	0.5	2.5	1	5			H	DFG
DE	trichloromethane (chloroform)	67-66-3	AGW	0.5	2.5	1	5			H, X, Y	TRGS 900
ES	trichloromethane	67-66-3	VLA	2	10					H	INSHT
EU	chloroform	67-66-3	IOELV	2	10					H	2000/39 /EC
FR	trichloromethane (chloroform)	67-66-3	VME	2	10	50	250			H	INRS
IT	chloroform	67-66-3	VLEP	2	10					H	D.lgs. 9, XXXVIII

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
H	absorbed through the skin
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)
X	carcinogenic substance of category 1A or 1B or carcinogenic activity or procedure according to § 2 (3) No. 4 of the Hazardous Substances Regulation - In addition, § 10 GefStoffV must be observed
Y	a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

**8.2 Exposure controls**

## Appropriate engineering controls

General ventilation.

## Individual protection measures (personal protective equipment)

## Eye/face protection

Wear eye/face protection.

## Skin protection

## - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## - Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

## - Breakthrough times of the glove material

&gt;30 minutes (permeation: level 2)

## - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Physical state	liquid
Colour	not determined
Odour	characteristic

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3

Revision: 2025-06-12

Replaces version of: 2025-03-24 (GHS 8)

Melting point/freezing point	-64.7 – -64.2 °C at 4 hPa
Boiling point or initial boiling point and boiling range	61.5 °C at 1,013 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	>60 °C at 1,019 hPa (closed cup)
Auto-ignition temperature	>453 °C at 1,005 hPa (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined

## Solubility(ies)

Water solubility	4.6 g/l at 20 °C
------------------	------------------

## Partition coefficient

Partition coefficient n-octanol/water (log value)	>1.6 (pH value: 9, 23 °C) (ECHA)
---	----------------------------------

Vapour pressure	698 hPa at 50 °C
-----------------	------------------

## Density and/or relative density

Density	1.45 g/cm³ at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	--

## Other safety characteristics

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

Surface tension	72.3 mN/m (20 °C) (ECHA)
Temperature class (EU, acc. to ATEX)	T1 (maximum permissible surface temperature on the equipment: 450°C)

## SECTION 10: Stability and reactivity

## 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

## 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

## 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

## 10.5 Incompatible materials

Oxidisers

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Classification according to GHS (1272/2008/EC, CLP)

## Acute toxicity

Harmful if swallowed. Toxic if inhaled.

## - Acute toxicity estimate (ATE)

Oral 500 mg/kg  
Inhalation: vapour 3 mg/l/4h

## Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye irritation.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Suspected of causing cancer.



## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

## Reproductive toxicity

Suspected of damaging the unborn child.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Causes damage to organs (liver, kidney) through prolonged or repeated exposure (if inhaled).

Hazard category	Target organ	Exposure route
1	liver	if inhaled
1	kidney	if inhaled

## Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## 12.2 Persistence and degradability

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	>1.6 (pH value: 9, 23 °C) (ECHA)
---------------------------	----------------------------------

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

## Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

## Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

## Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

## 14.1 UN number or ID number

ADR/RID/ADN	UN 1888
IMDG-Code	UN 1888
ICAO-TI	UN 1888

## 14.2 UN proper shipping name

ADR/RID/ADN	CHLOROFORM
IMDG-Code	CHLOROFORM
ICAO-TI	Chloroform

## 14.3 Transport hazard class(es)

ADR/RID/ADN	6.1
IMDG-Code	6.1
ICAO-TI	6.1

## 14.4 Packing group

ADR/RID/ADN	III
IMDG-Code	III
ICAO-TI	III

## 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

## 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information**

Classification code	T1
---------------------	----

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

Danger label(s) 6.1



Special provisions (SP) 802(ADN)

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

Transport category (TC) 2

Tunnel restriction code (TRC) E

Hazard identification No 60

**International Maritime Dangerous Goods Code (IMDG) - Additional information**

Marine pollutant -

Danger label(s) 6.1



Special provisions (SP) -

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-A, S-A

Stowage category A

Segregation group 10 - Liquid halogenated hydrocarbons

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Danger label(s) 6.1



Excepted quantities (EQ) E1

Limited quantities (LQ) 2 L

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Relevant provisions of the European Union (EU)**

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

## Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	No
Chloroform-d	chloroform	67-66-3	32
Chloroform-d	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Chloroform-d	substances in tattoo inks and permanent make-up		75

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list  
not listed

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)			
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Chloroform-d	67-66-3		500

## Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Chloroform-d	67-66-3	b)	
Chloroform-d	67-66-3	c)	
Chloroform-d		a)	
Chloroform-d		a)	

Legend

- a) Indicative list of the main pollutants  
 b) List of priority substances in the field of water policy  
 c) Environmental Quality Standards for Priority Substances and certain other pollutants

## Regulation concerning the export and import of hazardous chemicals (PIC)

Chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

Name of substance	CAS No	Category / subcategory	Use limitation
Chloroform-d	67-66-3	i(2)	b

Legend

b Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation

i(2) Sub-category: i(2) - industrial chemical for public use

**Regulation on persistent organic pollutants (POP)**

not listed

**National inventories**

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed (ACTIVE)

Legend

REACH Reg. REACH registered substances

TSCA Toxic Substance Control Act

**15.2 Chemical safety assessment**

No Chemical Safety Assessment has been carried out for this substance.

**SECTION 16: Other information****Key literature references and sources for data**

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

**List of relevant phrases (code and full text as stated in section 2 and 3)**

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs (liver, kidney) through prolonged or repeated exposure (if inhaled).

**Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely inten-

## Safety Data Sheet

## Chloroform-d

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 9.3  
Replaces version of: 2025-03-24 (GHS 8)

Revision: 2025-06-12

---

ded for this product.