

Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1
Replaces version of: 25.06.2021 (GHS 1)
Revision: 02.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Chlorobenzene-d5

CAS number 3114-55-4

Alternative name(s) chlorobenzene-d5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses general use

1.3 Details of the supplier of the safety data sheet

Zeochem AG Telephone: +41 44 922 93 93

Joweid 5, CH-8630 Rüti e-Mail: info@zeochem.com / info@zeochem.ch

Switzerland Website: https://www.zeochem.com

1.4 Emergency telephone number

Poison centre

Country	Name	Telephone
international	CHEMTREC (worldwide)	+1 703 741 5500 - 24h/7d (toll free)
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.6	flammable liquid	3	Flam. Liq. 3	H226
3.10	acute toxicity (oral)	5	Acute Tox. 5	H303
3.1I	acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements



Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1)

Labelling

- Signal word warning

2.2.1.2 Pictograms

GHS02, GHS07, GHS09	

Hazard statements		
H226	flammable liquid and vapour	
H303	may be harmful if swallowed	
H315	causes skin irritation	
H332	harmful if inhaled	
H410	very toxic to aquatic life with long lasting effects	

	Precautionary statements
P210	keep away from heat/sparks/open flames/hot surfaces. No smoking
P233	keep container tightly closed
P240	ground/bond container and receiving equipment
P241	use explosion-proof electrical/ventilating/lighting equipment
P242	use only non-sparking tools
P243	take precautionary measures against static discharge
P261	avoid breathing dust/fume/gas/mist/vapours/spray
P271	use only outdoors or in a well-ventilated area
P273	avoid release to the environment
P280	wear protective gloves/protective clothing/eye protection/face protection
P302+P352	IF ON SKIN: Wash with plenty of water
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312	call a POISON CENTER/doctor if you feel unwell
P321	specific treatment (see on this label)
P362+P364	take off contaminated clothing and wash it before reuse
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish
P391	collect spillage
P403+P235	store in a well-ventilated place. Keep cool



Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1) Revision: 02.02.2023

	Precautionary statements
P501	dispose of contents/container in accordance with local/regional/national/international regulations

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Chlorobenzene-d5

Identifiers

CAS No 3114-55-4 Molecular formula C6D5CI Molar mass $118 \, ^{9}/_{mol}$

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none





Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride (HCl)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.





Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1)

Revision: 02.02.2023

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.





Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1) Revision: 02.02.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No		TWA [mg/m³]		Ceiling-C [mg/m³]	Source
CN	chlorobenzene	108-90-7	OEL	50			GBZ 2.1

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)
TWA time-weighted average (long-te

 $time-weighted \ average \ (long-term \ exposure \ limit): measured \ or \ calculated \ in \ relation \ to \ a \ reference \ period \ of \ 8 \ hours$

time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

- Breakthrough times of the glove material

>30 minutes (permeation: level 2)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance

Physical state	liquid	
Colour	colourless	
Particle	not relevant (liquid)	
Odour	characteristic	

Other safety parameters

pH (value)	not determined
Melting point/freezing point	-46 °C
Initial boiling point and boiling range	≥131 – ≤132 °C at 1,013 hPa
Flash point	28 °C (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapour pressure	11.7 hPa at 20 °C
Density	1.16 ^g / _{cm³} at 20 °C
Vapour density	this information is not available

Solubility(ies)

- Water solubility	0.207 ^g / _l at 20 °C
--------------------	--

Partition coefficient

- n-octanol/water (log KOW)	2.86 (ECHA)
- Soil organic carbon/water (log KOC)	2.4 (ECHA)
Auto-ignition temperature	590 °C (ECHA) (auto-ignition temperature (liquids and gases))



Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1) Revision: 02.02.2023

Viscosity

- Kinematic viscosity	0.652 ^{mm²} / _s at 20 °C
- Dynamic viscosity	0.756 mPa s
Explosive properties	none
Oxidising properties	none

9.2 Other information

Surface tension	33.9 ^{mN} / _m (15 °C) (ECHA)
Refractive index	1.52 (20 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

May be harmful if swallowed. Harmful if inhaled.

- Acute toxicity estimate (ATE)

Oral >2,000 ^{mg}/_{kg} Inhalation: vapour 11 ^{mg}/_l/4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquat	ic to:	xicity	(acute)

Endpoint	Value	Species	Exposure time
LC50	4.5 ^{mg} / _l	fish	96 h
EC50	0.59 ^{mg} / _l	aquatic invertebrates	48 h
ErC50	11.4 ^{mg} / _l	algae	72 h



Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1) Revision: 02.02.2023

Aquatic	toxicity	(chronic)
---------	----------	-----------

Endpoint	Value	Species	Exposure time
EC50	10.3 ^{mg} / _l	fish	28 d
EbC50	3.4 ^{mg} / _l	aquatic invertebrates	16 d

12.2 Persistence and degradability

Process	of	degra	dability
----------------	----	-------	----------

Process	Degradation rate	Time
oxygen depletion	15 %	28 d

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	2.86 (ECHA)
BCF	3.9 – 23 (ECHA)

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	2.4 (ECHA)
--	------------

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.





Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1)

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

UN 1134 IMDG-Code UN 1134 ICAO-TI UN 1134

14.2 UN proper shipping name

UN RTDG CHLOROBENZENE IMDG-Code CHLOROBENZENE ICAO-TI Chlorobenzene

14.3 Transport hazard class(es)

UN RTDG 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport information - National regulations - Additional information (UN RTDG)

UN number 1134 Class 3

Environmental hazards yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 3, fish and tree







Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1) Revision: 02.02.2023

Special provisions (SP) - (UN RTDG)

Excepted quantities (EQ) E1 (UN RTDG)

Limited quantities (LQ) 5 L (UN RTDG)

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 3, fish and tree





Special provisions (SP)
Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-E, S-D

Stowage category A

Segregation group 10 - Liquid halogenated hydrocarbons

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 3



Excepted quantities (EQ) E1
Limited quantities (LQ) 10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.





Chlorobenzene-d5

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.1 Replaces version of: 25.06.2021 (GHS 1)

SECTION 16: Other information

Key literature references and sources for data

General Rule for Classification and Hazard Communication of Chemicals (National Standard GB 13690). National Standard: Safety Data Sheet for Chemical Products - Content and Order of Sections. GB/T 16483. National Standard: Guidance on Compilation of Safety Data Sheet for Chemical Products. GB/T 17519.

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H303	May be harmful if swallowed.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.