

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

### SECTION 1: Identification

#### 1.1 Product identifier

Identification of the substance **Acetic-d3 acid-d**  
CAS number 1186-52-3

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses general use

#### 1.3 Details of the supplier of the safety data sheet

Zeochem AG  
Joweid 5, CH-8630 Rüti  
Switzerland  
Telephone: +41 44 922 93 93  
e-Mail: [info@zeochem.com](mailto:info@zeochem.com)  
Website: <https://www.zeochem.com>

#### 1.4 Emergency telephone number

Poison center		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.2	skin corrosion/irritation	1A	Skin Corr. 1A	H314
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

##### 2.2.1.2 Pictograms

GHS02, GHS05	 
--------------	--

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

Hazard statements	
H226	flammable liquid and vapor
H314	causes severe skin burns and eye damage

Precautionary statements	
P210	keep away from heat/sparks/open flames/hot surfaces. No smoking
P233	keep container tightly closed
P240	ground/bond container and receiving equipment
P241	use explosion-proof electrical/ventilating/lighting equipment
P242	use only non-sparking tools
P243	take precautionary measures against static discharge
P260	do not breathe dusts or mists
P280	wear protective gloves/eye protection/face protection
P301+P330+P331	if swallowed: Rinse mouth. Do NOT induce vomiting
P303+P361+P353	if on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340	if inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	if in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310	immediately call a poison center/doctor
P321	specific treatment (see on this label)
P363	wash contaminated clothing before reuse
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish
P403+P235	store in a well-ventilated place. Keep cool
P405	store locked up
P501	dispose of contents/container in accordance with local/regional/national/international regulations

### 2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Acetic-d3 acid-d
Identifiers	
CAS No	1186-52-3
Purity	$\geq 99\%$

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

Impurities and additives, classification acc. to GHS			
Name of substance	CAS No	Wt%	Classification acc. to GHS
Deuterium oxide	7789-20-0	≥ 0.001 – ≤ 1	

Molecular formula C2D4O2  
Molar mass 64.1 g/mol

### Remarks

For full text of abbreviations: see SECTION 16

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

#### Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel  
Remove persons to safety.

For emergency responders  
Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill  
Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques  
Use of adsorbent materials.

Other information relating to spills and releases  
Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations  
Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

### Managing of associated risks

- Explosive atmospheres  
Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.
- Flammability hazards  
Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.
- Ventilation requirements  
Use local and general ventilation. Ground/bond container and receiving equipment.
- Specific designs for storage rooms or vessels
- Storage temperature  
Recommended storage temperature: 18 – 22 °C  
15 °C
- Packaging compatibilities  
Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
US	acetic acid	64-19-7	PEL (CA)	10	25	15	37	40			Cal/OSH A PEL
US	acetic acid	64-19-7	REL	10 (10 h)	25 (10 h)	15	37				NIOSH REL
US	acetic acid	64-19-7	TLV®	10		15					ACGIH® 2023
US	acetic acid	64-19-7	PEL	10	25						29 CFR 1910.1000

#### Notation

- Ceiling-C ceiling value is a limit value above which exposure should not occur
- STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
- TWA time-weighted average (long-term exposure limit); measured or calculated in relation to a reference period of 8 hours
- time-weighted average (unless otherwise specified)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

#### - Breakthrough times of the glove material

&gt;30 minutes (permeation: level 2)

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	colorless
Particle	not relevant (liquid)
Odor	pungent

#### Other safety parameters

pH (value)	2.4 (acid)
Melting point/freezing point	16.6 °C
Initial boiling point and boiling range	118 °C at 101 kPa
Flash point	39 °C at 101 kPa (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

#### Explosive limits

- Lower explosion limit (LEL)	4 vol%
-------------------------------	--------

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

- Upper explosion limit (UEL)	19.9 vol%
Vapor pressure	20.8 hPa at 25 °C
Density	1.12 g/cm³ at 25 °C
Vapor density	this information is not available

### Solubility(ies)

- Water solubility	603 g/l at 25 °C
--------------------	------------------

### Partition coefficient

- n-octanol/water (log KOW)	-0.17 (pH value: 7, 25 °C) (ECHA)
- Soil organic carbon/water (log KOC)	0.062 (ECHA)
Auto-ignition temperature	463 °C (ECHA)

### Viscosity

- Kinematic viscosity	0.943 mm²/s at 25 °C
- Dynamic viscosity	1.06 mPa s at 25 °C
Explosive properties	none
Oxidizing properties	none

## 9.2 Other information

Refractive index	1.37 (20 °C)
Temperature class (USA, acc. to NEC 500)	T1 (maximum permissible surface temperature on the equipment: 450°C)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

**Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	-0.17 (pH value: 7, 25 °C) (ECHA)
BCF	3.16 (ECHA)



## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

### 12.4 Mobility in soil

Henry's law constant	0.21 Pa m <sup>3</sup> /mol at 25 °C
The Organic Carbon normalised adsorption coefficient	0.062 (ECHA)

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

### 14.1 UN number

DOT	UN 2789
IMDG-Code	UN 2789
ICAO-TI	UN 2789

### 14.2 UN proper shipping name

DOT	Acetic acid, glacial
IMDG-Code	ACETIC ACID, GLACIAL
ICAO-TI	Acetic acid, glacial

### 14.3 Transport hazard class(es)

DOT	8 (3)
IMDG-Code	8 (3)
ICAO-TI	8 (3)

### 14.4 Packing group

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

DOT	II
IMDG-Code	II
ICAO-TI	II

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration	UN2789, Acetic acid, glacial, 8 (3), II
Reportable quantity (RQ)	5,000 lbs (2,270 kg) (Acetic-d3 acid-d)
Danger label(s)	8+3



Special provisions (SP)	A3, A7, A10, B2, IB2, T7, TP2
ERG No	132

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant	-
Danger label(s)	8+3



Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-C
Stowage category	A
Segregation group	1 - Acids

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s)	8+3
-----------------	-----



Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

##### Toxic Substance Control Act (TSCA)

substance is listed (ACTIVE)

##### Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

not listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

not listed

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
Acetic-d3 acid-d	64-19-7		1	5000 (2270)

##### Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

##### Clean Air Act

not listed

##### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

not listed

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Acetic-d3 acid-d	64-19-7				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
Acetic-d3 acid-d	64-19-7	A, O	

##### Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

### - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Acetic-d3 acid-d	64-19-7		CO F2

#### Legend

CO Corrosive  
F2 Flammable - Second Degree

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
ACETIC ACID, WATER SOLUTIONS		E

#### Legend

E Environmental hazard

### - Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
Acetic-d3 acid-d	64-19-7	T, F

#### Legend

F Flammability (NFPA®)  
T Toxicity (ACGIH®)

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

not listed

### Industry or sector specific available guidance(s)

#### NPCA-HMIS<sup>®</sup> III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### NFPA<sup>®</sup> 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed (ACTIVE)

#### Legend

REACH Reg. REACH registered substances  
TSCA Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.3	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland  Telephone: +41 44 922 93 93: e-Mail: info@zeochem.com / info@zeochem.ch: Website: https://www.zeochem.com/:	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland  Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com Website: https://www.zeochem.com	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$ .	yes
3.1	Molar mass: 64.1 g/mol For full text of abbreviations: see SECTION 16.	Molar mass: 64.1 g/mol	yes
3.1		Remarks: For full text of abbreviations: see SECTION 16	yes
7.2		- Specific designs for storage rooms or vessels	yes
7.2		Storage temperature: Recommended storage temperature: 18 – 22 °C 15 °C	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes

## Safety Data Sheet

## Acetic-d3 acid-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 2022-08-25 (GHS 2)

Revision: 2025-06-10

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
12.6	Endocrine disrupting properties: Not listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$ .	yes
15.1	Toxic Substance Control Act (TSCA): substance is listed	Toxic Substance Control Act (TSCA): substance is listed (ACTIVE)	yes
15.1		National inventories: change in the listing (table)	yes

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.