

## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

### **SECTION 1: Identification**

#### **Product identifier** 1.1

Identification of the substance Acetophenone-d5

28077-64-7 CAS number

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses general use

#### 1.3 Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti Switzerland

Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com

Website: https://www.zeochem.com

#### 1.4 **Emergency telephone number**

Poison center		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

## SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture 2.1

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.10	acute toxicity (oral)	4	Acute Tox. 4	H302
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
B.6	flammable liquid	4	Flam. Liq. 4	H227

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

#### 2.2 **Label elements**

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

### 2.2.1.2 Pictograms

GHS07	$\wedge$



## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Hazard statements		
H227	combustible liquid	
H302	harmful if swallowed	
H319	causes serious eye irritation	

	Precautionary statements			
P210	keep away from heat/sparks/open flames/hot surfaces. No smoking			
P270	do not eat, drink or smoke when using this product			
P280	wear protective gloves/eye protection/face protection			
P301+P312	if swallowed: Call a poison center/doctor if you feel unwell			
P305+P351+P338	if in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing			
P330	rinse mouth			
P337+P313	if eye irritation persists: Get medical advice/attention			
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish			
P403+P235	store in a well-ventilated place. Keep cool			
P501	dispose of contents/container in accordance with local/regional/national/international regulations			

## 2.3 Other hazards

This material is combustible, but will not ignite readily.

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral).

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0.1%.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Acetophenone-d5

Identifiers

CAS No 28077-64-7 Molecular formula C8H3D5O Molar mass  $125 \, {}^{9}\!/_{mol}$ 



## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

### **SECTION 4: First-aid measures**

### 4.1 Description of first-aid measures

### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

## 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

## Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders



## Acetophenone-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2) Revision: 2025-06-10

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

### Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

Revision: 2025-06-10



# Safety Data Sheet

## Acetophenone-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

- Specific designs for storage rooms or vessels
- Storage temperature

Recommended storage temperature: 8 – 10 °C 6 °C

### 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)								
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [mg/m³]	Source
US	acetophenone	98-86-2	PEL (CA)	10	49				Cal/OSH A PEL
US	acetophenone	98-86-2	TLV®	10					ACGIH® 2023

### **Notation**

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified

#### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	22 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	6.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### **Environment values**

Relevant	Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time	
PNEC	0.086 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0.009 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
PNEC	34.6 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	1.13 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	0.113 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	0.175 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)	

### 8.2 Exposure controls



## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

### Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

### Eye/face protection

Wear eye/face protection.

### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### - Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

#### - Breakthrough times of the glove material

>30 minutes (permeation: level 2)

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

### **Appearance**

Physical state	liquid
Color	not determined
Particle	not relevant (liquid)
Odor	characteristic

### Other safety parameters

pH (value)	not determined
Melting point/freezing point	20 °C
Initial boiling point and boiling range	202 °C
Flash point	76 °C (c.c.) (closed cup)
Evaporation rate	not determined



## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	
- Lower explosion limit (LEL)	1.4 vol%
- Upper explosion limit (UEL)	5.2 vol%
Vapor pressure	45 Pa at 25 °C
Density	1.07 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Vapor density	this information is not available
Solubility(ies)	
- Water solubility	6,300 <sup>mg</sup> / <sub>l</sub> at 25 °C
Partition coefficient	
- n-octanol/water (log KOW)	1.63 (ECHA)
- Soil organic carbon/water (log KOC)	0.973 (ECHA)
Auto-ignition temperature	535 °C at 1,013 hPa (ЕСНА)
Viscosity	
- Dynamic viscosity	1.68 mPa s at 25 °C
Explosive properties	none
Oxidizing properties	none

## 9.2 Other information

Surface tension	39 <sup>mN</sup> / <sub>m</sub> (25 °C) (ECHA)
Temperature class (USA, acc. to NEC 500)	T1 (maximum permissible surface temperature on the equipment: 450°C)

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

#### If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.



## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

## Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Harmful to aquatic life with long lasting effects.



## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Aquatic toxicity (acute)				
Endpoint	Value	Species	Exposure time	
LC50	162 <sup>mg</sup> / <sub>l</sub>	fish	96 h	
EC50	162 <sup>mg</sup> / <sub>l</sub>	fish	96 h	
ErC50	86.4 <sup>mg</sup> / <sub>l</sub>	algae	72 h	

### 12.2 Persistence and degradability

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	64.7 %	14 d
DOC removal	<30 %	28 d

### 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	1.63 (ECHA)
BCF	0.475 (ECHA)

### 12.4 Mobility in soil

Henry's law constant	0.766 <sup>Pa m³</sup> / <sub>mol</sub> at 20 °C
The Organic Carbon normalised adsorption coefficient	0.973 (ECHA)

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.



## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

#### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

14.1 UN number

ICAO-TI UN 3334

14.2 UN proper shipping name

ICAO-TI Aviation regulated liquid, n.o.s.

14.3 Transport hazard class(es)

ICAO-TI 9

14.4 Packing group

ICAO-TI III

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information Not subject to transport regulations.

**International Maritime Dangerous Goods Code (IMDG) - Additional information**Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 9



Special provisions (SP) A27
Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

**Toxic Substance Control Act (TSCA)** substance is listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III )

Revision: 2025-06-10



## Safety Data Sheet

## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

not listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings				
Name of substance CAS No Remarks Effective date				
Acetophenone-d5	98-86-2		1994-01-01	

### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
Acetophenone-d5	98-86-2		3 4	5000 (2270)

#### Legend

- 3 "3" indicates that the source is section 112 of the Clean Air Act
- 4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

#### Clean Air Act

not listed

### **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Acetophenone-d5	98-86-2		CA TACs

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	e CAS No	DEP CODE		De Minimis Concen- tration Threshold
Acetophenone-d5	98-86-2			1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
Acetophenone-d5	98-86-2	A, I	

## <u>Legend</u>

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- I American Industrial Hygiene Association (AIHA), "Workplace Environmental Exposure Level Guides" (1992), available from AIHA



## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

### - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Acetophenone-d5	98-86-2		F2

#### Legend

F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name	e acc. to inventory	CAS No	Classification
ETHA	NONE, 1-PHENYL-	98-86-2	E

#### <u>Legend</u>

E Environmental hazard

Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
Acetophenone-d5	98-86-2	F

#### Legend

F Flammability (NFPA®)

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

not listed

## Industry or sector specific available guidance(s)

## **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem-



## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Category	Degree of hazard	Description
		peratures before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of or- dinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### **National inventories**

	Country	Inventory	Status
	EU	REACH Reg.	substance is listed
Ī	US	TSCA	substance is listed (ACTIVE)

<u>Legend</u>

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information, including date of preparation or last revision

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.3	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland	yes
	Telephone: +41 44 922 93 93: e-Mail: Info@zeochem.com / info@zeochem.ch: Website: Https://www.zeochem.com/:	Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com Website: https://www.zeochem.com	
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
6.2	Environmental precautions: Keep away from drains, surface and ground wa- ter. Retain contaminated washing water and dis- pose of it.	Environmental precautions: Keep away from drains, surface and ground wa- ter. Retain contaminated washing water and dis- pose of it. If substance has entered a water course or sewer, inform the responsible authority.	yes
7.2		- Specific designs for storage rooms or vessels	yes
7.2		Storage temperature: Recommended storage temperature: 8 – 10 °C 6 °C	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes



## **Acetophenone-d5**

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
11.1	Acute toxicity: Harmful if swallowed.GHS of the United Nations, annex 4:	Acute toxicity: Harmful if swallowed.GHS of the United Nations, annex 4: May be harmful in contact with skin.	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
12.6	Endocrine disrupting properties: Not listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
15.1	Toxic Substance Control Act (TSCA): substance is listed	Toxic Substance Control Act (TSCA): substance is listed (ACTIVE)	yes
15.1		National inventories: change in the listing (table)	yes

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.