

Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

SECTION 1: Identification

1.1 Product identifier

Identification of the substance Acetyl chloride-d3

CAS number 19259-90-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses the product is intended for research, analysis and

scientific education

scientific research and development

product and process oriented research and devel-

opment

laboratory and analytical use

feedstock use process agent use

1.3 Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti

Switzerland

Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com

Website: https://www.zeochem.com

1.4 Emergency telephone number

Poison center		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.10	acute toxicity (oral)	4	Acute Tox. 4	H302
A.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
B.6	flammable liquid	2	Flam. Liq. 2	H225

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements



Safety Data Sheet

Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

2.2.1.2 Pictograms

CUCO2 CUCOE	A A A
GHS02, GHS05, GHS07	(N) (23) (!)
311307	

Hazard statements		
H225	highly flammable liquid and vapor	
H302	harmful if swallowed	
H314	causes severe skin burns and eye damage	

Precautionary statements		
P210	keep away from heat/sparks/open flames/hot surfaces. No smoking	
P233	keep container tightly closed	
P240	ground/bond container and receiving equipment	
P241	use explosion-proof electrical/ventilating/lighting equipment	
P242	use only non-sparking tools	
P243	take precautionary measures against static discharge	
P260	do not breathe dusts or mists	
P270	do not eat, drink or smoke when using this product	
P280	wear protective gloves/eye protection/face protection	
P301+P330+P331	if swallowed: Rinse mouth. Do NOT induce vomiting	
P303+P361+P353	if on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	
P304+P340	if inhaled: Remove person to fresh air and keep comfortable for breathing	
P305+P351+P338	if in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing	
P310	immediately call a poison center/doctor	
P321	specific treatment (see on this label)	
P363	wash contaminated clothing before reuse	
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish	
P403+P235	store in a well-ventilated place. Keep cool	
P405	store locked up	
P501	dispose of contents/container in accordance with local/regional/national/international regulation	

2.3 Other hazards



Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Hazards not otherwise classified

Reacts violently with water. Corrosive to the respiratory tract.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Acetyl chloride-d3

Identifiers

CAS No 19259-90-6

Purity \geq 90 % Molar mass 81.5 $^{\rm g}$ /_{mol}

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

BC-powder, Carbon dioxide (CO2), Dry sand



Safety Data Sheet

Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

> Unsuitable extinguishing media Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride (HCl)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.



Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Specific designs for storage rooms or vessels
- Storage temperature

Recommended storage temperature: 4-6 °C 2 °C

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber



Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

- Breakthrough times of the glove material
 - >30 minutes (permeation: level 2)
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	clear
Particle	not relevant (liquid)
Odor	stinging - characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	-112 °C
Initial boiling point and boiling range	50 – 52 °C
Flash point	-12 °C at 1,013 hPa (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	not determined
Density	1.15 ^g / _{cm³} at 20 °C
Vapor density	this information is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	-0.47 (25 °C) (ECHA)
- Soil organic carbon/water (log KOC)	0 (echa)
Auto-ignition temperature	360 °C at 104 kPa (ECHA)



Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Refractive index	1.39 (20 °C) ((lit.))
Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed.

- Acute toxicity estimate (ATE) Oral 500 mg/kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation



Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Corrosive to the respiratory tract.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	-0.47 (25 °C) (ECHA)
---------------------------	----------------------

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	0 (ECHA)
--	----------

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT UN 1717
IMDG-Code UN 1717
ICAO-TI UN 1717

14.2 UN proper shipping name

DOT Acetyl chloride

IMDG-Code ACETYL CHLORIDE

ICAO-TI Acetyl chloride

14.3 Transport hazard class(es)

DOT 3 (8)
IMDG-Code 3 (8)
ICAO-TI 3 (8)

14.4 Packing group

DOT II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN1717, Acetyl chloride, 3 (8), II Reportable quantity (RQ) 5,000 lbs (2,270 kg) (Acetyl chloride-d3)



Safety Data Sheet

Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Danger label(s) 3+8





Special provisions (SP) A3, A7, IB1, N34, T8, TP2

ERG No 155

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -

Danger label(s) 3+8





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-E, S-C

Stowage category B

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 3+8





Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

Toxic Substance Control Act (TSCA) substance is listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

not listed

- Specific Toxic Chemical Listings (EPCRA Section 313) not listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)



Safety Data Sheet

Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
Acetyl chloride-d3	75-36-5		1 4	5000 (2270)

Legend

- 1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act
- 4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

not listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK) not listed
- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE		De Minimis Concen- tration Threshold
Acetyl chloride-d3	75-36-5			1.0 %

- Hazardous Substances List (MN-ERTK)
- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Acetyl chloride-d3	75-36-5		CO F3 R2

Legend

CO Corrosive

F3 Flammable - Third Degree R2 Reactive - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
ACETYL CHLORIDE	75-36-5	E

<u>Legend</u>

E Environmental hazard



Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
Acetyl chloride-d3	75-36-5	F

Legend

F Flammability (NFPA®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

not listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Physical hazard	2	materials that are unstable and may undergo violent chemical changes at normal temperature and pressure with low risk for explosion. Materials may react violently with water or form peroxides upon exposure to air
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	3	material that can be ignited under almost all ambient temperature conditions
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	2	material that readily undergos violent chemical change at elevated temperatures and pressures
Special hazard	₩	material that can form potentially explosive mixtures with water

National inventories

C	Country	Inventory	Status
	EU	REACH Reg.	substance is listed
	US	TSCA	substance is listed (ACTIVE)

<u>Legend</u>

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act



Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.2	Relevant identified uses: the product is intended for research, analysis and scientific education scientific research and development product and process orientated research and development laboratory and analytical use feedstock use process agent use	Relevant identified uses: the product is intended for research, analysis and scientific education scientific research and development product and process oriented research and development laboratory and analytical use feedstock use process agent use	yes
1.3	Details of the supplier of the safety data sheet:	Details of the supplier of the safety data sheet:	yes
2.3		Hazards not otherwise classified: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
7.2		- Specific designs for storage rooms or vessels	yes
7.2		Storage temperature: Recommended storage temperature: 4 – 6 °C 2 °C	yes
8.1	Control parameters: This information is not available.	Control parameters: Occupational exposure limit values (Workplace Exposure Limits) this information is not available	yes
12.1	Toxicity: Harmful to aquatic life.	Toxicity: Shall not be classified as hazardous to the aquatic environment.	yes
12.1		Aquatic toxicity (acute): change in the listing (table)	yes
12.2	Persistence and degradability: Data are not available.	Persistence and degradability	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
12.6	Endocrine disrupting properties: Not listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
15.1	Toxic Substance Control Act (TSCA): substance is listed	Toxic Substance Control Act (TSCA): substance is listed (ACTIVE)	yes



Safety Data Sheet

Acetyl chloride-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2022-09-19 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
15.1		National inventories: change in the listing (table)	yes

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.