

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance

Dichloromethane-d2

Registration number (REACH)

this information is not available

CAS number

1665-00-5

Alternative name(s)

methylene chloride-d2, dichloromethane-d2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

industrial uses
the product is intended for research, analysis and scientific education
scientific research and development
product and process oriented research and development
laboratory and analytical use
laboratory chemical

1.3 Details of the supplier of the safety data sheet

Zeochem AG
Joweid 5, CH-8630 Rüti
Switzerland

Telephone: +41 44 922 93 93
e-Mail: info@zeochem.com
Website: <https://www.zeochem.com>

1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	carcinogenicity	2	Carc. 2	H351
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)



Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

2.2.1.2 Pictograms

GHS07, GHS08	 
--------------	--

Hazard statements	
H315	causes skin irritation
H319	causes serious eye irritation
H336	may cause drowsiness or dizziness
H351	suspected of causing cancer

Precautionary statements	
P201	obtain special instructions before use
P261	avoid breathing dust/fume/gas/mist/vapours/spray
P280	wear protective gloves/protective clothing/eye protection/face protection/hearing protection
P312	call a POISON CENTRE/doctor if you feel unwell
P332+P313	if skin irritation occurs: Get medical advice/attention
P403+P233	store in a well-ventilated place. Keep container tightly closed
P501	dispose of contents/container in accordance with local/regional/national/international regulations

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Dichloromethane-d2
Identifiers	
CAS No	1665-00-5
EC No	216-776-0
Molecular formula	CD ₂ Cl ₂
Molar mass	86.9 g/mol

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride (HCl)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Specific designs for storage rooms or vessels

- Storage temperature

Recommended storage temperature: 16 – 20 °C
15 °C

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
DE	dichloromethane	75-09-2	MAK	50	180	100	360			H	DFG
DE	dichloromethane	75-09-2	AGW	50	180	100	360			H, Z	TRGS

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
											900
ES	methylene chloride	75-09-2	VLA	50	177	100	353			H	INSHT
EU	methylene chloride (dichloromethane)	75-09-2	IOELV	100	353	200	706			H	2017/164/EU
FR	dichloromethane (methylene chloride)	75-09-2	VME	50	178	100	356			H	INRS
IT	methylene chloride (dichloromethane)	75-09-2	VLEP	50	175	100	353			H	D.lgs. 9, XXXVIII

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
H	absorbed through the skin
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)
Z	a risk of developmental toxicity can not be ruled out even if AGW and BGW are complied with

Biological limit values						
Country	Name of agent	Parameter	Notation	Identifier	Value	Source
DE	dichloromethane	dichloromethane		BAT	500 µg/l	DFG
DE	dichloromethane	dichloromethane		BLV	500 µg/l	TRGS 903
ES	methylene chloride	methylene dichloride		VLB	0.3 mg/l	INSHT

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	176 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	12 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.31 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.031 mg/l	aquatic organisms	marine water	short-term (single instance)

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	2.57 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.26 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.33 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

- Breakthrough times of the glove material

>30 minutes (permeation: level 2)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	mild sweet
Melting point/freezing point	-95 °C at 101 kPa
Boiling point or initial boiling point and boiling	39 – 40 °C

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

range	
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	13 vol% - 22 vol%
Flash point	not determined
Auto-ignition temperature	605 °C at 101 kPa (ECHA) (auto-ignition temperature (liquids and gases))
Decomposition temperature	>120 °C
pH (value)	not determined
Kinematic viscosity	not determined

Solubility(ies)

Water solubility	13,200 mg/l at 25 °C
------------------	----------------------

Partition coefficient

Partition coefficient n-octanol/water (log value)	1.25 (pH value: 7, 20 °C) (ECHA)
---	----------------------------------

Vapour pressure	58,400 Pa at 25 °C
-----------------	--------------------

Density and/or relative density

Density	1.36 g/cm³ at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	--

Other safety characteristics

Refractive index	1.42 (20 °C) ((lit.))
Temperature class (EU, acc. to ATEX)	T1 (maximum permissible surface temperature on the equipment: 450°C)

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	68 %	28 d

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	1.25 (pH value: 7, 20 °C) (ECHA)
BCF	39 (ECHA)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN	UN 1593
IMDG-Code	UN 1593

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)


Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

ICAO-TI	UN 1593
14.2 UN proper shipping name	
ADR/RID/ADN	DICHLOROMETHANE
IMDG-Code	DICHLOROMETHANE
ICAO-TI	Dichloromethane
14.3 Transport hazard class(es)	
ADR/RID/ADN	6.1
IMDG-Code	6.1
ICAO-TI	6.1
14.4 Packing group	
ADR/RID/ADN	III
IMDG-Code	III
ICAO-TI	III
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6 Special precautions for user	
Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7 Maritime transport in bulk according to IMO instruments	
The cargo is not intended to be carried in bulk.	

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Classification code	T1
Danger label(s)	6.1
	
Special provisions (SP)	516, 802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	60

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant	-
Danger label(s)	6.1

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12



Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-A
Stowage category	A
Segregation group	10 - Liquid halogenated hydrocarbons
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information	
Danger label(s)	6.1



Excepted quantities (EQ)	E1
Limited quantities (LQ)	2 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	No
Dichloromethane-d2	dichloromethane	75-09-2	59
Dichloromethane-d2	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Dichloromethane-d2	substances in tattoo inks and permanent make-up		75

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list not listed

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

Pollutant release and transfer registers (PRTR)			
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Dichloromethane-d2	75-09-2		1 000

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Dichloromethane-d2	75-09-2	b)	
Dichloromethane-d2	75-09-2	c)	
Dichloromethane-d2		a)	
Dichloromethane-d2		a)	

Legend

- a) Indicative list of the main pollutants
- b) List of priority substances in the field of water policy
- c) Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on persistent organic pollutants (POP)

not listed

National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed (ACTIVE)

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Safety Data Sheet

Dichloromethane-d2

According to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 6.0
Replaces version of: 2025-06-10 (GHS 5)

Revision: 2025-06-12

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.