# Safety Data Sheet

# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 3.0 Replaces version of: 19.09.2022 (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Identification of the substance

CAS number

Alternative name(s)

# Dimethyl carbonate-d6

108481-44-3

dimethyl carbonate

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

the product is intended for research, analysis and scientific education scientific research and development product and process oriented research and development laboratory and analytical use laboratory chemical

# 1.3 Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti Switzerland Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com / info@zeochem.ch Website: https://www.zeochem.com

# 1.4 Emergency telephone number

# Poison centre

Country	Name	Telephone
international	CHEMTREC (worldwide)	+1 703 741 5500 - 24h/7d (toll free)
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.1D	acute toxicity (dermal)	5	Acute Tox. 5	H313
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
4.1A	hazardous to the aquatic environment - acute hazard	3	Aquatic Acute 3	H402

For full text of abbreviations: see SECTION 16.

# The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.





Revision: 02.02.2023

# Dimethyl carbonate-d6

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0

Replaces version of: 19.09.2022 (GHS 2)

Safety Data Sheet

2.2	Label elements	
	Labelling	
	- Signal word	danger
2.2.1.	2 Pictograms	
	GHS02, GHS06	
		Hazard statements
	H225	highly flammable liquid and vapour
	H313	may be harmful in contact with skin
	H331	toxic if inhaled
	H402	harmful to aquatic life
		Precautionary statements
	P210	keep away from heat/sparks/open flames/hot surfaces. No smoking
	P240	ground/bond container and receiving equipment
	P241	use explosion-proof electrical/ventilating/lighting equipment
	P242	use only non-sparking tools
	P243	take precautionary measures against static discharge
	P261	avoid breathing dust/fume/gas/mist/vapours/spray
	P271	use only outdoors or in a well-ventilated area
	P273	avoid release to the environment
	P280	wear protective gloves/protective clothing/eye protection/face protection
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
	P311	call a POISON CENTER/doctor
	P321	specific treatment (see on this label)
	P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish
	P403+P233	store in a well-ventilated place. Keep container tightly closed
	P403+P235	store in a well-ventilated place. Keep cool
	P405	store locked up
	P501	dispose of contents/container in accordance with local/regional/national/international regulations



# Safety Data Sheet

# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

### Version number: GHS 3.0 Replaces version of: 19.09.2022 (GHS 2)

# 2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

)imethyl carbonate-d6
08481-44-3
90 %
3D6O3
6.1 <sup>g</sup> / <sub>mol</sub>

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

# Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

# Following skin contact

Wash with plenty of soap and water.

## Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

# Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# 4.3 Indication of any immediate medical attention and special treatment needed

none



Revision: 02.02.2023

# Safety Data Sheet

# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0

Replaces version of: 19.09.2022 (GHS 2)

# SECTION 5: Firefighting measures

#### **Extinguishing media** 5.1

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

# Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

# Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 **Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

# Appropriate containment techniques

Use of adsorbent materials.

# Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 **Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

page 4 / 13



Revision: 02.02.2023

# Safety Data Sheet

# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 19.09.2022 (GHS 2)

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

## Recommendations

Store in a dry place.

## - Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

## - Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

## Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

## - Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

# - Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

# - Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

# Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

# 7.3 Specific end use(s)

See section 16 for a general overview.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) this information is not available





# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 19.09.2022 (GHS 2)

### Revision: 02.02.2023

# Human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	34.9 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

# **Environmental values**

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.5 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	PNEC 0.05 <sup>mg</sup> / <sub>I</sub> aquatic organisms marine water short-term (single instance)			
PNEC	188 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

# 8.2 Exposure controls

# Appropriate engineering controls

General ventilation.

# Individual protection measures (personal protective equipment)

## Eye/face protection

Wear eye/face protection.

## Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material
- Nitrile

IIR: isobutene-isoprene (butyl) rubber

- Breakthrough times of the glove material

>30 minutes (permeation: level 2)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

page 6 / 13



# Safety Data Sheet

# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 3.0 Replaces version of: 19.09.2022 (GHS 2)

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Appearance	
------------	--

Physical state	liquid
Colour	colourless
Particle	not relevant (liquid)
Odour	characteristic

# Other safety parameters

pH (value)	not determined
Melting point/freezing point	2 – 4 °C
Initial boiling point and boiling range	90.2 °C at 1,013 hPa
Flash point	16.7 °C at 1,013 hPa (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

**Explosive limits** 

- Lower explosion limit (LEL)	4.2 vol%
Vapour pressure	7,570 Pa at 298 K
Density	1.15 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Vapour density	this information is not available
Solubility(ies)	
- Water solubility	115 <sup>g</sup> / <sub>l</sub> at 20 °C
Partition coefficient	

- n-octanol/water (log KOW)	0.354 (20 °C) (ECHA)
- Soil organic carbon/water (log KOC)	0.463 – 0.823 (ECHA)
Auto-ignition temperature	$458^{\circ}\text{C}$ (ECHA) (auto-ignition temperature (liquids and gases))





# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0

Replaces version of: 19.09.2022 (GHS 2)

Revision: 02.02.2023

- Dynamic viscosity	0.585 mPa s at 298 K	
Explosive properties	none	
Oxidising properties	none	

31.9 <sup>mN</sup>/<sub>m</sub> (0 °C) (ECHA)

# Surface tension

# SECTION 10: Stability and reactivity

# 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

## If heated:

Risk of ignition

# 10.2 Chemical stability

See below "Conditions to avoid".

# 10.3 Possibility of hazardous reactions

No known hazardous reactions.

# 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

# 10.5 Incompatible materials

Oxidisers

# 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Classification acc. to GHS**

## Acute toxicity

May be harmful in contact with skin. Toxic if inhaled.

- Acute toxicity estimate (ATE)			
Dermal	>2,000 <sup>mg</sup> / <sub>kg</sub>		
Inhalation: vapour	>5.36 <sup>mg</sup> / <sub>l</sub> /4h		



# Safety Data Sheet

# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

### Version number: GHS 3.0 Replaces version of: 19.09.2022 (GHS 2)

# Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

# Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

# Carcinogenicity

Shall not be classified as carcinogenic.

# Reproductive toxicity

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

# Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
LC50	≥100 <sup>mg</sup> / <sub>l</sub>	fish	96 h
EC50	>100 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
ErC50	>100 <sup>mg</sup> / <sub>l</sub>	algae	72 h

# 12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	86 %	28 d





Replaces version of: 19.09.2022 (GHS 2)

# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

# 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	0.354 (20 °C) (ECHA)
BCF	<3.2 (ECHA)

# 12.4 Mobility in soil

Version number: GHS 3.0

Henry's law constant	62.9 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C
The Organic Carbon normalised adsorption coefficient	0.463 – 0.823 (ECHA)

# 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

Not listed.

# 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

# Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

# Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

# Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECT	ECTION 14: Transport information		
14.1	UN number		
	UN RTDG	UN 1161	
	IMDG-Code	UN 1161	
	ICAO-TI	UN 1161	
14.2	UN proper shipping name		

UN RTDG

# DIMETHYL CARBONATE

page 10 / 13





Version number: GHS 3.0

# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

	es version of: 19.09.2022 (GHS 2)		
	IMDG-Code	DIMETHYL CARBONATE	
	ICAO-TI	Dimethyl carbonate	
4.3	Transport hazard class(es)		
	UN RTDG	3	
	IMDG-Code	3	
	ICAO-TI	3	
4.4	Packing group		
	UN RTDG	II	
	IMDG-Code	II	
	ICAO-TI	II	
4.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations	
4.6	5 Special precautions for user There is no additional information.		
14.7	<b>Transport in bulk according to IMO i</b> The cargo is not intended to be carried in bu		
	Information for each of the UN Model Regulations		
	Transport information - National regulations - Additional information (UN RTDG)		
	UN number	1161	
	Class	3	
	Packing group	II	
	Danger Jahol(c)		
	Danger label(s)	3	
		3	
	Special provisions (SP)	3 - (UN RTDG)	
	Special provisions (SP)	- (UN RTDG)	
	Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ)	- (UN RTDG) E2 (UN RTDG)	
	Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ)	- (UN RTDG) E2 (UN RTDG) 1 L (UN RTDG)	
	Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ) International Maritime Dangerous G	- (UN RTDG) E2 (un rtdg) 1 L (un rtdg)	
	Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ) International Maritime Dangerous G Marine pollutant	- (UN RTDG) E2 (UN RTDG) 1 L (UN RTDG) Goods Code (IMDG) - Additional information -	
	Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ) International Maritime Dangerous G Marine pollutant	- (UN RTDG) E2 (UN RTDG) 1 L (UN RTDG) Goods Code (IMDG) - Additional information -	





# **Dimethyl carbonate-d6**

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 19.09.2022 (GHS 2)	Revision: 02.02.2023
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	В
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information
Danger label(s)	3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L

# **SECTION 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 There is no additional information.

# National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed

Legend

REACH Reg. REACH registered substances TSCA **Toxic Substance Control Act** 

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Key literature references and sources for data

General Rule for Classification and Hazard Communication of Chemicals (National Standard GB 13690). National Standard: Safety Data Sheet for Chemical Products - Content and Order of Sections. GB/T 16483. National Standard: Guidance on Compilation of Safety Data Sheet for Chemical Products. GB/T 17519.

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H313	May be harmful in contact with skin.
H331	Toxic if inhaled.
H402	Harmful to aquatic life.





# Dimethyl carbonate-d6

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 19.09.2022 (GHS 2)

Safety Data Sheet

Revision: 02.02.2023

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

