

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

SECTION 1: Identification

1.1 Product identifier

Identification of the substance

Formic acid-d 95% in D2O

CAS number

925-94-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

industrial uses
the product is intended for research, analysis and scientific education
scientific research and development
product and process oriented research and development
laboratory and analytical use
laboratory chemical

1.3 Details of the supplier of the safety data sheet

Zeochem AG
Joweid 5, CH-8630 Rüti
Switzerland

Telephone: +41 44 922 93 93
e-Mail: info@zeochem.com
Website: <https://www.zeochem.com>

1.4 Emergency telephone number

Poison center		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.10	acute toxicity (oral)	4	Acute Tox. 4	H302
A.11	acute toxicity (inhal.)	3	Acute Tox. 3	H331
A.2	skin corrosion/irritation	1A	Skin Corr. 1A	H314
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
B.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

2.2.1.2 Pictograms

GHS02, GHS05, GHS06	  
---------------------	---

Hazard statements	
H226	flammable liquid and vapor
H302	harmful if swallowed
H314	causes severe skin burns and eye damage
H331	toxic if inhaled

Precautionary statements	
P210	keep away from heat/sparks/open flames/hot surfaces. No smoking
P240	ground/bond container and receiving equipment
P241	use explosion-proof electrical/ventilating/lighting equipment
P242	use only non-sparking tools
P243	take precautionary measures against static discharge
P260	do not breathe dusts or mists
P270	do not eat, drink or smoke when using this product
P271	use only outdoors or in a well-ventilated area
P280	wear protective gloves/eye protection/face protection
P301+P330+P331	if swallowed: Rinse mouth. Do NOT induce vomiting
P303+P361+P353	if on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340	if inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	if in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310	immediately call a poison center/doctor
P321	specific treatment (see on this label)
P363	wash contaminated clothing before reuse
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish
P403+P233	store in a well-ventilated place. Keep container tightly closed
P403+P235	store in a well-ventilated place. Keep cool
P405	store locked up
P501	dispose of contents/container in accordance with local/regional/national/international regulations

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

2.3 Other hazards

Hazards not otherwise classified

Corrosive to the respiratory tract.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Formic acid-d 95% in D2O
Identifiers	
CAS No	925-94-0
Purity	$\geq 95\%$

Impurities and additives, classification acc. to GHS

Name of substance	CAS No	Wt%	Classification acc. to GHS
Deuterium oxide	7789-20-0	5	

Molecular formula CHDO₂

Molar mass 47 g/mol

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
US	formic acid	64-18-6	PEL (CA)	5	9	10	19				Cal/OSH A PEL
US	formic acid	64-18-6	REL	5 (10 h)	9 (10 h)						NIOSH REL
US	formic acid	64-18-6	TLV®	5		10					ACGIH®

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
											2023
US	formic acid	64-18-6	PEL	5	9						29 CFR 1910.1000

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	9.5 mg/m³	human, inhalatory	worker (industry)	chronic - local effects

Environment values

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	2 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.2 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	7.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	13.4 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	1.34 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	1.5 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

- Type of material
Nitrile
IIR: isobutene-isoprene (butyl) rubber
- Breakthrough times of the glove material
>30 minutes (permeation: level 2)
- Other protection measures
Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.
Wash hands thoroughly after handling.
- Respiratory protection
In case of inadequate ventilation wear respiratory protection.
- Environmental exposure controls
Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	clear
Particle	not relevant (liquid)
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	8 °C
Initial boiling point and boiling range	100 – 101 °C
Flash point	49.5 °C at 1,013 hPa (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	42.7 hPa at 20 °C
Density	1.25 g/cm³
Vapor density	this information is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	-2.1 (pH value: 7, 23 °C) (ECHA)
-----------------------------	----------------------------------

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0

Revision: 2025-06-10

Replaces version of: 2023-02-06 (GHS 4)

- Soil organic carbon/water (log KOC)	<1.25 (ECHA)
Auto-ignition temperature	528 °C at 1,010 hPa (ECHA)

Viscosity

- Kinematic viscosity	1.47 mm ² /s at 20 °C
- Dynamic viscosity	1.8 mPa s at 20 °C
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Surface tension	71.5 mN/m (20 °C) (ECHA)
Temperature class (USA, acc. to NEC 500)	T1 (maximum permissible surface temperature on the equipment: 450°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

Harmful if swallowed. Toxic if inhaled.

- Acute toxicity estimate (ATE)
Oral 730 mg/kg
Inhalation: vapor 7.85 mg/l/4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Corrosive to the respiratory tract.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	15 %	5 d
DOC removal	4 %	6 d

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	-2.1 (pH value: 7, 23 °C) (ECHA)
---------------------------	----------------------------------

12.4 Mobility in soil

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

Henry's law constant	0.019 Pa m ³ /mol at 25 °C
The Organic Carbon normalised adsorption coefficient	<1.25 (ECHA)

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT	UN 1779
IMDG-Code	UN 1779
ICAO-TI	UN 1779

14.2 UN proper shipping name

DOT	Formic acid
IMDG-Code	FORMIC ACID
ICAO-TI	Formic acid

14.3 Transport hazard class(es)

DOT	8 (3)
IMDG-Code	8 (3)
ICAO-TI	8 (3)

14.4 Packing group

DOT	II
-----	----

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

IMDG-Code II
ICAO-TI II

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN1779, Formic acid, 8 (3), II
Reportable quantity (RQ) 5,000 lbs (2,270 kg) (Formic acid-d 95% in D2O)
Danger label(s) 8+3



Special provisions (SP) B2, B28, IB2, T7, TP2
ERG No 153

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -
Danger label(s) 8+3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-E, S-C
Stowage category A
Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8+3



Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

substance is listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

not listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
Formic acid-d 95% in D2O	64-18-6		1994-01-01

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
Formic acid-d 95% in D2O	64-18-6		1 4	5000 (2270)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

not listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

not listed

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Formic acid-d 95% in D2O	64-18-6				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
Formic acid-d 95% in D2O	64-18-6	A, O	

Legend

A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

Legend

O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Formic acid-d 95% in D2O	64-18-6		CO F2

Legend

CO Corrosive
F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
FORMIC ACID	64-18-6	E

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
Formic acid-d 95% in D2O	64-18-6	T, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

not listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed (ACTIVE)

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.3	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com / info@zeochem.ch Website: https://www.zeochem.com	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com Website: https://www.zeochem.com	yes
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.	yes
3.1	Molar mass: 47 g/mol For full text of abbreviations: see SECTION 16.	Molar mass: 47 g/mol	yes
3.1		Remarks: For full text of abbreviations: see SECTION 16	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
12.6	Endocrine disrupting properties:	Endocrine disrupting properties:	yes

Safety Data Sheet

Formic acid-d 95% in D2O

Classification acc. to 29 CFR 1910.1200

Version number: GHS 5.0
Replaces version of: 2023-02-06 (GHS 4)

Revision: 2025-06-10

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
	Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.	Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.	
15.1	Toxic Substance Control Act (TSCA): substance is listed as "ACTIVE"	Toxic Substance Control Act (TSCA): substance is listed (ACTIVE)	yes
15.1		National inventories: change in the listing (table)	yes

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.