

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 4.0 Replaces version of: 2023-02-06 (GHS 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier				
	Identification of the substance	Sulfuric acid-d2 98%w			
	CAS number	13813-19-9			
	Alternative name(s)	Sulphuric acid-d2 98%w, Sulphuric acid-d2			
1.2	Relevant identified uses of the substance or mixture and uses advised against				
	Relevant identified uses	general use			
	HS code	2845.90.			
13	Details of the supplier of the safety data	sheet			

1.3 Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti Switzerland

Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com Website: https://www.zeochem.com

1.4 **Emergency telephone number**

Poison centre		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- Signal word danger



ZEOtope®

Chemistry. Pure. Efficient.

Safety Data Sheet

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Replaces version of: 2023-02-06 (GHS 3)

Version number: GHS 4.0

2.2.1.2 Pictograms

GHS05, GHS06, GHS09	

Hazard statements					
H314	causes severe skin burns and eye damage				
H331	toxic if inhaled				
H411	toxic to aquatic life with long lasting effects				

Precautionary statements						
P260	do not breathe dust/fume/gas/mist/vapours/spray					
P280	wear protective gloves/protective clothing/eye protection/face protection/hearing protection					
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing					
P310	immediately call a POISON CENTER/doctor					
P403+P233	store in a well-ventilated place. Keep container tightly closed					

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Sulfuric acid-d2 98%w			
Identifiers				
CAS No	13813-19-9			
EC No	237-464-0			
Index No (GB CLP)	016-020-00-8			
Purity	≥90 %			

	Impurities and additives, classification acc. to GHS								
Name of substance CAS No EC No Wt% Classification acc. to GHS									
	Deuterium oxide	7789-20-0	232-148-9	2					





Revision: 2025-06-10

Safety Data Sheet

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.0

Replaces version of: 2023-02-06 (GHS 3)

Specific Conc. Limits	M-Factors	ATE	Exposure route
Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	-	3.33 ^{mg} /ı/4h 0.85 ^{mg} /ı/4h	inhalation: vapour inhalation: dust/mist

Molecular formula

100 ^g/_{mol}

D204S

Molar mass Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Sulphur oxides (SOx)

5.3 Advice for firefighters



ZEOtope®

Chemistry. Pure. Efficient.

Safety Data Sheet

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 4.0 Replaces version of: 2023-02-06 (GHS 3)

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Neutralisation techniques. Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.
- Handling of incompatible substances or mixtures

Do not mix with alkali.

- Keep away from

Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities





Safety Data Sheet

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 4.0 Replaces version of: 2023-02-06 (GHS 3)

- Ventilation requirements Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.
- Specific designs for storage rooms or vessels
- Storage temperature

Recommended storage temperature: 16 – 22 °C 15 °C

- Packaging compatibilities Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Identi- fier		TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]		Ceiling-C [mg/m³]		Source
EU	sulfuric acid	7664-93-9	IOELV		0.05					mist, t	2009/16 1/EU
GB	sulfuric acid	7664-93-9	WEL		0.05					t, mist	EH40/20 05

<u>Notation</u>

 Ceiling-C
 ceiling value is a limit value above which exposure should not occur

 mist
 as mists

 STEL
 short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

 t
 thoracic fraction

 TWA
 time weighted average (long term exposure limit): measured or calculated in relation to a reference period of 8 hours.

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber





Safety Data Sheet

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 4.0 Replaces version of: 2023-02-06 (GHS 3)

- Breakthrough times of the glove material >30 minutes (permeation: level 2)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - light yellow
Odour	odourless
Melting point/freezing point	-3 °C
Boiling point or initial boiling point and boiling range	320 – 323 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	

ater solubility	miscible in any proportion
-----------------	----------------------------

Partition coefficient

Partition coefficient n-octanol/water (log value) not relevant (inorganic)
--

Vapour pressure	not determined
-----------------	----------------





Safety Data Sheet

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.0 Replaces version of: 2023-02-06 (GHS 3) Revision: 2025-06-10

Density and/or relative density

Density	1.86 ^g / _{cm³}	
Relative vapour density	information on this property is not available	

Particle characteristics	not relevant (liquid)	
Other information		
Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant	

Other safety characteristics

Miscibility	Completely miscible with water.
Refractive index	1.42 (20 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Bases

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity Toxic if inhaled.

- Acute toxicity estimate (ATE) Inhalation: vapour 3.33 ^{mg}/_l/4h





Safety Data Sheet

Replaces version of: 2023-02-06 (GHS 3)

Version number: GHS 4.0

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

- Acute toxicity estimate (ATE) Inhalation: dust/mist 0.85 ^{mg}/_l/4h

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitisation Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

- **12.2 Persistence and degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.



ZEOtope

Chemistry. Pure. Efficient.

Safety Data Sheet

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.0 Replaces version of: 2023-02-06 (GHS 3) Revision: 2025-06-10

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials. Regeneration of acids.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

		1014000
	ADR/RID	UN 1830
	IMDG-Code	UN 1830
	ICAO-TI	UN 1830
14.2	UN proper shipping name	
	ADR/RID	SULPHURIC ACID
	IMDG-Code	SULPHURIC ACID
	ICAO-TI	Sulphuric acid
14.3	Transport hazard class(es)	
	ADR/RID	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADR/RID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.





Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 4.0 Replaces version of: 2023-02-06 (GHS 3)

Information for each of the UN Mode	l Regulations
Agreement concerning the Internation Additional information	onal Carriage of Dangerous Goods by Road (ADR) -
Classification code	C1
Danger label(s)	8, fish and tree
Environmental hazards	Yes (hazardous to the aquatic environment)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2P
Regulations concerning the Internati Additional information	onal Carriage of Dangerous Goods by Rail (RID) -
Classification code	C1
Danger label(s)	8, fish and tree
Environmental hazards	Yes (hazardous to water)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	80
International Maritime Dangerous Go	oods Code (IMDG) - Additional information
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	8, fish and tree
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	C





Version number: GHS 4.0

Chemistry. Pure. Efficient.

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

res version of: 2023-02-06 (GHS 3)	Revision: 2025-06-10
Segregation group	1 - Acids
International Civil Aviation Organiz	zation (ICAO-IATA/DGR) - Additional information
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	8
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Sulfuric acid-d2 98%w		a)	

<u>Legend</u>

a) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

not listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Sulfuric acid-d2 98%w	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3





Revision: 2025-06-10

Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.0

Replaces version of: 2023-02-06 (GHS 3)

National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed (ACTIVE)

<u>Legend</u>

REACH Reg.REACH registered substancesTSCAToxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.3	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland	yes
	Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com / info@zeochem.ch Website: https://www.zeochem.com	Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com Website: https://www.zeochem.com	
1.4		Poison centre: change in the listing (table)	yes
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of \ge 0,1%.	yes
3.1	Molar mass: 100 ^g / _{mol} For full text of abbreviations: see SEC- TION 16.	Molar mass: 100 ^g / _{mol}	yes
3.1		Remarks: For full text of abbreviations: see SECTION 16	yes
7.2		- Specific designs for storage rooms or vessels	yes
7.2		Storage temperature: Recommended storage temperature: 16 – 22 °C 15 °C	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
12.6	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes



Sulfuric acid-d2 98%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.0 Replaces version of: 2023-02-06 (GHS 3) Revision: 2025-06-10

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

