

# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2) Revision: 2025-06-10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Aniline-2'3'4'5'6-d5

CAS number 4165-61-1

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses industrial uses

the product is intended for research, analysis and

scientific education

scientific research and development

laboratory and analytical use

product and process oriented research and devel-

opment

laboratory chemical

HS code 2845.90.

# 1.3 Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti

Switzerland

Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com

Website: https://www.zeochem.com

### 1.4 Emergency telephone number

Poison centre							
Country	Name	Telephone					
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d					
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d					

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.10	acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.45	skin sensitisation	1	Skin Sens. 1	H317
3.5	germ cell mutagenicity	2	Muta. 2	H341



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.6	carcinogenicity	2	Carc. 2	H351
3.9	specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling

- Signal word danger

# 2.2.1.2 Pictograms

GHS05, GHS06, GHS08, GHS09		
-------------------------------	--	--

Hazard statements					
H301+H311+H331 toxic if swallowed, in contact with skin or if inhaled					
H317	may cause an allergic skin reaction				
H318	causes serious eye damage				
H341	suspected of causing genetic defects				
H351	suspected of causing cancer				
H372	causes damage to organs through prolonged or repeated exposure				
H410	very toxic to aquatic life with long lasting effects				

	Precautionary statements						
P201	obtain special instructions before use						
P260	do not breathe dust/fume/gas/mist/vapours/spray						
P273	P273 avoid release to the environment						
P280	wear protective gloves/protective clothing/eye protection/face protection/hearing protection						
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor						
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing						
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing						



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Revision: 2025-06-10 Replaces version of: 2023-02-02 (GHS 2)

	Precautionary statements						
P361+P364	take off immediately all contaminated clothing and wash it before reuse						
P362+P364	take off contaminated clothing and wash it before reuse						
P391	collect spillage						
P403+P233	store in a well-ventilated place. Keep container tightly closed						
P501	dispose of contents/container in accordance with local/regional/national/international regulations						

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Aniline-2'3'4'5'6-d5

Identifiers

CAS No 4165-61-1 FC No 224-015-9

Specific Conc. Limits	M-Factors	ATE	Exposure route
STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0.2 % ≤ C < 1 %	-	100 <sup>mg</sup> / <sub>kg</sub> 300 <sup>mg</sup> / <sub>kg</sub> 3 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: vapour

Molecular formula C6D5NH2 Molar mass 98.2 g/<sub>mol</sub>

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at

Revision: 2025-06-10



# Safety Data Sheet

# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

# **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

# 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

## 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2) Revision: 2025-06-10

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

- Specific designs for storage rooms or vessels
- Storage temperature

Recommended storage temperature: 3 – 7 °C 2 °C

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Identi- fier		TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [mg/m³]		Source
EU	aniline	62-53-3	IOELV	2	7.74	5	19.4		skin, H	2019/18 31/EU
GB	aniline	62-53-3	WEL	1	4				Н	EH40/20 05

**Notation** 

Ceiling-C ceiling value is a limit value above which exposure should not occur

H absorbed through the skin

skin a skin notation assigned to the occupational exposure limit value indicates the possibility of significant uptake through

the skin

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

#### **Notation**

time-weighted average (unless otherwise specified)

#### Human health values

Relevant DNELs and other threshold levels								
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time				
DNEL	7.7 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects				
DNEL	15.4 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects				
DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
DNEL	4 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects				

#### **Environmental values**

Relevant PNECs and other threshold levels							
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time			
PNEC	0.001 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)			
PNEC	2 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	0.153 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	0.015 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	0.033 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)			

# 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

- Breakthrough times of the glove material

>30 minutes (permeation: level 2)

- Other protection measures



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless - light yellow - light orange
Melting point/freezing point	-6.2 °C
Boiling point or initial boiling point and boiling range	184 °C at 1,013 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	76 °C at 1,013 hPa (closed cup)
Auto-ignition temperature	630 °C at 1,013 hPa (ECHA) (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	4.03 <sup>mm²</sup> / <sub>s</sub> at 20 °C

# Solubility(ies)

Water solubility	35 <sup>g</sup> / <sub>l</sub> at 20 °C
------------------	---

## Partition coefficient

Partition coefficient n-octanol/water (log value)	0.91 (pH value: 7.5, 25 °C) (ECHA)
Soil organic carbon/water (log KOC)	2.11 (ECHA)

Vapour pressure	0.4 hPa at 20 °C
-----------------	------------------



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

# Density and/or relative density

Density	1.08 <sup>g</sup> / <sub>cm³</sub>
Relative vapour density	information on this property is not available

### 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	
Refractive index	1.58 (20 °C)

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

## 10.5 Incompatible materials

Oxidisers

# 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### Classification acc. to GHS

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

- Acute toxicity estimate (ATE)
Oral 100 mg/kg
Dermal 300 mg/kg
Inhalation: vapour 3 mg/l/4h

Skin corrosion/irritation



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
LC50	28.3 <sup>mg</sup> / <sub>l</sub>	fish	48 h
EC50	0.16 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
ErC50	175 <sup>mg</sup> / <sub>l</sub>	algae	72 h

Aquatic toxicity (chronic)			
Endpoint	Value	Species	Exposure time
LC50	8.2 <sup>mg</sup> / <sub>l</sub>	fish	7 d
EC50	0.044 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d

## 12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2) Revision: 2025-06-10

# Process of degradability

Process	Degradation rate	Time
oxygen depletion	70 %	15 d
DOC removal	100 %	5 d

# 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	0.91 (pH value: 7.5, 25 °C) (ECHA)
BCF	2.6 (ECHA)

### 12.4 Mobility in soil

Henry's law constant	0.205 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C
The Organic Carbon normalised adsorption coefficient	2.11 (ECHA)

## 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

# **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADR/RID	UN 1547
IMDG-Code	UN 1547
ICAO-TI	UN 1547



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Replaces version of: 2023-02-02 (GHS 2)

Version number: GHS 3.0

14.2 UN proper shipping name

ADR/RID ANILINE
IMDG-Code ANILINE
ICAO-TI Aniline

14.3 Transport hazard class(es)

ADR/RID 6.1 IMDG-Code 6.1 ICAO-TI 6.1

14.4 Packing group

ADR/RID II
IMDG-Code II
ICAO-TI II

**14.5 Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code T1

Danger label(s) 6.1, fish and tree



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 279, 802(ADN)

Excepted quantities (EQ) E4
Limited quantities (LQ) 100 ml
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 60
Emergency Action Code 3X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

Classification code T1

Danger label(s) 6.1, fish and tree



Environmental hazards yes (hazardous to water)

Special provisions (SP) 279, 802(ADN)

Excepted quantities (EQ) E4
Limited quantities (LQ) 100 ml
Transport category (TC) 2
Hazard identification No 60

# International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (P) (hazardous to the aquatic environment)

Danger label(s) 6.1, fish and tree



Special provisions (SP) 279

Excepted quantities (EQ) E4

Limited quantities (LQ) 100 mL

EmS F-A, S-A

Stowage category A

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 6.1



Special provisions (SP) A113
Excepted quantities (EQ) E4
Limited quantities (LQ) 1 L

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

### Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Aniline-2'3'4'5'6-d5		a)	

#### Legend

a) Indicative list of the main pollutants

### Regulation on persistent organic pollutants (POP)

not listed

# National regulations (GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

# Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Aniline-2'3'4'5'6-d5	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3

### **National inventories**

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed (ACTIVE)

#### <u>Legend</u>

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

# 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance. \\



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

# **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.3	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland	yes
	Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com / info@zeochem.ch Website: https://www.zeochem.com	Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com Website: https://www.zeochem.com	
1.4		Poison centre: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
7.2		- Specific designs for storage rooms or vessels	yes
7.2		Storage temperature: Recommended storage temperature: 3 – 7 °C 2 °C	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
12.6	Endocrine disrupting properties: Not listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.



# Aniline-2'3'4'5'6-d5

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

Code	Text
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.