

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

SECTION 1: Identification

1.1 Product identifier

Identification of the substance

Aniline-2'3'4'5'6-d5

CAS number

4165-61-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

industrial uses
the product is intended for research, analysis and scientific education
scientific research and development
laboratory and analytical use
product and process oriented research and development
laboratory chemical

HS code

2845.90.

1.3 Details of the supplier of the safety data sheet

Zeochem AG
Joweid 5, CH-8630 Rüti
Switzerland

Telephone: +41 44 922 93 93
e-Mail: info@zeochem.com
Website: <https://www.zeochem.com>

1.4 Emergency telephone number

Poison center		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.10	acute toxicity (oral)	4	Acute Tox. 4	H302
A.1D	acute toxicity (dermal)	3	Acute Tox. 3	H311
A.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
A.4S	skin sensitization	1	Skin Sens. 1	H317
A.5	germ cell mutagenicity	2	Muta. 2	H341
A.6	carcinogenicity	1B	Carc. 1B	H350

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.9	specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
B.6	flammable liquid	4	Flam. Liq. 4	H227

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

2.2.1.2 Pictograms

GHS05, GHS06, GHS07, GHS08	
----------------------------	--

Hazard statements	
H227	combustible liquid
H302	harmful if swallowed
H311+H331	toxic in contact with skin or if inhaled
H317	may cause an allergic skin reaction
H318	causes serious eye damage
H341	suspected of causing genetic defects
H350	may cause cancer
H372	causes damage to organs through prolonged or repeated exposure

Precautionary statements	
P201	obtain special instructions before use
P210	keep away from heat/sparks/open flames/hot surfaces. No smoking
P260	do not breathe dust/fume/gas/mist/vapors/spray
P270	do not eat, drink or smoke when using this product
P271	use only outdoors or in a well-ventilated area
P272	contaminated work clothing must not be allowed out of the workplace
P280	wear protective gloves/eye protection/face protection
P302+P352	if on skin: Wash with plenty of water
P304+P340	if inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	if in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Precautionary statements	
P310	immediately call a poison center/doctor
P321	specific treatment (see on this label)
P330	rinse mouth
P362	take off contaminated clothing and wash before reuse
P363	wash contaminated clothing before reuse
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish
P403+P233	store in a well-ventilated place. Keep container tightly closed
P403+P235	store in a well-ventilated place. Keep cool
P405	store locked up
P501	dispose of contents/container in accordance with local/regional/national/international regulations

2.3 Other hazards

This material is combustible, but will not ignite readily.

Hazards not otherwise classified

Very toxic to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Aniline-2'3'4'5'6-d5
Identifiers	
CAS No	4165-61-1
Molecular formula	C6D5NH2
Molar mass	98.2 g/mol

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- Specific designs for storage rooms or vessels

- Storage temperature

Recommended storage temperature: 3 – 7 °C
2 °C

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
US	aniline	62-53-3	PEL (CA)	2	7.6					H	Cal/OSHA PEL
US	aniline	62-53-3	TLV®	2						H	ACGIH® 2023
US	aniline and homologs	62-53-3	PEL	5	19					H	29 CFR 1910.1000
US	aniline and homologs	62-53-3	REL							lowest, appx-A	NIOSH REL

Notation

appx-A	NIOSH Potential Occupational Carcinogen (Appendix A)
Ceiling-C	ceiling value is a limit value above which exposure should not occur
H	absorbed through the skin
lowest	exposure by all routes should be carefully controlled to levels as low as possible
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
	time-weighted average (unless otherwise specified)

Biological limit values						
Country	Name of agent	Parameter	Notation	Identifier	Value	Source
US	aniline	aniline	hydr	BEI®	0.5 mg/l	ACGIH® 2023

Notation

hydr	hydrolysis
------	------------

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	7.7 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	15.4 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	4 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Environment values

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.001 mg/l	aquatic organisms	freshwater	short-term (single instance)

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.153 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.015 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.033 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

- Breakthrough times of the glove material

>30 minutes (permeation: level 2)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	colorless - light yellow - light orange
Particle	not relevant (liquid)

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Other safety parameters

pH (value)	not determined
Melting point/freezing point	-6.2 °C
Initial boiling point and boiling range	184 °C at 1,013 hPa
Flash point	76 °C at 1,013 hPa (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	0.4 hPa at 20 °C
Density	1.08 g/cm³
Vapor density	this information is not available

Solubility(ies)

- Water solubility	35 g/l at 20 °C
--------------------	-----------------

Partition coefficient

- n-octanol/water (log KOW)	0.91 (pH value: 7.5, 25 °C) (ECHA)
- Soil organic carbon/water (log KOC)	2.11 (ECHA)
Auto-ignition temperature	630 °C at 1,013 hPa (ECHA) (auto-ignition temperature (liquids and gases))

Viscosity

- Kinematic viscosity	4.03 mm²/s at 20 °C
- Dynamic viscosity	4.35 mPa s at 20 °C
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Refractive index	1.58 (20 °C)
Temperature class (USA, acc. to NEC 500)	T1 (maximum permissible surface temperature on the equipment: 450°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed. Toxic in contact with skin. Toxic if inhaled.

- Acute toxicity estimate (ATE)

Oral	442 mg/kg
Dermal	300 mg/kg
Inhalation: vapor	3 mg/l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Aniline-2'3'4'5'6-d5	62-53-3	2A	

Legend

2A Probably carcinogenic to humans

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
LC50	28.3 mg/l	fish	48 h
EC50	0.16 mg/l	aquatic invertebrates	48 h
ErC50	175 mg/l	algae	72 h

Aquatic toxicity (chronic)			
Endpoint	Value	Species	Exposure time
LC50	8.2 mg/l	fish	7 d
EC50	0.044 mg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	70 %	15 d
DOC removal	100 %	5 d

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	0.91 (pH value: 7.5, 25 °C) (ECHA)
BCF	2.6 (ECHA)

12.4 Mobility in soil

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Henry's law constant	0.205 Pa m ³ /mol at 25 °C
The Organic Carbon normalised adsorption coefficient	2.11 (ECHA)

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT	UN 1547
IMDG-Code	UN 1547
ICAO-TI	UN 1547

14.2 UN proper shipping name

DOT	Aniline
IMDG-Code	ANILINE
ICAO-TI	Aniline

14.3 Transport hazard class(es)

DOT	6.1
IMDG-Code	6.1
ICAO-TI	6.1

14.4 Packing group

DOT	II
-----	----

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

IMDG-Code II
ICAO-TI II

14.5 Environmental hazards

hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN1547, Aniline, 6.1, II, environmentally hazardous
Reportable quantity (RQ) 5,000 lbs (2,270 kg) (Aniline-2'3'4'5'6-d5)
Danger label(s) 6.1, fish and tree



Environmental hazards yes (hazardous to the aquatic environment)
Special provisions (SP) IB2, T7, TP2
ERG No 153

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (P) (hazardous to the aquatic environment)
Danger label(s) 6.1, fish and tree



Special provisions (SP) 279
Excepted quantities (EQ) E4
Limited quantities (LQ) 100 mL
EmS F-A, S-A
Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards yes (hazardous to the aquatic environment)
Danger label(s) 6.1



Special provisions (SP) A113

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Excepted quantities (EQ)	E4
Limited quantities (LQ)	1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) substance is listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities				
Name of substance	CAS No	Notes	Reportable quantity (pounds)	Threshold planning quantity (pounds)
Aniline-2'3'4'5'6-d5	62-53-3	f	5,000	1000

Legend

f Chemical on the original list that does not meet toxicity criteria but because of its acute lethality, high production volume and known risk is considered chemical of concern ("Other chemicals"). (November 17, 1986, and February 15, 1990.)

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings			
Name of substance	CAS No	Remarks	Effective date
Aniline-2'3'4'5'6-d5	62-53-3		1987-01-01

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
Aniline-2'3'4'5'6-d5	62-53-3		1 3 4	5000 (2270)

Legend

- 1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act
- 3 "3" indicates that the source is section 112 of the Clean Air Act
- 4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

not listed

Right to Know Hazardous Substance List

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Aniline-2'3'4'5'6-d5	62-53-3		CA TACs IARC Carcinogens - 2A IRIS Carcinogens - B2 Prop 65

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
Aniline-2'3'4'5'6-d5	62-53-3				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
Aniline-2'3'4'5'6-d5		A, O, *	skin

Legend

- * Substances which are regulated by OSHA as carcinogens; have been categorized by the ACGIH as either "human carcinogens" or "suspect of carcinogenic potential for man"; have been evaluated by the International Agency for Research on Cancer (IARC) and found to be carcinogens or potential carcinogens; or have been listed as a carcinogen or potential carcinogen in the Annual Report on Carcinogens published by the National Toxicology Program (NTP).
- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division
- skin If a potential for absorption from skin contact merits special consideration, the word "skin" follows the substance name.

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Aniline-2'3'4'5'6-d5	62-53-3		CA F2

Legend

- CA Carcinogenic
- F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
BENZENAMINE	62-53-3	E

Legend

- E Environmental hazard

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
Aniline-2'3'4'5'6-d5	62-53-3	T, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
aniline	62-53-3		cancer

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed (ACTIVE)

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.3	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com / info@zeochem.ch Website: https://www.zeochem.com	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com Website: https://www.zeochem.com	yes
2.2.1.2		Precautionary statements: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.	yes
7.2		- Specific designs for storage rooms or vessels	yes
7.2		Storage temperature: Recommended storage temperature: 3 – 7 °C 2 °C	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Biological limit values: change in the listing (table)	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
12.6	Endocrine disrupting properties: Not listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.	yes
15.1	Toxic Substance Control Act (TSCA): substance is listed as "ACTIVE"	Toxic Substance Control Act (TSCA): substance is listed (ACTIVE)	yes
15.1		National inventories: change in the listing (table)	yes

Safety Data Sheet

Aniline-2'3'4'5'6-d5

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0
Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.