

## Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance

**Methanol-d4**

CAS number

811-98-3

Alternative name(s)

methanol-d4, CD3OD

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

industrial uses

the product is intended for research, analysis and scientific education

scientific research and development

product and process oriented research and development

laboratory and analytical use

process agent use

laboratory chemical

HS code

2845.90.

#### 1.3 Details of the supplier of the safety data sheet

Zeochem AG  
Joweid 5, CH-8630 Rüti  
Switzerland

Telephone: +41 44 922 93 93  
e-Mail: info@zeochem.com  
Website: <https://www.zeochem.com>

#### 1.4 Emergency telephone number

Poison centre			
Country	Name	Telephone	
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d	
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d	

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.1O	acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331

# Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

 Version number: GHS 4.1  
 Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.8	specific target organ toxicity - single exposure	1	STOT SE 1	H370

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

## 2.2 Label elements

### Labelling

- Signal word danger

### 2.2.1.2 Pictograms

GHS02, GHS06, GHS08	
---------------------	---

Hazard statements	
H225	highly flammable liquid and vapour
H301+H311+H331	toxic if swallowed, in contact with skin or if inhaled
H370	causes damage to organs

Precautionary statements	
P210	keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P260	do not breathe dust/fume/gas/mist/vapours/spray
P280	wear protective gloves/protective clothing/eye protection/face protection/hearing protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish
P403+P233	store in a well-ventilated place. Keep container tightly closed
P403+P235	store in a well-ventilated place. Keep cool

## 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### Endocrine disrupting properties

 Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .



## Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion,

# Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

### - Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

### Managing of associated risks

#### - Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

#### - Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

#### - Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

#### - Specific designs for storage rooms or vessels

#### - Storage temperature

Recommended storage temperature: 15 – 20 °C  
6 °C

#### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

## 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
EU	methanol	67-56-1	IOELV	200	260					H	2006/15 /EC
GB	methanol	67-56-1	WEL	200	266	250	333			H	EH40/20 05

#### Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

H absorbed through the skin

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

## Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

### Notation

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours  
time-weighted average (unless otherwise specified)

### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

## 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

##### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### - Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

##### - Breakthrough times of the glove material

>30 minutes (permeation: level 2)

##### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	pungent
Melting point/freezing point	-97.8 °C
Boiling point or initial boiling point and boiling range	64.7 – 65.4 °C at 1,013 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	6 vol% - 36 vol%
Flash point	9.7 °C at 1,013 hPa (closed cup)
Auto-ignition temperature	455 °C at 1,013 hPa (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined

#### Solubility(ies)

Water solubility	≥1,000 g/l at 20 °C
------------------	---------------------

#### Partition coefficient

Partition coefficient n-octanol/water (log value)	-0.77 (ECHA)
---	--------------

Vapour pressure	169 hPa at 25 °C
-----------------	------------------

#### Density and/or relative density

Density	0.89 g/cm³ at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

### 9.2 Other information

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

Other safety characteristics

Miscibility	Completely miscible with water.
Refractive index	1.33 (20 °C)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Classification acc. to GHS

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

- Acute toxicity estimate (ATE)

Oral	100 mg/kg
Dermal	300 mg/kg
Inhalation: vapour	3 mg;/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitisier.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Causes damage to organs.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

#### Biodegradation

The substance is readily biodegradable.

#### Process of degradability

Process	Degradation rate	Time
oxygen depletion	69 %	5 d

### 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	-0.77 (ECHA)
---------------------------	--------------

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID	UN 1230
IMDG-Code	UN 1230
ICAO-TI	UN 1230

### 14.2 UN proper shipping name

ADR/RID	METHANOL
IMDG-Code	METHANOL
ICAO-TI	Methanol

### 14.3 Transport hazard class(es)

ADR/RID	3 (6.1)
IMDG-Code	3 (6.1)
ICAO-TI	3 (6.1)

### 14.4 Packing group

ADR/RID	II
IMDG-Code	II
ICAO-TI	II

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

##### **Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information**

Classification code	FT1
Danger label(s)	3+6.1



Special provisions (SP)	279, 802(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	336
Emergency Action Code	2WE

##### **Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information**

Classification code	FT1
Danger label(s)	3+6.1



Special provisions (SP)	279, 802(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	336

##### **International Maritime Dangerous Goods Code (IMDG) - Additional information**

Marine pollutant	-
Danger label(s)	3+6.1



Special provisions (SP)	279
Excepted quantities (EQ)	E2

# Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	B

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s)	3+6.1
	

Special provisions (SP)	A113
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

##### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

##### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

##### Water Framework Directive (WFD)

not listed

##### Regulation on persistent organic pollutants (POP)

not listed

##### National regulations (GB)

##### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

##### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Methanol-d4	Methanol	67-56-1	69
Methanol-d4	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Methanol-d4	flammable / pyrophoric		40

# Safety Data Sheet

## Methanol-d4

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1

Replaces version of: 2025-06-10 (GHS 3)

Revision: 2025-06-12

### National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed (ACTIVE)

#### Legend

REACH Reg. REACH registered substances

TSCA Toxic Substance Control Act

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.1	Alternative name(s): methanol-d4	Alternative name(s): methanol-d4, CD3OD	yes

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.