

## **Methanol-d**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2023-02-02

Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Safety Data Sheet

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Methanol-d** 1455-13-6

methanol-d

2845.90.

industrial uses

#### 1.1 Product identifier

Identification of the substance CAS number Alternative name(s)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

the product is intended for research, analysis and scientific education scientific research and development product and process oriented research and development laboratory and analytical use process agent use laboratory chemical

HS code

#### **1.3** Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti Switzerland Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com / info@zeochem.ch Website: https://www.zeochem.com

#### 1.4 Emergency telephone number

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.10	acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.8	specific target organ toxicity - single exposure	1	STOT SE 1	H370

For full text of abbreviations: see SECTION 16.

#### The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.





## Methanol-d

Revision: 2023-02-02

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Safety Data Sheet

2.2	Label elements	
	Labelling	
	- Signal word	danger
2.2.1.2	Pictograms	
	GHS02, GHS06, GHS08	

	Hazard statements				
H225	highly flammable liquid and vapour				
H301+H311+H331	toxic if swallowed, in contact with skin or if inhaled				
H370	causes damage to organs				

	Precautionary statements				
P210	keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking				
P260	do not breathe dust/fume/gas/mist/vapours/spray				
P280	wear protective gloves/protective clothing/eye protection/face protection/hearing protection				
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor				
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor				
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish				
P403+P233	store in a well-ventilated place. Keep container tightly closed				
P403+P235	store in a well-ventilated place. Keep cool				

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **SECTION 3: Composition/information on ingredients**

3.1	Substances	
	Name of substance	Methanol-d
	Identifiers	
	CAS No	1455-13-6
	EC No	215-933-0
	Purity	≥90 %





## Safety Data Sheet

## Methanol-d

Revision: 2023-02-02

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Specific Conc. Limits	M-Factors	ATE	Exposure route
STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 <sup>mg</sup> / <sub>kg</sub> 300 <sup>mg</sup> / <sub>kg</sub> 3 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: vapour
Molecular formula	CH3OD		
Molar mass	33 <sup>g</sup> / <sub>mol</sub>		

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.





## Methanol-d

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Safety Data Sheet

Revision: 2023-02-02

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Recommendations

Store in a dry place.

#### - Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.





## **Methanol-d**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2023-02-02

### Replaces version of: 2021-07-13 (GHS 1)

Version number: GHS 2.0

Safety Data Sheet

#### - Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

#### - Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

#### - Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

#### - Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

#### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Identi- fier		TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]		Ceiling-C [mg/m³]		Source
EU	methanol	67-56-1	IOELV	200	260					Н	2006/ 15/EC
GB	methanol	67-56-1	WEL	200	266	250	333				EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

absorbed through the skin

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)





## Methanol-d

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

#### Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Safety Data Sheet

Revision: 2023-02-02

#### Human health values

Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects		
DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects		
DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects		
DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects		

#### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Type of material

Nitrile IIR: isobutene-isoprene (butyl) rubber

#### - Breakthrough times of the glove material

>30 minutes (permeation: level 2)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.





## Methanol-d

Revision: 2023-02-02

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Safety Data Sheet

SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	pungent
Melting point/freezing point	-97.8 °C
Boiling point or initial boiling point and boiling range	64.7 °C at 1,013 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	9.7 °C at 1,013 hPa (closed cup)
Auto-ignition temperature	455 °C at 1,013 hPa (есна)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined

#### Solubility(ies)

Water solubility	≥1,000 <sup>g</sup> / <sub>l</sub> at 20 °C
------------------	---

#### Partition coefficient

Partition coefficient n-octanol/water (log value)	-0.77 (ECHA)
---	--------------

Vapour pressure	169 hPa at 25 °C
-----------------	------------------

Density and/or relative density





## Safety Data Sheet

## Methanol-d

Pavision: 2023-02-02

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

#### Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

110111	2025	02	02

Density	0.81 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available

	Particle characteristics	not relevant (liquid)	
9.2 Other information			
	Information with regard to physical hazard classes	there is no additional information	
	Other safety characteristics		
	Refractive index	1.33 (20 °C)	

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

#### If heated:

Risk of ignition

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 10.5 Incompatible materials

Oxidisers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Chemistry. Pure. Efficient.

## Safety Data Sheet

**Methanol-d** 

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2023-02-02

#### Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

300 <sup>mg</sup>/<sub>kg</sub> 3 <sup>mg</sup>/<sub>l</sub>/4h

#### - Acute toxicity estimate (ATE) Oral 100 mg/kg

Oral	
Dermal	
Inhalation: vapour	

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Causes damage to organs.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.





## Methanol-d

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Safety Data Sheet

Revision: 2023-02-02

#### 12.2 Persistence and degradability

#### Biodegradation

The substance is readily biodegradable.

Process of degradability			
Process	Degradation rate	Time	
oxygen depletion	69 %	5 d	

#### 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	-0.77 (ECHA)	
n oetanoli water (log kow)		

#### 12.4 Mobility in soil

Data are not available.

#### **12.5 Results of PBT and vPvB assessment** Data are not available.

- **12.6 Endocrine disrupting properties** Not listed.
- 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.





## **Methanol-d**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2023-02-02

Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Safety Data Sheet

SECTION 14: Transport information				
14.1	UN number or ID number			
	ADR/RID	UN 1230		
	IMDG-Code	UN 1230		
	ICAO-TI	UN 1230		
14.2	UN proper shipping name			
	ADR/RID	METHANOL		
	IMDG-Code	METHANOL		
	ICAO-TI	Methanol		
14.3	Transport hazard class(es)			
	ADR/RID	3 (6.1)		
	IMDG-Code	3 (6.1)		
	ICAO-TI	3 (6.1)		
14.4	Packing group			
	ADR/RID	II		
	IMDG-Code	II		
	ICAO-TI	II		
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations		
14.6	Special precautions for user			

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

## Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code	FT1
Danger label(s)	3+6.1
Special provisions (SP)	279, 802(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L



Safety Data Sheet

## Methanol-d

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

number: GHS 2.0 is version of: 2021-07-13 (GHS 1)	Revision:
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	336
Emergency Action Code	2WE
Regulations concerning the Internation Additional information	onal Carriage of Dangerous Goods by Rail (RID) -
Classification code	FT1
Danger label(s)	3+6.1
Special provisions (SP)	279, 802(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	336
International Maritime Dangerous Go	oods Code (IMDG) - Additional information
Marine pollutant	-
Danger label(s)	3+6.1
Special provisions (SP)	279
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	В
International Civil Aviation Organizat	ion (ICAO-IATA/DGR) - Additional information
Danger label(s)	3+6.1
Special provisions (SP)	A113
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L





### **Methanol-d**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2023-02-02

Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Safety Data Sheet

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

not listed

#### **Regulation on persistent organic pollutants (POP)**

Not listed.

#### National regulations (GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

#### **Restrictions according to GB REACH, Annex 17**

Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	No	
Methanol-d	Methanol	67-56-1	69	
Methanol-d	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/ 2008/EC		3	
Methanol-d	flammable / pyrophoric		40	

#### **National inventories**

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed

Legend

REACH Reg. REACH registered substances TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.



Chemistry. Pure. Efficient.

## **Methanol-d**

Revision: 2023-02-02

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Safety Data Sheet

#### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.1	Registration number (REACH): this information is not available		yes
1.2	Relevant identified uses: industrial uses the product is intended for research, analysis and scientific education scientific research and development product and process orientated research and de- velopment laboratory and analytical use process agent use laboratory chemical	Relevant identified uses: industrial uses the product is intended for research, analysis and scientific education scientific research and development product and process oriented research and devel- opment laboratory and analytical use process agent use laboratory chemical	yes
1.4		Poison centre: change in the listing (table)	yes
8.1		Occupational exposure limit values (Workplace Ex- posure Limits): change in the listing (table)	yes
9.2	Temperature class (EU, acc. to ATEX): T1 (maximum permissible surface temperature on the equipment: 450°C)		yes
12.2	Biodegradation: The substance is readily biodegradable. The rel- evant substances of the mixture are readily biode- gradable.	Biodegradation: The substance is readily biodegradable.	yes
14.7		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID) - Addition- al information	yes
14.7		Classification code: FT1	yes
14.7		Danger label(s): 3+6.1	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): 279, 802(ADN)	yes
14.7		Excepted quantities (EQ): E2	yes
14.7		Limited quantities (LQ): 1 L	yes
14.7		Transport category (TC): 2	yes



## Safety Data Sheet

### **Methanol-d**

#### According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

#### Revision: 2023-02-02

#### Version number: GHS 2.0 Replaces version of: 2021-07-13 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
14.7		Hazard identification No: 336	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list: not listed		yes
15.1		National regulations (GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
16	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, la- belling and packaging of substances and mix- tures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.Transport of danger- ous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Danger- ous Goods Code (IMDG). Dangerous Goods Regu- lations (DGR) for the air transport (IATA).	Key literature references and sources for data: Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Danger- ous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H225	Highly flammable liquid and vapour.	
H301	Toxic if swallowed.	
H311	Toxic in contact with skin.	
H331	Toxic if inhaled.	
H370	Causes damage to organs.	

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

