

Methanol-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0
Replaces version of: 13.07.2021 (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Methanol-d
CAS number 1455-13-6
Alternative name(s) methanol-d

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses industrial uses

the product is intended for research, analysis and

scientific education

scientific research and development

product and process oriented research and devel-

opment

laboratory and analytical use

process agent use laboratory chemical

HS code 2845.90.

1.3 Details of the supplier of the safety data sheet

Zeochem AG Telephone: +41 44 922 93 93

Joweid 5, CH-8630 Rüti e-Mail: info@zeochem.com / info@zeochem.ch

Website: https://www.zeochem.com

1.4 Emergency telephone number

Switzerland

Poison centre	

Country	Name	Telephone
international	CHEMTREC (worldwide)	+1 703 741 5500 - 24h/7d (toll free)
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.10	acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.8	specific target organ toxicity - single exposure	1	STOT SE 1	H370



Methanol-d

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.0 Replaces version of: 13.07.2021 (GHS 1)

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

- Signal word danger

2.2.1.2 Pictograms

GHS02, GHS06, GHS08	

Hazard statements				
H225	highly flammable liquid and vapour			
H301+H311+H331	toxic if swallowed, in contact with skin or if inhaled			
H370	causes damage to organs			

	Precautionary statements		
P210	keep away from heat/sparks/open flames/hot surfaces. No smoking		
P240	ground/bond container and receiving equipment		
P241	use explosion-proof electrical/ventilating/lighting equipment		
P242	use only non-sparking tools		
P243	take precautionary measures against static discharge		
P260	do not breathe dust/fume/gas/mist/vapours/spray		
P270	do not eat, drink or smoke when using this product		
P271	use only outdoors or in a well-ventilated area		
P280	wear protective gloves/protective clothing/eye protection/face protection		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor		
P302+P352	IF ON SKIN: Wash with plenty of water		
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing		
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor		
P311	call a POISON CENTER/doctor		
P321	specific treatment (see on this label)		
P330	rinse mouth		



Methanol-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0
Replaces version of: 13.07.2021 (GHS 1)

Precautionary statements				
P361+P364	take off immediately all contaminated clothing and wash it before reuse			
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish			
P403+P233	store in a well-ventilated place. Keep container tightly closed			
P403+P235	store in a well-ventilated place. Keep cool			
P405	store locked up			
P501	dispose of contents/container in accordance with local/regional/national/international regulations			

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Methanol-d
-------------------	------------

Identifiers

CAS No 1455-13-6
Purity $\geq 90 \%$ Molecular formula CH3OD
Molar mass $33 \, {}^{g}/_{mol}$

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.





Methanol-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0 Replaces version of: 13.07.2021 (GHS 1)

Revision: 02.02.2023

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.





Methanol-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0 Replaces version of: 13.07.2021 (GHS 1)

Revision: 02.02.2023

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.





Methanol-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0 Revision: 02.02.2023 Replaces version of: 13.07.2021 (GHS 1)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No		TWA [mg/m³]		Ceiling-C [mg/m³]	Source
CN	methanol	67-56-1	OEL	25	50		GBZ 2.1

Notation

Ceiling-C STEL ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)
TWA time-weighted average (long-te

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	130 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	130 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	130 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	130 mg/m³	human, inhalatory	worker (industry)	acute - local effects
DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber





Methanol-d

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.0 Replaces version of: 13.07.2021 (GHS 1)

- Breakthrough times of the glove material
- >30 minutes (permeation: level 2)
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Colour	colourless
Particle	not relevant (liquid)
Odour	pungent

Other safety parameters

pH (value)	not determined
Melting point/freezing point	-97.8 °C
Initial boiling point and boiling range	64.7 °C at 1,013 hPa
Flash point	9.7 °C at 1,013 hPa (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapour pressure	169 hPa at 25 °C
Density	0.81 ^g / _{cm³} at 20 °C
Vapour density	this information is not available

Solubility(ies)



Methanol-d

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.0 Replaces version of: 13.07.2021 (GHS 1)

Partition	coefficient
-----------	-------------

- n-octanol/water (log KOW)	-0.77 (ECHA)
Auto-ignition temperature	455 °C at 1,013 hРа (ЕСНА)
Viscosity	

- Dynamic viscosity	>0.544 – <0.59 mPa s at 25 °C
Explosive properties	none
Oxidising properties	none

9.2 Other information

Refractive index	1.33 (20 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Methanol-d

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.0 Replaces version of: 13.07.2021 (GHS 1)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

- Acute toxicity estimate (ATE)

Oral 100 mg/kg
Dermal 300 mg/kg
Inhalation: vapour 3 mg/i/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Causes damage to organs.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.



Methanol-d

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.0 Replaces version of: 13.07.2021 (GHS 1)

Process	of degradabilit	īУ
---------	-----------------	----

Process	Degradation rate	Time
oxygen depletion	69 %	5 d

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	-0.77 (ECHA)
---------------------------	--------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

UN 1230 IMDG-Code UN 1230 ICAO-TI UN 1230

14.2 UN proper shipping name

UN RTDG METHANOL

ZEOCHEM®



Methanol-d

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.0 Replaces version of: 13.07.2021 (GHS 1)

IMDG-Code	METHANOL
ICAO-TI	Methanol
Transport hazard class(es)	
UN RTDG	3 (6.1)
IMDG-Code	3 (6.1)

14.4 Packing group

ICAO-TI

14.3

UN RTDG II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

3 (6.1)

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport information - National regulations - Additional information (UN RTDG)

UN number 1230
Class 3
Subsidiary risk(s) 6.1
Packing group II
Danger label(s) 3+6.1



Special provisions (SP) 279 (UN RTDG)

Excepted quantities (EQ) E2 (UN RTDG)

Limited quantities (LQ) 1 L (UN RTDG)

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -

Danger label(s) 3+6.1



Special provisions (SP) 279



Methanol-d

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.0 Replaces version of: 13.07.2021 (GHS 1) Revision: 02.02.2023

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-E, S-D
Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 3+6.1



Special provisions (SP) A113
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Key literature references and sources for data

General Rule for Classification and Hazard Communication of Chemicals (National Standard GB 13690). National Standard: Safety Data Sheet for Chemical Products - Content and Order of Sections. GB/T 16483. National Standard: Guidance on Compilation of Safety Data Sheet for Chemical Products. GB/T 17519.

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)





Methanol-d

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.0 Replaces version of: 13.07.2021 (GHS 1)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H370	Causes damage to organs.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.