

Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5) Revision: 2025-06-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Nitric acid-d 65%w

CAS number 13587-52-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses laboratory and analytical use

product and process oriented research and devel-

opment

the product is intended for research, analysis and

scientific education

scientific research and development

laboratory chemical

1.3 Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti

Switzerland

Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com

Website: https://www.zeochem.com

1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.13	oxidising liquid	2	Ox. Liq. 2	H272
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.1I	acute toxicity (inhal.)	1	Acute Tox. 1	H330
3.2	skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.



Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5)

2.2 Label elements

Labelling

- Signal word danger

2.2.1.2 Pictograms

GHS03, GHS05, GHS06	
	~ ~ ~ ~

Hazard statements				
H272	may intensify fire; oxidiser			
H290	may be corrosive to metals			
H314	causes severe skin burns and eye damage			
H330	fatal if inhaled			

	Precautionary statements			
P210	keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking			
P260	do not breathe dust/fume/gas/mist/vapours/spray			
P280	wear protective gloves/protective clothing/eye protection/face protection/hearing protection			
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower			
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing			
P310	immediately call a POISON CENTER/doctor			
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish			
P403+P233	store in a well-ventilated place. Keep container tightly closed			

- Supplemental hazard information EUH071 Corrosive to the respiratory tract.

- Hazardous ingredients for labelling nitric acid ... %

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of \geq 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances



Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5)

Not relevant (mixture)

Identifiers

CAS No 13587-52-5 EC No 237-024-8 Molecular formula DNO3 Molar mass $64 \, {}^{9}/_{mol}$

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
nitric acid %	CAS No 13587-52-5	65	Ox. Liq. 2 / H272 Met. Corr. 1 / H290 Acute Tox. 1 / H330	
	EC No 231-714-2		Skin Corr. 1A / H314 Eye Dam. 1 / H318	
	Index No 007-004-00-1			
Deuterium oxide	CAS No 7789-20-0	35		
	EC No 232-148-9			

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
nitric acid %	Ox. Liq. 2; H272: C ≥ 99 % Ox. Liq. 3; H272: 70 % ≤ C < 99 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	-	>0.05 ^{mg} / _l /4h	inhalation: vapour

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at

Revision: 2025-06-10



Safety Data Sheet

Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5)

least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Substance or mixture corrosive to metals.

Hazardous combustion products

Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Collect spillage: kieselgur (diatomite), sand

Appropriate containment techniques

Neutralisation techniques. Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections



Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5) Revision: 2025-06-10

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Take any precaution to avoid mixing with combustibles

- Handling of incompatible substances or mixtures

Do not mix with alkali.

- Keep away from

Organic absorbing material, Pulp/paper

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- Flammability hazards

Keep valves and fittings free from oil and grease.

- Incompatible substances or mixtures

Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)								
Coun- try	Name of agent	CAS No	Identi- fier		TWA [mg/m³]	STEL [ppm]		Ceiling-C [mg/m³]	Source
EU	nitric acid	7697-37-2	IOELV			1	2.6		2006/15 /EC
GB	nitric acid	7697-37-2	WEL			1	2.6		EH40/20



Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5) Revision: 2025-06-10

Occup	oational exposu	re limit va	lues (W	/orkplac	e Exposı	ıre Limit	s)				
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
											05

<u>Notation</u>

TWA

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

- Breakthrough times of the glove material

>30 minutes (permeation: level 2)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	transparent - light yellow
Odour	characteristic



Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5)

Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	101 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	not relevant (inorganic)
---	--------------------------

Vapour pressure	20.6 mmHg at 25 °C
-----------------	--------------------

Density and/or relative density

Density	1.35 ^g / _{cm³}
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

Other safety characteristics

	Refractive index	1.4 (20 °C)
- 1		

SECTION 10: Stability and reactivity

10.1 Reactivity



Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5) Revision: 2025-06-10

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Oxidising property. Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

Keep valves and fittings free from oil and grease.

10.5 Incompatible materials

Bases, Combustible materials

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Fatal if inhaled.

Acute toxicity estimate (ATE)

Inhalation: vapour >0.05 ^{mg}/_l/4h

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
nitric acid %	13587-52-5	inhalation: vapour	>0.05 ^{mg} / _l /4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.



Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5)

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Corrosive to the respiratory tract.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of \geq 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials. Regeneration of acids.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.





Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5)

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID UN 2031 IMDG-Code UN 2031 ICAO-TI UN 2031

14.2 UN proper shipping name

ADR/RID NITRIC ACID IMDG-Code NITRIC ACID ICAO-TI Nitric acid

14.3 Transport hazard class(es)

ADR/RID 8 (5.1)
IMDG-Code 8 (5.1)
ICAO-TI 8 (5.1)

14.4 Packing group

ADR/RID II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code CO1
Danger label(s) 8+5.1





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2

Revision: 2025-06-10



Safety Data Sheet

Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5)

Tunnel restriction code (TRC) E
Hazard identification No 85
Emergency Action Code 2R

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code CO1
Danger label(s) 8+5.1





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 85

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -

Danger label(s) 8+5.1





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-A, S-Q
Stowage category D
Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8+5.1





Special provisions (SP) A1
Excepted quantities (EQ) E0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and



Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5)

electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Nitric acid-d 65%w	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3

National inventories

Country	Inventory	Status	
EU	REACH Reg.	all ingredients are listed	
US	TSCA	all ingredients are listed (ACTIVE)	

<u>Legend</u>

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.1	CAS number: 13587-52-5	CAS number: 13587-52-5	yes
	Alternative name(s)		
12.5	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not con-	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.	yes

Revision: 2025-06-10



Safety Data Sheet

Nitric acid-d 65%w

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 6.0 Replaces version of: 2024-09-13 (GHS 5)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
	tain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.		

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.