methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.1 Replaces version of: 23.03.2022 (GHS 1)

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	Identification of the substance	Methyl iodide-d3
	CAS number	865-50-9
	Alternative name(s)	Iodo(2H3)methane, Iodomethane-d3
1.2	Relevant identified uses of the substance or mi	xture and uses advised against
	Relevant identified uses	laboratory and analytical use product and process oriented research and devel- opment

scientific research and development the product is intended for research, analysis and scientific education feedstock use laboratory chemical

HS code

1.3 Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti Switzerland

Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com / info@zeochem.ch Website: https://www.zeochem.com

1.4 **Emergency telephone number**

Poison centre							
Country	Name	Telephone					
international	CHEMTREC (worldwide)	+1 703 741 5500 - 24h/7d (toll free)					
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d					

2845.90.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class		Hazard class and cat- egory	Hazard state- ment	
2.6	flammable liquid	3	Flam. Liq. 3	H226	
3.10	acute toxicity (oral)	3	Acute Tox. 3	H301	
3.1D	acute toxicity (dermal)	5	Acute Tox. 5	H313	
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331	
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315	
3.6	carcinogenicity	2	Carc. 2	H351	



Safety Data Sheet

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number:	GHS 2.1
Replaces version	of: 23.03.2022 (GHS 1)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- Signal word danger

2.2.1.2 Pictograms

GHS02, GHS06, GHS08, GHS09	

Hazard statements							
H226	flammable liquid and vapour						
H301+H331	toxic if swallowed or if inhaled						
H313	may be harmful in contact with skin						
H315	causes skin irritation						
H335	may cause respiratory irritation						
H351	suspected of causing cancer						
H410	very toxic to aquatic life with long lasting effects						

Precautionary statements							
P201	obtain special instructions before use						
P210	keep away from heat/sparks/open flames/hot surfaces. No smoking						
P240	ground/bond container and receiving equipment						
P241 use explosion-proof electrical/ventilating/lighting equipment							
P242	use only non-sparking tools						
P243	take precautionary measures against static discharge						
P261	avoid breathing dust/fume/gas/mist/vapours/spray						
P270	do not eat, drink or smoke when using this product						



methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.1 Replaces version of: 23.03.2022 (GHS 1)

	Precautionary statements
P271	use only outdoors or in a well-ventilated area
P273	avoid release to the environment
P280	wear protective gloves/protective clothing/eye protection/face protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P302+P352	IF ON SKIN: Wash with plenty of water
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P311	call a POISON CENTER/doctor
P321	specific treatment (see on this label)
P330	rinse mouth
P362+P364	take off contaminated clothing and wash it before reuse
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish
P391	collect spillage
P403+P233	store in a well-ventilated place. Keep container tightly closed
P403+P235	store in a well-ventilated place. Keep cool
P405	store locked up
P501	dispose of contents/container in accordance with local/regional/national/international regulations

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1	Substances	

Name of substance	methyl iodide-d3			
Identifiers				
CAS No	865-50-9			
Purity	>99 %			
Molecular formula	CD3I			
Molar mass	145 ^g / _{mol}			



Safety Data Sheet

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 23.03.2022 (GHS 1) Revision: 02.02.2023

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen iodide (HI), Hydrogen halides (HX)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



Safety Data Sheet

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.1 Replaces version of: 23.03.2022 (GHS 1)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.



Safety Data Sheet

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 23.03.2022 (GHS 1) Revision: 02.02.2023

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Maintaining of the integrity of the substance or mixture

Stabilisers

the material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- Specific designs for storage rooms or vessels
- Storage temperature

Recommended storage temperature: 2 – 6 °C

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occu	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Coun- try Name of agent CAS No Identi- fier [ppm] TWA TWA STEL STEL Ceiling-C Ceiling-C Nota- [ppm] [mg/m³] [ppm] [mg/m³] [ppm] [mg/m³] tion									Source	
CN	methyl iodide	74-88-4	OEL		10						GBZ 2.1

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values



Safety Data Sheet

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

Version number: GHS 2.1 Replaces version of: 23.03.2022 (GHS 1)

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
		er enposare		
DNEL	1.2 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	6.32 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	4.64 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	6.32 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
DNEL	30 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant	PNECs and othe	er threshold levels	

Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	1.6 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

- Breakthrough times of the glove material

>30 minutes (permeation: level 2)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

page 7 / 14



Safety Data Sheet

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 23.03.2022 (GHS 1) Revision: 02.02.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Colour	light yellow - light red - colourless - clear
Particle	not relevant (liquid)
Odour	characteristic

Other safety parameters

pH (value)	not determined	
Melting point/freezing point	-66 °C	
Initial boiling point and boiling range	42 °C	
Flash point	32.1 °C at 749 mmHg (closed cup)	
Evaporation rate	not determined	
Flammability (solid, gas)	not relevant, (fluid)	
Vapour pressure	441 hPa at 20 °C	
Density	2.3 ^g / _{cm³} at 25 °C	
Vapour density	this information is not available	
Relative density	4.9 (air = 1)	
Solubility(ies)		
- Water solubility	8.66 ^g / _l at 20 °C	
Partition coefficient		
- n-octanol/water (log KOW)	1.57 (20 °C) (ECHA)	
Auto-ignition temperature	350 °C at 99.4 kPa (ECHA)	





Revision: 02.02.2023

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1

Viscosity

Replaces version of: 23.03.2022 (GHS 1)

Safety Data Sheet

viscosity		
- Kinematic viscosity	0.23 ^{mm²} / _s at 10 °C	
- Dynamic viscosity	0.53 mPa s at 10 °C	
Explosive properties	none	
Oxidising properties	none	

9.2 Other information

Surface tension	0.068 ^N / _m (20 °C) (ECHA)
Refractive index	1.53 – 1.53 (20 °C) ((lit.))

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Safety Data Sheet

Version number: GHS 2.1 Replaces version of: 23.03.2022 (GHS 1)

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed. May be harmful in contact with skin. Toxic if inhaled.

- Acute toxicity est	timate (ATE)
Oral	79.8 ^{mg}
Dermal	>2 000

79.8 ^{mg}/_{kg} >2,000 ^{mg}/_{kg} 3 ^{mg}/_l/4h

Skin corrosion/irritation

Causes skin irritation.

Inhalation: vapour

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Exposure time		
LC50	1.4 ^{mg} / _l	fish	96 h		
EC50	0.57 ^{mg} / _l	aquatic invertebrates	48 h		
ErC50	1.69 ^{mg} / _l	algae	72 h		



Safety Data Sheet

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 23.03.2022 (GHS 1) Revision: 02.02.2023

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Exposure time	
EC50	0.23 ^{mg} / _l	aquatic invertebrates	21 d	

12.2 Persistence and degradability

Process of degradability				
Process Degradation rate Time				
oxygen depletion	0 %	28 d		

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	1.57 (20 °C) (ECHA)
---------------------------	---------------------

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.





Safety Data Sheet

Replaces version of: 23.03.2022 (GHS 1)

Version number: GHS 2.1

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

.1	UN number			
	UN RTDG	UN 2644		
	IMDG-Code	UN 2644		
14.2	UN proper shipping name			
	UN RTDG	METHYL IODIDE		
	IMDG-Code	METHYL IODIDE		
14.3	Transport hazard class(es)			
	UN RTDG	6.1		
	IMDG-Code	6.1		
14.4	Packing group			
	UN RTDG	Ι		
	IMDG-Code	Ι		
.5	Environmental hazards	hazardous to the aquatic environment		
.6	Special precautions for user There is no additional information.			
.7	Transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.			
	Information for each of the UN Model Regulations			
	Transport information - National regulations - Additional information (UN RTDG)			
	UN number	2644		
	UN number Class			
	UN number Class Environmental hazards	2644 6.1 yes (hazardous to the aquatic environment)		
	UN number Class Environmental hazards Packing group	2644 6.1 yes (hazardous to the aquatic environment) I		
	UN number Class Environmental hazards	2644 6.1 yes (hazardous to the aquatic environment)		
	UN number Class Environmental hazards Packing group	2644 6.1 yes (hazardous to the aquatic environment) I		
	UN number Class Environmental hazards Packing group Danger label(s)	2644 6.1 yes (hazardous to the aquatic environment) I 6.1, fish and tree		





Safety Data Sheet

Replaces version of: 23.03.2022 (GHS 1)

Version number: GHS 2.1

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Revision: 02.02.2023

International Maritime Dangerous Goods Code (IMDG) - Additional information				
Marine pollutant	Yes (hazardous to the aquatic environment)			
Danger label(s)	6.1, fish and tree			
Special provisions (SP)	354			
Excepted quantities (EQ)	EO			
Limited quantities (LQ)	0			
EmS	F-A, S-A			
Stowage category	D			
Segregation group	10 - Liquid halogenated hydrocarbons			
International Civil Aviation Organization (I	CAO-IATA/DGR) - Additional information			
Carriage prohibited.				

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed

Legend

REACH Reg. REACH registered substances TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Key literature references and sources for data

General Rule for Classification and Hazard Communication of Chemicals (National Standard GB 13690). National Standard: Safety Data Sheet for Chemical Products - Content and Order of Sections. GB/T 16483. National Standard: Guidance on Compilation of Safety Data Sheet for Chemical Products. GB/T 17519.

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).



Safety Data Sheet

methyl iodide-d3

Classification acc. to 29 CFR 1910.1200

Version number: GHS 2.1 Replaces version of: 23.03.2022 (GHS 1) Revision: 02.02.2023

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

