ZE • tope[®] Safety Data Sheet

Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance CAS number Alternative name(s)

Nitromethane-d3

13031-32-8

nitromethane-d3, nitro(2H3)methane

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

laboratory and analytical use laboratory chemical 2845.90.

HS code

1.3 Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti Switzerland Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com Website: https://www.zeochem.com

1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
Switzerland	Toxzentrum Zürich / Tox. Info Suisse	+41 44 251 51 51 / CH: 145 - 24h/7d
United States	CHEMTREC USA	+1 800 424 9300 - 24h/7d

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.6	flammable liquid	3	Flam. Liq. 3	H226
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

- Signal word warning



ZE • tope[®] Safety Data Sheet

Chemistry. Pure. Efficient.

Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

2.2.1.2 Pictograms

	-
GHS02, GHS07	

Hazard statements				
H226	flammable liquid and vapour			
H302	harmful if swallowed			

	Precautionary statements				
P210	keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking				
P233	keep container tightly closed				
P240	ground and bond container and receiving equipment				
P241	use explosion-proof electrical/ventilating/lighting equipment				
P242	use non-sparking tools				
P243	take action to prevent static discharges				
P270	do not eat, drink or smoke when using this product				
P280	wear protective gloves/protective clothing/eye protection/face protection/hearing protection				
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell				
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower				
P330	rinse mouth				
P370+P378	in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish				
P403+P235	store in a well-ventilated place. Keep cool				
P501	dispose of contents/container in accordance with local/regional/national/international regulations				

2.3 Other hazards

Results of PBT and vPvB assessment According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Nitromethane-d3
Identifiers	
CAS No	13031-32-8
EC No	235-892-2





Revision: 2025-06-10

Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0

Replaces version of: 2023-02-02 (GHS 2)

Purity	>98 %		
Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	1,506 ^{mg} / _{kg}	oral
Molecular formula	CD3NO2		
Molar mass	64.1 ^g / _{mol}		

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do

page 3 / 13



ZEOtope®

Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

Safety Data Sheet

not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Remove persons to safety.

For emergency responders Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities



ZEOtope®

Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Replaces version of: 2023-02-02 (GHS 2)

Version number: GHS 3.0

Safety Data Sheet

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards
 Keep away from sources of ignition No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.
- Ventilation requirements Use local and general ventilation. Ground/bond container and receiving equipment.
- Specific designs for storage rooms or vessels
- Storage temperature

Recommended storage temperature: 15 – 20 °C 15 °C

- Packaging compatibilities Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No			TWA [mg/m³]			Ceiling-C [ppm]		Source
GB	nitromethane	75-52-5	WEL	100	254	150	381			EH40/20 05

<u>Notation</u>

Ceiling-Cceiling value is a limit value above which exposure should not occurSTELshort-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)TWAtime-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
time-weighted average (unless otherwise specified)

Human health values

Relevant DNE	Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	20 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	39 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects			
DNEL	39 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects			
DNEL	79 mg/m ³	human, inhalatory	worker (industry)	acute - local effects			
DNEL	417 mg/kg	human, dermal	worker (industry)	chronic - systemic effects			



ZEOtope®

Safety Data Sheet

Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

Revision: 2025-06-10

es	version of: 2023-02	2-02 (GHS 2)						
	Relevant DNELs and other threshold levels							
	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
		bw/day						
	DNEL	2,500 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects			

Environmental values

Relevant PNECs and other threshold levels					
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time	
PNEC	4.9 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

- Breakthrough times of the glove material

- >30 minutes (permeation: level 2)
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

liquid



ZE • tope[®] Safety Data Sheet

Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

s version of: 2023-02-02 (GHS 2)				
Colour	not determined			
Odour	characteristic			
Melting point/freezing point	-28.4 °C			
Boiling point or initial boiling point and boiling range	101 °C at 760 mmHg			
Flammability	flammable liquid in accordance with GHS criteria			
Lower and upper explosion limit	7.1 vol% - 63 vol%			
Flash point	36 °C at 102 kPa (closed cup)			
Auto-ignition temperature	430 °C at 102 kPa (ECHA) (auto-ignition temperature (liquids and gases))			
Decomposition temperature	not relevant			
pH (value)	not determined			
Kinematic viscosity	not determined			

Solubility(ies)

Water solubility	104 ^g / _l at 25 °C
------------------	--

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

		Vapour pressure	35.7 mmHg at 25 °C	
--	--	-----------------	--------------------	--

Density and/or relative density

Density	1.18 ^g / _{cm³} at 25 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)	1

9.2 Other information

Information with regard to physical hazard	there is no additional information
classes	





Safety Data Sheet

Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2) Revision: 2025-06-10

Other safety characteristics

Surface tension	73.6 ^{mN} / _m (21 °C) (ECHA)
Refractive index	1.38 (20 °C) ((lit.))

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. GHS of the United Nations, annex 4: May be harmful in contact with skin.

- Acute toxicity estimate (ATE) Oral 1,506 ^{mg}/_{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.





Chemistry. Pure. Efficient.

Safety Data Sheet

Version number: GHS 3.0

Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Replaces version of: 2023-02-02 (GHS 2) Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic. Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	2.4 %	5 d
carbon dioxide generation	36.2 %	5 d

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information Solvent reclamation/regeneration.





Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information		
14.1	UN number or ID number	
	ADR/RID	UN 1261
	IMDG-Code	UN 1261
	ICAO-TI	UN 1261
14.2	UN proper shipping name	
	ADR/RID	NITROMETHANE
	IMDG-Code	NITROMETHANE
	ICAO-TI	Nitromethane
14.3	Transport hazard class(es)	
	ADR/RID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADR/RID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
14.6	Special precautions for user Provisions for dangerous goods (ADR) should be complied	l within the premises.
14.7	Maritime transport in bulk according to IMO ins The cargo is not intended to be carried in bulk.	struments
	Information for each of the UN Model Regulation	ns

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code	F1
Danger label(s)	3





Chemistry. Pure. Efficient.

Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)	Revision: 2025-06-10



Excepted quantities (EQ)	EO	
Limited quantities (LQ)	1 L	
Transport category (TC)	2	
Tunnel restriction code (TRC)	E	
Emergency Action Code	2Y	
Regulations concerning the International Carria Additional information	age of Dangerous Goods by Rail (RID) -	
Classification code	F1	
Danger label(s)	3	
Excepted quantities (EQ)	EO	
Limited quantities (LQ)	1 L	
Transport category (TC)	2	
Hazard identification No	33	
International Maritime Dangerous Goods Code	(IMDG) - Additional information	
Marine pollutant	-	
Danger label(s)	3	
Special provisions (SP)	26	
Excepted quantities (EQ)	EO	
Limited quantities (LQ)	1 L	
EmS	F-E, S-D	
Stowage category	A	
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		
Danger label(s)	3	
Special provisions (SP)	A1, A39	
Excepted quantities (EQ)	EO	





Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Version number: GHS 3.0 Replaces version of: 2023-02-02 (GHS 2)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Nitromethane-d3		a)	

Legend

a) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

not listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Nitromethane-d3	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3
Nitromethane-d3	flammable / pyrophoric		40

National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed
US	TSCA	substance is listed (ACTIVE)

<u>Legend</u>

REACH Reg.REACH registered substancesTSCAToxic Substance Control Act





Nitromethane-d3

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-10

Replaces version of: 2023-02-02 (GHS 2)

Version number: GHS 3.0

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.3	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland	Details of the supplier of the safety data sheet: Zeochem AG Joweid 5, CH-8630 Rüti Switzerland	yes
	Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com / info@zeochem.ch Website: https://www.zeochem.com	Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com Website: https://www.zeochem.com	
1.4		Poison centre: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
7.2		- Specific designs for storage rooms or vessels	yes
7.2		Storage temperature: Recommended storage temperature: 15 – 20 °C 15 °C	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
12.6	Endocrine disrupting properties: Not listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

