

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

|                                 |                                      |
|---------------------------------|--------------------------------------|
| Identification of the substance | <b>2-Propanol-d7</b>                 |
| CAS number                      | 19214-96-1                           |
| Alternative name(s)             | isopropyl-d7 alcohol, isopropanol-d7 |

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                          |  |
|--------------------------|--|
| Relevant identified uses | laboratory and analytical use<br>laboratory chemical |
| HS code                  | 2845.90.   |

#### 1.3 Details of the supplier of the safety data sheet

|   |   |
|---|---|
| Zeochem AG<br>Joweid 5, CH-8630 Rüti<br>Switzerland | Telephone: +41 44 922 93 93<br>e-Mail: info@zeochem.com<br>Website: https://www.zeochem.com |
|---|---|

#### 1.4 Emergency telephone number

| Poison centre |                                      |                                     |
|---------------|--------------------------------------|-------------------------------------|
| Country       | Name                                 | Telephone                           |
| Switzerland   | Toxzentrum Zürich / Tox. Info Suisse | +41 44 251 51 51 / CH: 145 - 24h/7d |
| United States | CHEMTREC USA                         | +1 800 424 9300 - 24h/7d            |

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class  | Category | Hazard class and category | Hazard statement |
|---------|---|----------|---------------------------|------------------|
| 2.6     | flammable liquid  | 2        | Flam. Liq. 2              | H225             |
| 3.3     | serious eye damage/eye irritation   | 2        | Eye Irrit. 2              | H319             |
| 3.8D    | specific target organ toxicity - single exposure (narcotic effects, drowsiness) | 3        | STOT SE 3                 | H336             |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labelling

- Signal word danger

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

### 2.2.1.2 Pictograms

|              |  |
|--------------|--|
| GHS02, GHS07 |   |
|--------------|--|

| Hazard statements |                                    |
|-------------------|------------------------------------|
| H225              | highly flammable liquid and vapour |
| H319              | causes serious eye irritation      |
| H336              | may cause drowsiness or dizziness  |

| Precautionary statements |   |
|--------------------------|---|
| P210                     | keep away from heat/sparks/open flames/hot surfaces. No smoking   |
| P240                     | ground/bond container and receiving equipment   |
| P241                     | use explosion-proof electrical/ventilating/lighting equipment   |
| P242                     | use only non-sparking tools   |
| P243                     | take precautionary measures against static discharge  |
| P261                     | avoid breathing dust/fume/gas/mist/vapours/spray  |
| P271                     | use only outdoors or in a well-ventilated area  |
| P280                     | wear protective gloves/protective clothing/eye protection/face protection   |
| P303+P361+P353           | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower                              |
| P304+P340                | IF INHALED: Remove person to fresh air and keep comfortable for breathing   |
| P305+P351+P338           | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |
| P312                     | call a POISON CENTER/doctor if you feel unwell  |
| P370+P378                | in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish  |
| P403+P233                | store in a well-ventilated place. Keep container tightly closed   |
| P403+P235                | store in a well-ventilated place. Keep cool   |
| P405                     | store locked up   |
| P501                     | dispose of contents/container in accordance with local/regional/national/international regulations                              |

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance 2-Propanol-d7

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

### Identifiers

|                   |            |
|-------------------|------------|
| CAS No            | 19214-96-1 |
| Purity            | >99 %      |
| Molecular formula | C3D7OH     |
| Molar mass        | 67.1 g/mol |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

#### Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

from sunlight.

### - Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

### - Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

## 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) |                   |         |            |           |             |            |              |                 |                   |          |         |
|--|-------------------|---------|------------|-----------|-------------|------------|--------------|-----------------|-------------------|----------|---------|
| Country  | Name of agent     | CAS No  | Identifier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [ppm] | Ceiling-C [mg/m³] | Notation | Source  |
| CN   | isopropyl alcohol | 67-63-0 | OEL        |           | 350         |            | 700          |                 |                   |          | GBZ 2.1 |

#### Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours  
time-weighted average (unless otherwise specified)

### Human health values

| Relevant DNELs and other threshold levels |                  |                                    |                   |                            |
|---|------------------|------------------------------------|-------------------|----------------------------|
| Endpoint                                  | Threshold level  | Protection goal, route of exposure | Used in           | Exposure time              |
| DNEL                                      | 500 mg/m³        | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL                                      | 888 mg/kg bw/day | human, dermal                      | worker (industry) | chronic - systemic effects |

### Environmental values

| Relevant PNECs and other threshold levels |                 |                   |                              |                              |
|---|-----------------|-------------------|------------------------------|------------------------------|
| Endpoint                                  | Threshold level | Organism          | Environmental compartment    | Exposure time                |
| PNEC                                      | 141 mg/l        | aquatic organisms | freshwater                   | short-term (single instance) |
| PNEC                                      | 141 mg/l        | aquatic organisms | marine water                 | short-term (single instance) |
| PNEC                                      | 2,251 mg/l      | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| PNEC                                      | 552 mg/kg       | aquatic organisms | freshwater sediment          | short-term (single instance) |
| PNEC                                      | 552 mg/kg       | aquatic organisms | marine sediment              | short-term (single instance) |

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

| Relevant PNECs and other threshold levels |                 |                       |                           |                              |
|---|-----------------|-----------------------|---------------------------|------------------------------|
| Endpoint                                  | Threshold level | Organism              | Environmental compartment | Exposure time                |
| PNEC                                      | 28 mg/kg        | terrestrial organisms | soil                      | short-term (single instance) |

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

- Breakthrough times of the glove material

>30 minutes (permeation: level 2)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

|                |                       |
|----------------|-----------------------|
| Physical state | liquid                |
| Colour         | clear - colourless    |
| Particle       | not relevant (liquid) |
| Odour          | characteristic        |

#### Other safety parameters

|            |                |
|------------|----------------|
| pH (value) | not determined |
|------------|----------------|

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

|   |                                   |
|---|-----------------------------------|
| Melting point/freezing point            | -90 °C                            |
| Initial boiling point and boiling range | 82 °C                             |
| Flash point                             | not determined                    |
| Evaporation rate                        | not determined                    |
| Flammability (solid, gas)               | not relevant, (fluid)             |
| Vapour pressure                         | not determined                    |
| Density                                 | 0.88 g/cm³ at 25 °C               |
| Vapour density                          | this information is not available |

### Solubility(ies)

|                    |                            |
|--------------------|----------------------------|
| - Water solubility | miscible in any proportion |
|--------------------|----------------------------|

### Partition coefficient

|                             |                                   |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
| Auto-ignition temperature   | not determined                    |
| Viscosity                   | not determined                    |
| Explosive properties        | none                              |
| Oxidising properties        | none                              |

|                              |                                    |
|------------------------------|------------------------------------|
| <b>9.2 Other information</b> | there is no additional information |
|------------------------------|------------------------------------|

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Classification acc. to GHS

##### Acute toxicity

Shall not be classified as acutely toxic.

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Causes serious eye irritation.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Shall not be classified as carcinogenic.

##### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

##### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

##### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

##### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

#### Biodegradation

The substance is readily biodegradable.

| Process of degradability |                  |      |
|--------------------------|------------------|------|
| Process                  | Degradation rate | Time |
| oxygen depletion         | 53 %             | 5 d  |

### 12.3 Bioaccumulative potential

Data are not available.



## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

### 14.1 UN number

|           |         |
|-----------|---------|
| UN RTDG   | UN 1219 |
| IMDG-Code | UN 1219 |
| ICAO-TI   | UN 1219 |

### 14.2 UN proper shipping name

|           |             |
|-----------|-------------|
| UN RTDG   | ISOPROPANOL |
| IMDG-Code | ISOPROPANOL |
| ICAO-TI   | Isopropanol |

### 14.3 Transport hazard class(es)

|           |   |
|-----------|---|
| UN RTDG   | 3 |
| IMDG-Code | 3 |
| ICAO-TI   | 3 |

### 14.4 Packing group

|           |    |
|-----------|----|
| UN RTDG   | II |
| IMDG-Code | II |
| ICAO-TI   | II |

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

#### Transport information - National regulations - Additional information (UN RTDG)

|                 |      |
|-----------------|------|
| UN number       | 1219 |
| Class           | 3    |
| Packing group   | II   |
| Danger label(s) | 3    |



|                          |               |
|--------------------------|---------------|
| Special provisions (SP)  | - (UN RTDG)   |
| Excepted quantities (EQ) | E2 (UN RTDG)  |
| Limited quantities (LQ)  | 1 L (UN RTDG) |

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

|                  |   |
|------------------|---|
| Marine pollutant | - |
| Danger label(s)  | 3 |



|                          |          |
|--------------------------|----------|
| Special provisions (SP)  | -        |
| Excepted quantities (EQ) | E2       |
| Limited quantities (LQ)  | 1 L      |
| EmS                      | F-E, S-D |
| Stowage category         | B        |

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

|                 |   |
|-----------------|---|
| Danger label(s) | 3 |
|-----------------|---|



|                          |      |
|--------------------------|------|
| Special provisions (SP)  | A180 |
| Excepted quantities (EQ) | E2   |
| Limited quantities (LQ)  | 1 L  |

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

##### National inventories

| Country | Inventory  | Status                       |
|---------|------------|------------------------------|
| EU      | REACH Reg. | substance is listed          |
| US      | TSCA       | substance is listed (ACTIVE) |

##### Legend

REACH Reg. REACH registered substances  
TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

### SECTION 16: Other information

#### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value)   | Actual entry (text/value)   | Safety-relevant |
|---------|---|---|-----------------|
| 1.3     | Details of the supplier of the safety data sheet:<br>Zeochem AG<br>Joweid 5, CH-8630 Rüti<br>Switzerland<br><br>Telephone: +41 44 922 93 93<br>e-Mail: info@zeochem.com / info@zeochem.ch<br>Website: https://www.zeochem.com | Details of the supplier of the safety data sheet:<br>Zeochem AG<br>Joweid 5, CH-8630 Rüti<br>Switzerland<br><br>Telephone: +41 44 922 93 93<br>e-Mail: info@zeochem.com<br>Website: https://www.zeochem.com | yes             |
| 1.4     |   | Poison centre:<br>change in the listing (table)   | yes             |
| 2.3     |   | Endocrine disrupting properties:<br>Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ .   | yes             |
| 12.5    | Results of PBT and vPvB assessment:<br>Data are not available.  | Results of PBT and vPvB assessment:<br>According to the results of its assessment, this substance is not a PBT or a vPvB.   | yes             |
| 12.6    | Endocrine disrupting properties:<br>Not listed.   | Endocrine disrupting properties:<br>Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ .   | yes             |
| 15.1    |   | National inventories:<br>change in the listing (table)  | yes             |

#### Key literature references and sources for data

General Rule for Classification and Hazard Communication of Chemicals (National Standard GB 13690). National Standard: Safety Data Sheet for Chemical Products - Content and Order of Sections. GB/T 16483. National Standard: Guidance on Compilation of Safety Data Sheet for Chemical Products. GB/T 17519.  
UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## Safety Data Sheet

## 2-Propanol-d7

Classification acc. to 29 CFR 1910.1200

Version number: GHS 3.0  
Replaces version of: 01.02.2023 (GHS 2)

Revision: 10.06.2025

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                                |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H319 | Causes serious eye irritation.      |
| H336 | May cause drowsiness or dizziness.  |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.