Revision: 2025-06-11



# Safety Data Sheet

# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance **Tetrahydrofuran-d8** 

CAS number 1693-74-9

Alternative name(s) tetrahydrofuran-d8

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses laboratory and analytical use

laboratory chemical

scientific research and development

the product is intended for research, analysis and

scientific education

product and process oriented research and devel-

opment

HS code 2845.90.

## 1.3 Details of the supplier of the safety data sheet

Zeochem AG Joweid 5, CH-8630 Rüti

Switzerland

Telephone: +41 44 922 93 93 e-Mail: info@zeochem.com

Website: https://www.zeochem.com

### 1.4 Emergency telephone number

| Poison centre |                                      |                                     |  |  |  |  |
|---------------|--------------------------------------|-------------------------------------|--|--|--|--|
| Country       | Name                                 | Telephone                           |  |  |  |  |
| Switzerland   | Toxzentrum Zürich / Tox. Info Suisse | +41 44 251 51 51 / CH: 145 - 24h/7d |  |  |  |  |
| United States | CHEMTREC USA                         | +1 800 424 9300 - 24h/7d            |  |  |  |  |

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class  | Category | Hazard class and cat-<br>egory | Hazard state-<br>ment |
|---------|---|----------|--------------------------------|-----------------------|
| 2.6     | flammable liquid  | 2        | Flam. Liq. 2                   | H225                  |
| 3.1I    | acute toxicity (inhal.)                                       | 4        | Acute Tox. 4                   | H332                  |
| 3.2     | skin corrosion/irritation                                     | 2        | Skin Irrit. 2                  | H315                  |
| 3.3     | serious eye damage/eye irritation                             | 2        | Eye Irrit. 2                   | H319                  |
| 3.6     | carcinogenicity   | 2        | Carc. 2                        | H351                  |
| 3.8R    | specific target organ toxicity - single exposure (respiratory | 3        | STOT SE 3                      | H335                  |



# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-11

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3)

| Section | Hazard class      | Category | Hazard class and cat-<br>egory | Hazard state-<br>ment |
|---------|-------------------|----------|--------------------------------|-----------------------|
|         | tract irritation) |          |                                |                       |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects
The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labelling

- Signal word danger

## 2.2.1.2 Pictograms

| GHS02, GHS07,<br>GHS08 |  |
|------------------------|--|
|                        |  |

| Hazard statements |                                    |  |  |  |
|-------------------|------------------------------------|--|--|--|
| H225              | highly flammable liquid and vapour |  |  |  |
| H315              | causes skin irritation             |  |  |  |
| H319              | causes serious eye irritation      |  |  |  |
| H332              | harmful if inhaled                 |  |  |  |
| H335              | may cause respiratory irritation   |  |  |  |
| H351              | suspected of causing cancer        |  |  |  |

|           | Precautionary statements   |
|-----------|--|
| P201      | obtain special instructions before use   |
| P210      | keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking      |
| P261      | avoid breathing dust/fume/gas/mist/vapours/spray   |
| P280      | wear protective gloves/protective clothing/eye protection/face protection/hearing protection       |
| P312      | call a POISON CENTRE/doctor if you feel unwell   |
| P370+P378 | in case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish                     |
| P403+P233 | store in a well-ventilated place. Keep container tightly closed                                    |
| P403+P235 | store in a well-ventilated place. Keep cool  |
| P501      | dispose of contents/container in accordance with local/regional/national/international regulations |

- Supplemental hazard information EUH019 May form explosive peroxides.

#### 2.3 Other hazards

Revision: 2025-06-11



# Safety Data Sheet

# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3)

## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance Tetrahydrofuran-d8

Identifiers

CAS No 1693-74-9
EC No 216-898-4
Purity >99 %

### Impurities and additives, classification acc. to GHS

| Name of substance | CAS No    | EC No     | Wt%  | Classification acc. to GHS |
|-------------------|-----------|-----------|------|----------------------------|
| Deuterium oxide   | 7789-20-0 | 232-148-9 | 0.03 |                            |

| Specific Conc. Limits        | M-Factors | ATE                                    | Exposure route     |
|------------------------------|-----------|--|--------------------|
| Eye Irrit. 2; H319: C ≥ 25 % | -         | >4,500 <sup>ppmV</sup> / <sub>4h</sub> | inhalation: gas    |
| STOT SE 3; H335: C ≥ 25 %    |           | 11 <sup>mg</sup> / <sub>I</sub> /4h    | inhalation: vapour |

Molecular formula C4D80 Molar mass  $80.2 \, ^{\rm g}/_{\rm mol}$ 

#### **Remarks**

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

## Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion



# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3) Revision: 2025-06-11

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

## 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.



# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3) Revision: 2025-06-11

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Recommendations

Store in a dry place.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

## Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- Specific designs for storage rooms or vessels
- Storage temperature

Recommended storage temperature: 4-6 °C 2 °C

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters



# Tetrahydrofuran-d8

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3) Revision: 2025-06-11

| Occup        | Occupational exposure limit values (Workplace Exposure Limits) |          |                 |              |                |               |                 |  |                      |   |                |
|--------------|--|----------|-----------------|--------------|----------------|---------------|-----------------|--|----------------------|---|----------------|
| Coun-<br>try | Name of agent  | CAS No   | Identi-<br>fier | TWA<br>[ppm] | TWA<br>[mg/m³] | STEL<br>[ppm] | STEL<br>[mg/m³] |  | Ceiling-C<br>[mg/m³] |   | Source         |
| EU           | tetrahydrofuran  | 109-99-9 | IOELV           | 50           | 150            | 100           | 300             |  |                      | Н | 2000/39<br>/EC |
| GB           | tetrahydrofuran  | 109-99-9 | WEL             | 50           | 150            | 100           | 300             |  |                      | Н | EH40/20<br>05  |

#### **Notation**

Ceiling-C ceiling value is a limit value above which exposure should not occur

H absorbed through the skin

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

#### Human health values

| Relevant DNELs and other threshold levels |                       |                                    |                   |                            |  |  |  |  |
|---|-----------------------|------------------------------------|-------------------|----------------------------|--|--|--|--|
| Endpoint                                  | Threshold level       | Protection goal, route of exposure | Used in           | Exposure time              |  |  |  |  |
| DNEL                                      | 72.4 mg/m³            | human, inhalatory                  | worker (industry) | chronic - systemic effects |  |  |  |  |
| DNEL                                      | 96 mg/m³              | human, inhalatory                  | worker (industry) | acute - systemic effects   |  |  |  |  |
| DNEL                                      | 150 mg/m³             | human, inhalatory                  | worker (industry) | chronic - local effects    |  |  |  |  |
| DNEL                                      | 300 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | acute - local effects      |  |  |  |  |
| DNEL                                      | 12.6 mg/kg<br>bw/day  | human, dermal                      | worker (industry) | chronic - systemic effects |  |  |  |  |

#### **Environmental values**

| Relevant | Relevant PNECs and other threshold levels |                       |                              |                              |  |  |  |
|----------|---|-----------------------|------------------------------|------------------------------|--|--|--|
| Endpoint | Threshold level                           | Organism              | Environmental compartment    | Exposure time                |  |  |  |
| PNEC     | 4.32 <sup>mg</sup> / <sub>l</sub>         | aquatic organisms     | freshwater                   | short-term (single instance) |  |  |  |
| PNEC     | 0.432 <sup>mg</sup> / <sub>l</sub>        | aquatic organisms     | marine water                 | short-term (single instance) |  |  |  |
| PNEC     | 4.6 <sup>mg</sup> / <sub>l</sub>          | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |  |  |  |
| PNEC     | 23.3 <sup>mg</sup> / <sub>kg</sub>        | aquatic organisms     | freshwater sediment          | short-term (single instance) |  |  |  |
| PNEC     | 2.33 <sup>mg</sup> / <sub>kg</sub>        | aquatic organisms     | marine sediment              | short-term (single instance) |  |  |  |
| PNEC     | 2.13 <sup>mg</sup> / <sub>kg</sub>        | terrestrial organisms | soil                         | short-term (single instance) |  |  |  |

### 8.2 Exposure controls

Appropriate engineering controls General ventilation.

Individual protection measures (personal protective equipment)



# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-11

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3)

## Eye/face protection

Wear eye/face protection.

### Skin protection

### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## - Type of material

Nitrile

IIR: isobutene-isoprene (butyl) rubber

#### - Breakthrough times of the glove material

>30 minutes (permeation: level 2)

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

| Physical state   | liquid   |
|--|--|
| Colour   | colourless   |
| Odour  | characteristic   |
| Melting point/freezing point                             | -106 °C  |
| Boiling point or initial boiling point and boiling range | 65 °C at 101 kPa   |
| Flammability   | flammable liquid in accordance with GHS criteria                         |
| Lower and upper explosion limit                          | not determined   |
| Flash point  | -17.2 °C at 101 kPa (closed cup)   |
| Auto-ignition temperature                                | 215 °C at 101 kPa (ECHA) (auto-ignition temperature (liquids and gases)) |
| Decomposition temperature                                | 321 °C   |
| pH (value)   | not determined   |
| Kinematic viscosity                                      | not determined   |



# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-11

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3)

| _                |     |              |          |       |
|------------------|-----|--------------|----------|-------|
| $\varsigma \cap$ | lтт | hil          | litv/    | (ies) |
| 20               | u   | $\mathbf{v}$ | 11 C Y 1 | 1031  |

| Water s | olubility | miscible in any proportion |
|---------|-----------|----------------------------|
|         | ,         |                            |

### Partition coefficient

| Partition coefficient n-octanol/water (log value) 0.45 (pH value: 7, 25 °C) (ECHA) |
|--|
|--|

| Vapour pressure | 17 kPa at 20 °C |
|-----------------|-----------------|
|                 |                 |

### Density and/or relative density

| Density                 | 0.99 <sup>g</sup> / <sub>cm³</sub> at 25 °C   |
|-------------------------|---|
| Relative vapour density | information on this property is not available |

| Particle characteristics | not relevant (liquid) |
|--------------------------|-----------------------|
|--------------------------|-----------------------|

### 9.2 Other information

| nformation with regard to physical hazard asses | there is no additional information |
|---|------------------------------------|
|---|------------------------------------|

#### Other safety characteristics

| Miscibility      | Completely miscible with water. |
|------------------|---------------------------------|
| Refractive index | 1.4 (20 °C) ((lit.))            |

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

## 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion



# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3) Revision: 2025-06-11

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Classification acc. to GHS

Acute toxicity

Harmful if inhaled.

- Acute toxicity estimate (ATE)

Inhalation: gas >4,500 ppmV/<sub>4h</sub>
Inhalation: vapour 11 mg/<sub>1</sub>/<sub>4</sub>h

#### Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Suspected of causing cancer.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.



# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3) Revision: 2025-06-11

### 12.2 Persistence and degradability

| Process of degradability |                  |      |
|--------------------------|------------------|------|
| Process                  | Degradation rate | Time |
| oxygen depletion         | 39 %             | 28 d |

### 12.3 Bioaccumulative potential

Data are not available.

| n-octanol/water (log KOW) | 0.45 (pH value: 7, 25 °С) (ЕСНА) |
|---------------------------|----------------------------------|
|                           |                                  |

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

## Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADR/RID UN 2056 IMDG-Code UN 2056 ICAO-TI UN 2056

## 14.2 UN proper shipping name

ADR/RID TETRAHYDROFURAN



# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-11

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3)

|      | IMDG-Code                  | TETRAHYDROFURAN   |
|------|----------------------------|---|
|      | ICAO-TI                    | Tetrahydrofuran   |
| 14.3 | Transport hazard class(es) |   |
|      | ADR/RID                    | 3   |
|      | IMDG-Code                  | 3   |
|      | ICAO-TI                    | 3   |
| 14.4 | Packing group              |   |
|      | ADR/RID                    | II  |
|      | IMDG-Code                  | II  |
|      | ICAO-TI                    | II  |
| 14.5 | Environmental hazards      | non-environmentally hazardous acc. to the dangerous goods regulations |
|      |                            |   |

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## **Information for each of the UN Model Regulations**

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code F1
Danger label(s) 3



| Excepted quantities (EQ)      | E2  |
|-------------------------------|-----|
| Limited quantities (LQ)       | 1 L |
| Transport category (TC)       | 2   |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No      | 33  |
| Emergency Action Code         | 2YE |

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code F1
Danger label(s) 3



A Company of CPH Group AG



# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3) Revision: 2025-06-11

| Excepted quantities (EQ) | E2  |
|--------------------------|-----|
| Limited quantities (LQ)  | 1 L |
| Transport category (TC)  | 2   |
| Hazard identification No | 33  |

## International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 3



Special provisions (SP) 
Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-E, S-D

Stowage category B

## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

## Water Framework Directive (WFD)

| List of pollutants (WFD) |        |           |         |
|--------------------------|--------|-----------|---------|
| Name of substance        | CAS No | Listed in | Remarks |
| Tetrahydrofuran-d8       |        | a)        |         |

A Company of CPH Group AG



# **Tetrahydrofuran-d8**

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3) Revision: 2025-06-11

#### Legend

a) Indicative list of the main pollutants

## Regulation on persistent organic pollutants (POP)

not listed

### National regulations (GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

## Restrictions according to GB REACH, Annex 17

| Dangerous substances with restrictions (GB REACH, Annex 17) |  |        |    |
|---|--|--------|----|
| Name of substance   | Name acc. to inventory   | CAS No | No |
| Tetrahydrofuran-d8  | this product meets the criteria for classifica-<br>tion in accordance with Regulation No<br>1272/2008/EC |        | 3  |
| Tetrahydrofuran-d8  | flammable / pyrophoric   |        | 40 |

#### **National inventories**

| Country | Inventory  | Status                       |
|---------|------------|------------------------------|
| EU      | REACH Reg. | substance is listed          |
| US      | TSCA       | substance is listed (ACTIVE) |

### <u>Legend</u>

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                                |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H315 | Causes skin irritation.             |
| H319 | Causes serious eye irritation.      |
| H332 | Harmful if inhaled.                 |
| H335 | May cause respiratory irritation.   |



# Tetrahydrofuran-d8

According to Regulation (EC) No. 1907/2006 (REACH)

Classification acc. to 29 CFR 1910.1200

Revision: 2025-06-11

Version number: GHS 4.1 Replaces version of: 2025-06-10 (GHS 3)

| Code | Text                         |
|------|------------------------------|
| H351 | Suspected of causing cancer. |

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.